References

Adams, F.C., Emerson, J.P., Fuller, G.A.: 1990, **Submillimeter photometry and disk masses of T Tauri disk systems**, *ApJ* 357, 606

Adams, M.T., Strom, K.M., Strom, S.E.: 1979, **Herbig-Haro objects associated with NGC 2264**, *ApJ* 230, L183

Ageorges, N., Ménard, F., Monin, J.-L., Eckart, A.: 1994, **SHARP images of the pre-main sequence star V536 Aquilae: a highly polarized binary**, *A&A* 283, L5

Akeson, R.L., Carlstrom, J.E.: 1997, **Magnetic field structure in protostellar envelopes**, *ApJ* 491, 254

Akeson, R.L., Carlstrom, J.E., Phillips, J.A., Woody, D.P.: 1996, **Millimeter interferometric polarization imaging of the young stellar object NGC 1333/IRAS 4A**, *ApJ* 456, L45

Akeson, R.L., Koerner, D.W., Jensen, E.L.N.: 1998, **A circumstellar dust disk around T Tauri N: subarcsecond imaging at λ=3 millimeters**, *ApJ* 505, 358

Allen, D.A.: 1978, **Classification spectra of Sanduleak and Stephenson emission-line stars**, *MNRAS* 184, 601

Allen, D.A., Burton, M.G.: 1993, **Explosive ejection of matter associated with star formation in the Orion Nebula**, *Nature* 363, 54

Allen, D.A., Strom, K.M., Grasdalen, G.L., Strom, S.E., Merrill, K.M.: 1975, **Haro 13a: A luminous, heavily obscured star in Orion?**, *MNRAS* 173, 47P

Alten, V.P., Bally, J., Devine, D., Miller, G.J.: 1997, **Herbig-Haro objects discovered at Mount Laguna Observatory**, in *Low Mass Star Formation - from Infall to Outflow*, poster proceedings of IAU Symp. No. 182, eds. F. Malbet & A. Castets, p.51 (also available at http://www-laog.obs.ujf-grenoble.fr/meetings/iau182)

Alvarez, H., Bronfman, L., Cohen, R., Garay, G., Graham, J.A., Thaddeus, P.: 1986, **Sandqvist 187: a dense molecular cloud in Norma**, *ApJ* 300, 756

Alves, J.F., Yun, J.L.: 1995, **Multiple star formation in Bok globule CB 34**, *ApJ* 438, L107

Anderson, I.M., Harju, J., Knee, L.B.G., Haikala, L.K.: 1997, **A molecular disk and dense outflow in Corona Australis**, *A&A* 321, 575

André, P., Martin-Pintado, J., Despois, D., Montmerle, T.: 1990, **Discovery of a remarkable bipolar flow and exciting source in the ρ Ophiuchi cloud core**, *A&A* 236, 180

André, P., Ward-Thompson, D., Barsony, M.: 1993, **Submillimeter continuum observations of ρ Ophiuchi A - The candidate protostar VLA 1623 and prestellar clumps**, *ApJ* 406, 122

Anglada, G., Rodríguez, L.F., Torrelles, J.M., Estalella, R., Ho, P.T.P., Cantó, J., Lopez, R., Verdes-Montenegro, L.: 1989, **Ammonia observations of outflow regions**, *ApJ* 341, 208

Anglada, G., Estallella, R., Rodríguez, L.F., Torrelles, J.M., Lopez, R., Cantó, J.: 1991, **A double radio source at the center of the outflow in L723**, *ApJ* 376, 615

Anglada, G., Rodríguez, L.F., Cantó, J., Estalella, R., Torrelles, J.M.: 1992, **Radio continuum from the powering sources of the RNO 43, Haro 4-255 FIR, B335, and PV Cephei outflows and from the Herbig-Haro object 32A**, *ApJ* 395, 494

Anglada, G., Estalella, R., Mauersberger, R., Torrelles, J.M., Rodríguez, L.F., Cantó, J., Ho, P.T.P., D'Alessio, P.: 1995, **The molecular environment of the HH 34 system**, *ApJ* 443, 682

Anglada, G., Rodríguez, L.F., Torrelles, J.M.: 1996, **A thermal radio jet associated with the quadrupolar molecular outflow in L723**, *ApJ* 473, L123

Anglada, G., Sepúlveda, I., Gómez, J.F.: 1997, **Ammonia observations towards molecular and optical outflows**, *A&A Suppl.* 121, 255

Anglada, G., Villuendas, E., Estalella, R., Beltrán, M.T., Rodríguez, L.F., Torrelles, J.M., Curiel, S.: 1998, **Spectral indices of centimeter continuum sources in star-forming regions: Implications on the nature of the outflow exciting sources**, *AJ* 116, 2953

Appenzeller, I., Jankovics, I., Krautter, J.: 1983, **Spectroscopy and infrared photometry of southern T Tauri stars**, *A&A Suppl.* 53, 291

Appenzeller, I., Jankovics, I., Östreicher, R.: 1984, **Forbidden-line profiles of T Tauri stars**, *A&A* 141, 108

Appenzeller, I., Jankovics, I., Jetter, R.: 1986, **A high resolution atlas of two T Tauri stars**, *A&A Suppl.* 64, 65

Aspin, C.: 1994, **Scattered near-IR CO emission bands in GGD27-IRS. Observing the circumstellar environment of heavily obscured young PMS stars**, *A&A* 281, L29

Aspin, C., Geballe, T.R.: 1992, **Mid-IR spectroscopy of GGD 27-IRS: evidence for a PMS stellar cluster**, *A&A* 266, 219

Aspin, C., Sandell, G.: 1994, **Near-IR monitoring of the pre-main sequence star SSV13 October 1990 to December 1993**, *A&A* 288, 803

Aspin, C., Reipurth, B.: 1999, **Herbig-Haro flows near compact reflection nebulae**, *MNRAS* submitted

Aspin, C., McLean, I.S., McCaughrean, M.J.: 1985, **CCD observations of bipolar nebulae. II. LkHα 233**, *A&A* 144, 220

Aspin, C., McLean, I., Coyne, G.V.: 1985, **CCD observations of bipolar nebulae. III. R Mon/NGC 2261**, *A&A* 149, 158

Aspin, C., McCaughrean, M.J., Casali, M.M., Geballe, T.R.: 1991, **Near-IR imaging and spectroscopy of GGD-27 IRS**, *A&A* 252, 299

Aspin, C., Reipurth, B., Lehmann, T.: 1994, **Is ESO Hα 279 a pre-main sequence binary?**, *A&A* 288, 165

Aspin, C., Sandell, G., Russell, A.P.G.: 1994, **Near-IR imaging photometry of NGC 1333. I. The embedded PMS stellar population**, *A&A Suppl.* 106, 165

Aspin, C., Sandell, G., Weintraub, D.A.: 1994, **The remarkable pre-main sequence object V1318 Cygni**, *A&A* 282, L25

Aspin, C., Puxley, P.J., Blanco, P.R., Piña, R.K., Pickup, D.A., Paterson, M.J., Sylvester, J., Laird, D.C., Bridger, A., Daly, P.N., Griffin, J.L.: 1994, **Thermal infrared imaging of GGD27-IRS. The active pre-main sequence star revealed**, *A&A* 292, L9

Asselin, L., Ménard, F., Bastien, P., Monin, J.-L., Rouan, D.: 1996, **The environment of V633 Cassiopeiae and V376 Cassiopeiae: Evidence for circumstellar disks**, *ApJ* 472, 349

Avery, L.W., Chiao, M.: 1996, **Enhanced chemical abundances in the L1157 outflow: SiO and CH_3OH observations**, *ApJ* 463, 642

Avery, L.W., Hayashi, S.S., White, G.J.: 1990, **The unusual morphology of the high-velocity gas in L723: one outflow or two?**, *ApJ* 357, 524

Axon, D.J., Taylor, K.: 1984, **Discovery of a family of Herbig-Haro objects in M42: Implications for the geometry of the high velocity molecular flow?**, *MNRAS* 207, 241

Axon, D.J., Allen, D.A., Bailey, J., Hough, J.H., Ward, M.J., Jameson, R.F.: 1982, **The variable infrared source near HH 100**, *MNRAS* 200, 239

Bacciotti, F., Chiuderi, C., Oliva, E.: 1995, **The structure of optical stellar jets: a phenomenological analysis**, *A&A* 296, 185

Bacciotti, F., Hirth, G.A., Natta, A.: 1996, **The optical jet of RW Aurigae: excitation temperature and ionization state from long-slit spectra**, *A&A* 310, 309

Bacciotti, F., Eislöffel, J.: 1999, **Ionization and density along the beams of Herbig-Haro jets**, *A&A* 342, 717

Bachiller, R., Cernicharo, J.: 1986a, **The relation between carbon monoxide emission and visual extinction in the local Perseus dark clouds**, *A&A* 166, 283

Bachiller, R., Cernicharo, J.: 1986b, **Physical and chemical conditions in Perseus globules from NH_3 and HC_3N observations**, *A&A* 168, 262

Bachiller, R., Cernicharo, J.: 1990, **Extremely high-velocity emission from molecular jets in NGC 6334I and NGC 1333 (HH7-11)**, *A&A* 239, 276

Bachiller, R., Pérez Gutiérrez, M.: 1997, **Shock chemistry in the young bipolar outflow L1157**, *ApJ* 487, L93

Bachiller, R., Guilloteau, S., Kahane, C.: 1987, **Clumps in IC 348: temperature and density profiles of dense cores**, *A&A* 173, 324

Bachiller, R., Menten, K.M., del Rio-Alvarez, S.: 1990, **Anatomy of a dark cloud: a multimolecular study of Barnard 1**, *A&A* 236, 461

Bachiller, R., Cernicharo, J., Martin-Pintado, J., Tafalla, M., Lazareff, B.: 1990, **High-velocity molecular bullets in a fast bipolar outflow near L1448/IRS3**, *A&A* 231, 174

Bachiller, R., André, P., Cabrit, S.: 1991, **Detection of the exciting source of the spectacular molecular outflow L1448 at $\lambda\lambda$ 1-3 mm**, *A&A* 241, L43

Bachiller, R., Martin-Pintado, J., Fuente, A.: 1991, **High-velocity SiO emission in the L1448 outflow. Evidence for dense shocked gas in the molecular bullets**, *A&A* 243, L21

Bachiller, R., Martin-Pintado, J., Fuente, A.: 1993 **High-velocity hot ammonia in bipolar outflows**, *ApJ* 417, L45

Bachiller, R., Tafalla, M., Cernicharo, J.: 1994, **Successive ejection events in the L1551 molecular outflow**, *ApJ* 425, L93

Bachiller, R., Liechti, S., Walmsley, C.M., Colomer, F.: 1995a, **Methanol enhancement in young bipolar outflows**, *A&A* 295, L51

Bachiller, R., Guilloteau, S., Dutrey, A., Planesas, P., Martin-Pintado, J.: 1995b, **The jet-driven molecular outflow in L1448. CO and continuum synthesis images**, *A&A* 299, 857

Bachiller, R., Codella, C., Colomer, F., Liechti, S., Walmsley, C.M.: 1998a, **Methanol in protostellar outflows - single-dish and interferometric maps of NGC 1333/IRAS2**, *A&A* 335, 266

Bachiller, R., Guilloteau, S., Gueth, F., Tafalla, M., Dutrey, A., Codella, C., Castets, A.: 1998b, **A molecular jet from SVS 13B near HH7-11**, *A&A* 339, L49

Balázs, L.G., Eislöffel, J., Holl, A., Kelemen, J., Kun, M.: 1992, **The optical counterpart of the IRAS point source 22343+7501 in L1251**, *A&A* 255, 281

Bally, J., Lane, A.P.: 1982, **Observations of 2 micron molecular hydrogen emission from NGC 2071, Cepheus A and GL 961**, *ApJ* 257, 612

Bally, J., Lada, C.J.: 1983, **The high-velocity molecular flows near young stellar objects**, *ApJ* 265, 824

Bally, J., Devine, D.: 1994, **A parsec scale "superjet" and quasi-periodic structure in the HH 34 outflow?**, *ApJ* 428, L65

Bally, J., Reipurth, B.: 1999, in preparation

Bally, J., Langer, W.D., Stark, A.A., Wilson, R.W.: 1987, **Filamentary structure in the Orion molecular cloud**, *ApJ* 312, L45

Bally, J., Lada, E.A., Lane, A.P.: 1993, **The L1448 molecular jet**, *ApJ* 418, 322

Bally, J., Castets, A., Duvert, G.: 1994, **The HH 83 molecular cloud: Gone with the wind**, *ApJ* 423, 310

Bally, J., Devine, D., Fesen, R.A., Lane, A.P.: 1995, **Twin Herbig-Haro jets and molecular outflows in L1228**, *ApJ* 454, 345

Bally, J., Devine, D., Alten, V.: 1996, **A parsec-scale Herbig-Haro jet in Barnard 5**, *ApJ* 473, 921

Bally, J., Devine, D., Reipurth, B.: 1996, **A burst of Herbig-Haro flows in NGC 1333**, *ApJ* 473, L49

Bally, J., Devine, D., Alten, V., Sutherland, R.S.: 1997, **New Herbig-Haro flows in L1448 and L1455**, *ApJ* 478, 603

Bally, J., Reipurth, B., Lada, C.J., Billawala, Y.: 1999, **Multiple CO outflows in Circinus: The churning of a molecular cloud**, *AJ* 117, 410

Bally, J. et al.: 1999, **The high luminosity Cepheus A star forming region**, in preparation

Barnard, E.E.: 1895, **On the Variable Nebulae of Hind (N.G.C. 1555) and Struve (N.G.C. 1554) in Taurus, and on the Nebulous Condition of the Variable Star T Tauri**, *MNRAS* 55, 442

Barnard, E.E.: 1899, **Observations of Hind's Variable Nebula in Taurus (N.G.C. 1555) made with the 40-inch Refractor of the Yerkes Observatory**, *MNRAS* 59, 372

Barnard, E.E.: 1919, **On the dark markings of the sky, with a catalogue of 182 such objects**, *ApJ* 49, 1

Barsony, M., Chandler, C.J.: 1993, **The circumstellar density distribution of L1551NE**, *ApJ* 406, L71

Barsony, M., Scoville, N.Z., Chandler, C.J.: 1993, **Detection of magnetohydrodynamic shocks in the L1551 outflow**, *ApJ* 409, 275

Barsony, M., Ward-Thompson, D., André, P., O'Linger, J.: 1998, **Protostars in Perseus: Outflow-induced fragmentation**, *ApJ* 509, 733

Barth, W., Weigelt, G., Zinnecker, H.: 1994, **Speckle masking observations of the young binary Z CMa**, *A&A* 291, 500

Bastien, P.: 1982, **A linear polarization survey of T Tauri stars**, *A&A Suppl.* 48, 153

Batrla, W., Menten, K.M.: 1985, **A rotating gas disk around L1551 IRS5?**, *ApJ* 298, L19

Bechis, K.P., Harvey, P.M., Campbell, M.F., Hoffman, W.F.: 1978, **Star formation in the NGC 7129 region: a CO molecular-line and far-infrared continuum study**, *ApJ* 226, 439

Beck-Winchatz, B., Böhm, K.-H.: 1994, **The gas-phase iron abundance in Herbig-Haro objects**, *PASP* 106, 1271

Beck-Winchatz, B., Böhm, K.-H., Noriega-Crespo, A.: 1996, **The gas-phase abundances of heavy elements and the destruction of dust grains in Herbig-Haro shock waves**, *AJ* 111, 346

Beckwith, S.V.W., Sargent, A.I.: 1991, **Particle emissivity in circumstellar disks**, *ApJ* 381, 250

Beckwith, S.V.W., Birk, C.: 1995, **Vertical disk structure in HL Tauri**, *ApJ* 449, L59

Beckwith, S.V.W., Gatley, I., Matthews, K., Neugebauer, G.: 1978, **Molecular hydrogen emission from T Tauri stars**, *ApJ* 223, L41

Beckwith, S.V.W., Zuckerman, B., Skrutskie, M.F., Dyck, H.M.: 1984, **Discovery of solar system-size halos around young stars**, *ApJ* 287, 793

Beckwith, S.V.W., Sargent, A.I., Scoville, N.Z., Masson, C.R., Zuckerman, B., Phillips, T.G.: 1986, **Small-scale structure of the circumstellar gas of HL Tauri and R Monocerotis**, *ApJ* 309, 755

Beckwith, S., Sargent, A.I., Koresko, C.D., Weintraub, D.A.: 1989, **Tomographic imaging of HL Tauri**, *ApJ* 343, 393

Beckwith, S.V.W., Sargent, A.I., Chini, R.S., Güsten, R.: 1990, **A survey for circumstellar disks around young stellar objects**, *AJ* 99, 924

Beichman, C.A., Harris. S.: 1981, **The formation of a T Tauri star: observations of the infrared source in L1551**, *ApJ* 245, 589

Beichman, C.A., Becklin, E.E., Wynn-Williams, C.G.: 1979, **New multiple systems in molecular clouds**, *ApJ* 232, L47

Beichman, C.A., Jennings, R.E., Emerson, J.P., Baud, B., Harris, S., Rowan-Robinson, M., Aumann, H.H., Gautier, T.N., Gillett, F.C., Habing, H.J., Marsden, P.L., Neugebauer, G., Young, E.: 1984, **The formation of solar type stars: IRAS observations of the dark cloud Barnard 5**, *ApJ* 278, L45

Beichman, C.A., Wilson, R.W., Langer, W.D., Goldsmith, P.F.: 1988, **Infrared limb brightening in the Barnard 5 cloud**, *ApJ* 332, L81

Bellingham, J.G., Rossano, G.S.: 1980, **Long-period variations in R CrA, S CrA, T CrA, and R Mon**, *AJ* 85, 555

Bence, S.J., Richer, J.S., Padman, R.: 1996, **RNO 43: a jet-driven super-outflow**, *MNRAS* 279, 866

Benedettini, M., Nisini, B., Giannini, T., Lorenzetti, D., Tommasi, E., Saraceno, P., Smith, H.A.: **ISO-SWS observations of Herbig Ae/Be stars: HI recombination lines in MWC1080 and CoD -42^{o}11721**, *A&A* 339, 159

Benson, P.J., Myers, P.C.: 1989, **A survey for dense cores in dark clouds**, *ApJ Suppl.* 71, 89

Benson, P.J., Myers, P.C., Wright, E.L.: 1984, **Dense cores in dark clouds: young embedded stars at 2 micrometers**, *ApJ* 279, L27

Bertout, C.: 1983, **T Tauri South: a protostar?**, *A&A* 126, L1

Bertout, C.: 1987, **Circumstellar matter of young low-mass stars: observations versus theory**, in IAU Symp. No.122 *Circumstellar Matter*, eds. I.Appenzeller, C.Jordan, Reidel, p.23

Bertout, C., Thum, C.: 1982, **Radio observations of pre-main sequence stars: results and interpretation**, *A&A* 107, 368

Bertout, C., Carrasco, L., Mundt, R., Wolf, B.: 1982, **S CrA and CoD-35°10525, two bright young stars**, *A&A Suppl.* 47, 419

Bieging, J.H., Cohen, M.: 1985, **Multifrequency radio images of L1551 IRS5**, *ApJ* 289, L5

Bieging, J.H., Cohen, M., Schwartz, P.R.: 1984, **VLA observations of T Tauri stars. II. A luminosity-limited survey of Taurus-Auriga**, *ApJ* 282, 699

Biscaya, A.M., Rieke, G.H., Narayanan, G., Luhman K.L., Young, E.T.: 1997, **First-overtone CO variability in young stellar objects**, *ApJ* 491, 359

Blake, G.A., van Dishoeck, E.F., Sargent, A.I.: 1992, **Chemistry in circumstellar disks: CS towards HL Tauri**, *ApJ* 391, L99

Blake, G.A., Sandell, G., van Dishoeck, E.F., Groesbeck, T.D., Mundy, L.G., Aspin, C.: 1995, **A molecular line study of NGC 1333/IRAS 4**, *ApJ* 441, 689

Bogdanov, M.B., Cherepashchuk, A.M.: 1993, **The structure of the immediate vicinity of DG Tauri according to infrared lunar occultation observations**, *Astronomy Letters* 19,131

Böhm, K.-H.: 1956, **A spectrophotometric analysis of the brightest Herbig-Haro object**, *ApJ* 123, 379

Böhm, K.-H., Brugel, E.W.: 1979, **The iron abundance in Herbig-Haro objects and some new spectrophotometric data on HH-2H**, *A&A* 74, 297

Böhm, K.-H., Böhm-Vitense, E.: 1984, **The ultraviolet spectrum of a strongly reddened, high-excitation Herbig-Haro object**, *ApJ* 277, 216

Böhm, K.-H., Raga, A.C.: 1987, **Spectrophotometry of AS353A, the T Tauri star associated with Herbig-Haro object 32**, *PASP* 99, 265

Böhm, K.-H., Solf, J.: 1985, **The kinematical and physical structure of HH 1 and HH 2 determined from high-resolution spectroscopy**, *ApJ* 294, 533

Böhm, K.-H., Solf, J.: 1990, **Spatially resolved echellette spectroscopy of low-excitation Herbig-Haro objects and its interpretation**, *ApJ* 348, 297

Böhm, K.-H., Solf, J.: 1992, **The two-dimensional distribution of the velocity dispersion and the excitation in the complex Herbig-Haro object HH 2**, *AJ* 104, 1193

Böhm, K.-H., Solf, J.: 1994, **A sub-arcsecond scale spectroscopic study of the complex mass outflows in the vicinity of T Tauri**, *ApJ* 430, 277

Böhm, K.-H., Solf, J.: 1997, **Burnham's nebula (HH 255), a peculiar Herbig-Haro object**, *A&A* 318, 565

Böhm, K.-H., Perry, J.F., Schwartz, R.D.: 1973, **The spectrum of Herbig-Haro object No.1**, *ApJ* 179, 149

Böhm, K.-H., Schwartz, R.D., Siegmund, W.A.: 1974, **The continuous spectrum of Herbig-Haro objects**, *ApJ* 193, 353

Böhm, K.-H., Siegmund, W.A., Schwartz, R.D.: 1976a, **Emission-line spectra of individual condensations of Herbig-Haro objects**, *ApJ* 203, 399

Böhm, K.-H., Siegmund, W.A., Schwartz, R.D.: 1976b, **Spectrophotometry of R Monocerotis**, *A&A* 50, 361

Böhm, K.-H., Brugel, E.W., Mannery, E.: 1980, **Very low-excitation Herbig-Haro objects**, *ApJ* 235, L137

Böhm, K.-H., Böhm-Vitense, E., Brugel, E.W.: 1981, **The ultraviolet spectrum of Herbig-Haro object 1**, *ApJ* 245, L113

Böhm, K.-H., Brugel, E.W., Olmsted, E.: 1983, **Spectrophotometry of low excitation Herbig-Haro objects**, *A&A* 125, 23

Böhm, K.-H., Bührke, Th., Raga, A.C., Brugel, E.W., Witt, A.N., Mundt,R.: 1987, **Ultraviolet spectra of HH 1 and HH 2: Spatial variations and the continuum problem**, *ApJ* 316, 349

Böhm, K.-H., Raga, A.C., Binette, L.: 1991, **Ultraviolet and optical extinction for the Herbig-Haro objects HH 1 and HH 2**, *PASP* 103, 85

Böhm, K.-H., Scott, D.M., Solf, J.: 1991, **The ultraviolet continuum and the fluorescent H_2 lines in low-excitation Herbig-Haro objects**, *ApJ* 371, 248

Böhm, K.-H., Noriega-Crespo, A., Solf, J., Brugel,, E.W.: 1992, **The ultraviolet spectrum of HH 24A and its relation to optical spectra**, *AJ* 104, 251

Böhm, K.-H., Noriega-Crespo, A., Solf, J.: 1993, **Ultraviolet spectroscopy of Herbig-Haro objects: spatial structure, spectroscopic diagnostics, and variability**, *ApJ* 416, 647

Böhm-Vitense, E., Böhm, K.-H., Cardelli, J.A., Nemac, J.M.: 1982, **The ultraviolet continuous and emission-line spectra of the Herbig-Haro objects HH 2 and HH 1**, *ApJ* 262, 224

Bok, B.J.: 1978, **Star formation in or very close to a southern globule**, *PASP* 90, 489

Bohigas, J., Torrelles, J.M., Echevarria, J., Cantó, J., Enriquez, R., Firmani, C., Gutierrez, L., Ruiz, E., Salas, L.: 1985, **Optical images of the region around HH 1 and HH 2 taken with the MEPSICRON system**, *Rev. Mexicana Astr. Astrof.* 11, 149

Bohigas, J., Persi, P., Tapia, M.: 1993, **Bipolar structure of the Herbig-Haro object RNO 40**, *A&A* 267, 168

Bontemps, S., André, P., Ward-Thompson, D.: 1995, **Deep VLA search for the youngest protostars: A Class 0 source in the HH 24-26 region**, *A&A* 297, 98

Bontemps, S., Ward-Thompson, D., André, P.: 1996, **Discovery of a jet emanating from the protostar HH 24 MMS**, *A&A* 314, 477

Bontemps, S., André, P., Terebey, S., Cabrit, S.: 1996, **Evolution of outflow activity around low-mass embedded young stellar objects** *A&A 311, 858*

Bourke, T.L., Hyland, A.R., Robinson, G., James, S.D.: 1993, **Ammonia and near-infrared observations of southern dark clouds**, *Proc. Astron. Soc. Australia* 10, 236

Bourke, T.L., Garay, G., Lehtinen, K.K., Koehnenkamp, I., Launhardt, R., Nyman, L.-A., May, J., Robinson, G., Hyland, A.R.: 1997, **Discovery of a highly collimated molecular outflow in the southern Bok globule BHR 71**, *ApJ* 476, 781

Brown, A.: 1987, **Radio emission from pre-main sequence stars in Corona Australis**, *ApJ* 322, L31

Brown, A., Jordan, C., Millar, T.J., Gondhalekar, P., Wilson, R.: 1981, **H_2 emission in the EUV spectrum of T Tauri and Burnham's nebula**, *Nature* 290, 34

Brown, A., Millar, T.J., Williams, P.M., Zealey, W.J.: 1983, **Detection of H_2 emission in Herbig-Haro object No. 101**, *MNRAS* 203, 785

Brown, A., Drake, S.A., Mundt, R.: 1985, **Radio continuum emission from pre-main sequence stars and associated structures**, in *Radio Stars*, eds. R.M.Hjellming, D.M.Gibson, Reidel, p.105

Brück, M.T.: 1974, **Photographic surface photometry of the nebulae surrounding V380 Ori and R Mon**, *MNRAS* 166, 123

Brugel, E.W., Fesen, R.A.: 1990, **Discovery of three northern Herbig-Haro objects**, *BAAS* 22, 1258

Brugel, E.W., Böhm, K.-H., Mannery, E.: 1981a, **Emission line spectra of Herbig-Haro objects**, *ApJS* 47, 117

Brugel, E.W., Böhm, K.-H., Mannery, E.: 1981b, **The blue continua of Herbig-Haro objects**, *ApJ* 243, 874

Brugel, E.W., Shull, J.M., Seab, C.G.: 1982, **The ultraviolet spectrum of Herbig-Haro object 2H**, *ApJ* 262, L35

Brugel, E.W., Mundt, R., Bührke, T.: 1984, **Jets from young stars: the case of R Monocerotis**, *ApJ* 287, L73

Brugel, E.W., Böhm, K.-H., Shull, J.M., Böhm-Vitense, E.: 1985, **The unexpected ultraviolet variability of Herbig-Haro object 1**, *ApJ* 292, L75

Bührke, T., Brugel, E.W., Mundt, R.: 1986, **An optical study of the shock-excited gas in the T Tau/ NGC 1555 region**, *A&A* 163, 83

Bührke, T., Mundt, R., Ray, T.P.: 1988, **A detailed study of HH 34 and its associated jet**, *A&A* 200, 99

Burnham, S.W.: 1890, **Note on Hind's Variable Nebula in Taurus**, *MNRAS* 51, 94

Burnham, S.W.: 1894, **Observations of Nebulae with the 36-inch refractor of the Lick Observatory**, *Publ. Lick Obs.* 2, 168

Burns, M.S., Hayward, T.L., Thronson, H.A., Johnson, P.E.: 1989, **Imaging polarimetry of AFGL 2591 and its associated reflection nebula**, *AJ* 98, 659

Burrows, C.J., Stapelfeldt, K.R., Watson, A.M., Krist, J.E., Ballester, G.E., Clarke, J.T., Crisp, D., Gallagher III, J.S., Griffiths, R.E., Hester, J.J., Hoessel, J.G., Holtzman, J.A., Mould, J.R., Scowen, P.A., Trauger, J.T., Westphal, J.A.: 1996, **Hubble Space Telescope observations of the disk and jet of HH 30**, *ApJ* 473, 437

Burton, M.G., Haas, M.R.: 1997, **17 μm molecular hydrogen line emission from OMC-1**, *A&A* 327, 309

Burton, M.G., Brand, P.W.J.L., Geballe, T.R., Webster, A.S.: 1989, **Molecular hydrogen line ratios in four regions of shock-excited gas**, *MNRAS* 236, 409

Butner, H.M., Natta, A.: 1995, **LkHα 198 revisited**, *ApJ* 440, 874

Butner, H.M., Evans, N.J., Lester, D.F., Levreault, R.M., Strom, S.E.: 1991, **Testing models of low-mass star formation: High-resolution far-infrared observations of L1551 IRS 5**, *ApJ* 376, 636

Cabrit, S., André, P.: 1991, **An observational connection between circumstellar disk mass and molecular outflows**, *ApJ* 379, L25

Cabrit, S., Goldsmith, P.F., Snell, R.L.: 1988, **Identification of RNO 43 and B335** as two highly **collimated bipolar flows oriented nearly in the plane of the sky**, *ApJ* 334, 196

Cabrit, S., Lagage, P.-O., McCaughrean, M., Olofsson, G.: 1997, **Origin of the mid-infrared emission and supersonic jet toward LkHα 234**, *A&A* 321, 523

Calvet, N., Cohen, M.: 1978, **Studies of bipolar nebulae - V. The general phenomenon**, *MNRAS* 182, 687

Calvet, N., Cantó, J., Rodríguez, L.F.: 1983, **Stellar winds and molecular clouds: T Tauri stars**, *ApJ* 268, 739

Cameron, M., Liseau, R.: 1990, **UV observations of Herbig-Haro objects associated with bipolar molecular outflows: HH 7, HH 11 and HH 29**, *A&A* 240, 409

Campbell, B.: 1984, **New radio sources at AFGL 2591: young cluster or single star?**, *ApJ* 287, 334

Campbell, B., Persson, S.E., Strom, S.E., Grasdalen, G.L.: 1988, **Images of star-forming regions. II. The circumstellar environment of L1551 IRS5**, *AJ* 95, 1173

Cantó, J., Rodríguez, L.F.: 1986, **Correlations between observational parameters of the condensations in Herbig-Haro object 2**, *Rev. Mex. Astron.Astrof.* 13, 57

Cantó, J., Goudis, C., Johnson, P.G., Meaburn, J.: 1980, **Herbig-Haro objects in the Orion Nebula**, *A&A* 85, 128

Cantó, J., Rodríguez, L.F., Barral, J.F., Carral, P.: 1981, **Carbon monoxide observations of R Monocerotis, NGC 2261 and Herbig-Haro 39: the interstellar nozzle**, *ApJ* 244, 102

Cantó, J., Rodríguez, L.F., Calvet, N., Levreault, R.M.: 1984, **Stellar winds and molecular clouds: Herbig Be and Ae type stars**, *ApJ* 282, 631

Cappellaro, E., Benetti, S., Sabbadin, F., Salvadori, L., Turatto, M., Zanin, C.: 1994, **New emission nebulae in the POSS field $18^h48^m+0°$**, *MNRAS* 267, 871

Carballo, R., Eiroa, C.: 1992, **A Herbig-Haro flow associated with the T Tauri star Bretz 4 in GGD 17**, *A&A* 262, 295

Carballo, R., Eiroa, C., Mampaso, A.: 1988, **Near-infrared observations of GGD objects**, *MNRAS* 232, 497

Cardelli, J.A., Brugel, E.W.: 1988, **The effects of reddening correction on the interpretation of spectrophotometry of Burnhams Nebula and H-H objects**, *AJ* 96, 673

Carkner, L., Kozak, J.A., Feigelson, E.D.: 1998, **An X-ray survey of very young stellar objects**, *AJ* 116, 1933

Carr, J.S.: 1990, **Measurements of Brγ and H_2 in young stellar objects**, *AJ* 100, 1244

Carr, J.S.: 1993, **The H_2 velocity field in Herbig-Haro 7-11**, *ApJ* 406, 553

Carr, J.S., Tokunaga, A.T.: 1992, **Measurement of CO overtone line profiles in SVS 13**, *ApJ* 393, L67

Carr, J.S., Harvey, P.M., Lester, D.F.: 1987, **The 2 micron spectrum of L1551 IRS5**, *ApJ* 321, L71

Casali, M.M.: 1991, **The Reipurth 50-north infrared source**, *MNRAS* 248, 229

Casali, M.M.: 1995, **Dichroic extinction and the infrared polarization of young stellar objects in the L1641 dark cloud**, *MNRAS* 277, 1385

Casali, M.M., Eiroa, C., Duncan, W.D. 1993, **A second phase of star formation in the Serpens core**, *A&A* 275, 195

Casanova, S., Montmerle, T., Feigelson, E.D., André, P.: 1995, **ROSAT X-ray sources embedded in the ρ Ophiuchi cloud core**, *ApJ* 439, 752

Casement, L.S., McLean, I.S.: 1996, **Infrared imaging polarimetry of Cepheus A: the source of the infrared reflection nebula**, *ApJ* 462, 797

Castets, A., Langer, W.D.: 1995, **Physical properties of the OMC-2 and OMC-3 cores from CS and $C^{18}O$ observations**, *A&A 294, 835*

Ceccarelli, C., Haas, M.R., Hollenbach, D.J., Rudolph, A.: 1997, **OI 63 micron-determined mass-loss rates in young stellar objects**, *ApJ* 476, 771

Ceccarelli, C., Caux, E., Loinard, L., Castets, A., Tielens, A.G.G.M., Molinari, S., Liseau, R., Saraceno, P., Smith, H., White, G.: **Water line emission in low-mass protostars**, *A&A* 342, L21

Cernicharo, J.: 1991, **The physical conditions of low mass star forming regions**, in *The Physics of Star Formation and early Stellar Evolution*, eds. C.J.Lada, N.D.Kylafis, Kluwer, p.287

Cernicharo, J., Reipurth, B.: 1996, **Herbig-Haro jets, CO flows, and CO bullets: The case of HH 111**, *ApJ* 460, L57

Cernicharo, J., Bachiller, R., Duvert, G., González-Alfonso, E., Gómez-González, J.: 1992, **The physical structure of the small and isolated cometary globule Orion-I-2**, *A&A* 261, 589

Cernicharo, J., Bachiller, R., González-Alfonso, E.: 1996, **Water emission at 183 GHz from HH 7-11 and other low-mass star-forming regions**, *A&A* 305, L5

Cernicharo, J., Lefloch, B., Garcia López, R., Esteban, C: 1997, **Star formation in the globules of the Trifid Nebula**, in *Low Mass Star Formation - from Infall to Outflow*, poster proceedings of IAU Symp. No. 182, eds. F. Malbet & A. Castets, (available at http://www-laog.obs.ujf-grenoble.fr/meetings/iau182), p. 8

Cernicharo, J., Lefloch, B., Cox, P., Cesarsky, D., Esteban, C., Yusef-Zadeh, F., Méndez, D.I., Acosta-Pulido, J., Garcia López, R.J., Heras, A.: **Induced massive star formation in the Trifid Nebula?**, *Science* 282, 462

Cernicharo, J., Neri, R., Reipurth, B.: 1999, in preparation

Cĕrnis, K.: 1990, **Interstellar extinction in the vicinity of the reflection nebula NGC 1333 in Perseus**, *Astrophys. Space Sci.* 166, 315

Cesaroni, R., Wilson, T.L.: 1994, **An ammonia study of the Orion streamer**, *A&A* 281, 209

Cesaroni, R., Palagi, F., Felli, M., Catarzi, M., Comoretto, G., Di Franco, S., Giovanardi, C., Palla, F.: 1988, **A catalogue of H_2O maser sources north of $\delta = -30$ deg**, *A&A Supp.* 76, 445

Chandler, C.J., Sargent, A.I.: 1993, **The small-scale structure and kinematics of B335**, *ApJ* 414, L29

Chandler, C.J., Gear, W.K., Sandell, G., Hayashi, S., Duncan, W.D., Griffin, M.J., Hazell, A.S.: 1990, **B335: protostar or embedded pre-main-sequence star?**, *MNRAS* 243, 330

Chandler, C.J., Carlstrom, J.E., Scoville, N.Z., Dent, W.R.F., Geballe, T.R.: 1993, **Infrared CO emission from young stars: high-resolution spectroscopy**, *ApJ* 412, L71

Chandler, C.J., Carlstrom, J.E., Scoville, N.Z.: 1995, **Infrared CO emission from young stars: accretion disks and neutral winds**, *ApJ* 446, 793

Chandler, C.J., Koerner, D.W., Sargent, A.I., Wood, D.O.S.: 1995, **Dust emission from protostars: the disk and envelope of HH 24 MMS**, *ApJ* 449, L139

Chandler, C.J., Barsony, M., Moore, T.J.T.: 1998, **The circumstellar envelopes around three protostars in Taurus**, *MNRAS* 299, 789

Chavarría-K., C.: 1981, **A study of the peculiar T Tauri star V1331 Cygni**, *A&A* 101, 105

Chavarría-K., C.: 1985, **Herbig's Ae and Be star LkHα 198, a flare star candidate**, *A&A* 148, 317

Chen, H., Fukui, Y., Yang, J.: 1992, **^{13}CO and HCO^{+} observations of IRAS sources in L1641**, *ApJ* 398, 544

Chen, H., Fukui, Y., Iwata, T.: 1993, **The association of ^{13}CO molecular gas with IRAS sources in L1641**, *ApJ* 411, 239

Chen, H., Tokunaga, A.T., Strom, K.M., Hodapp, K.-W.: 1993, **Infrared and optical imaging of IRAS sources with CO outflow: A snapshot of early star formation**, *ApJ* 407, 639

Chen, H., Zhao, J.H., Ohashi, N.: 1995, **Dust emission from L1641N: An optically thick circumstellar disk?**, *ApJ* 450, L71

Chen, H., Ohashi, N., Umemoto, T.: 1996, **High-resolution millimeter imaging of L1641N: Multiple cores with a young stellar group**, *AJ* 112, 717

Chen, W.P., Graham, J.A.: 1993, **Ice grains in the Corona Australis molecular cloud**, *ApJ* 409, 319

Chen, W.P., Howell, R.R., Simon, M., Benson, J.A.: 1992, **10 AU scale halo structure around DG Tauri**, *ApJ* 387, L43

Chen, Y., Yao, Y., Yang, J., Hirao, T., Ishii, M., Nagata, T., Sato, S.: 1999, **Near-infrared imaging of the star-forming region AFGL 5157**, *AJ* 117, 446

Chernin, L.M.: 1995, **Water masers in the L1448C outflow**, *ApJ* 440, L97

Chernin, L.M., Masson, C.R.: 1991, **A nearly unipolar CO outflow from the HH 46/47 system**, *ApJ* 382, L93

Chernin, L.M., Masson, C.R.: 1995, **Powerful jets and weak outflows: HH 1-2 and HH 34**, *ApJ* 443, 181

Chernin, L.M., Masson, C.R., Fuller, G.: 1994, **High velocity sulfur monoxide emission from protostellar outflows**, *ApJ* 436, 741

Chiar, J.E., Gerakines, P.A., Whittet, D.C.B., Pendleton, Y.J., Tielens, A.G.G.M., Adamson, A.J., Boogert, A.C.A.: 1998, **Processing of icy mantles in protostellar envelopes**, *ApJ* 498, 716

Chini, R., Krügel, E., Haslam, C.G.T., Kreysa, E., Lemke, R., Reipurth, B., Sievers, A., Ward-Thompson, D.: 1993, **Discovery of a cold and gravitationally unstable cloud fragment** *A&A* 272, L5

Chini, R., Reipurth, B., Ward-Thompson, D., Bally, J., Nyman, L.-Aa., Sievers, A., Billawalla, Y.: 1997a, **Dust filaments and star formation in OMC-2 and OMC-3**, *ApJ* 474, L135

Chini, R., Reipurth, B., Sievers, A., Ward-Thompson, D., Haslam, C.G.T., Kreysa, E., Lemke, R.: 1997b, **Cold dust around Herbig-Haro energy sources: morphology and new protostellar candidates**, *A&A* 325, 542

Chochol, D., Teodorani, M., Strafella, F., Errico, L., Vittone, A.A.: 1998, **Fast variability of the outflow in the Z CMa system**, *MNRAS* 293, L73

Choe, S.-U., Böhm, K.-H., Solf, J.: 1985, **The line profiles generated in the bow shocks of a Herbig-Haro object**, *ApJ* 288, 338

Choi, M., Zhou, S.: 1997, **Observations of molecular clouds in the HH 1-2 region**, *ApJ* 477, 754

Choi, M., Lee, Y.: 1998, **High-resolution H$^{13}CO^{+}$ observations toward the driving source of the HH 1-2 system**, *ApJ* 498, L71

Choi, M., Evans, N.J., Jaffe, D.T.: 1993, **Extremely high velocity outflows**, *ApJ* 417, 624

Choi, M., Evans, N.J., Gregersen, E.M., Wang, Y.: 1995, **Modeling line profiles of protostellar collapse in B335 with the Monte Carlo method**, *ApJ* 448, 742

Chrysostomou, A., Burton, M.G., Axon, D.J., Brand, P.W.J.L., Hough, J.H., Bland-Hawthorn, J., Geballe, T.R.: 1997, **Velocity-resolved Fabry-Pérot imaging of molecular hydrogen emission in OMC-1**, *MNRAS* 289, 605

Churchwell, E., Walmsley, C.M., Cesaroni, R.: 1990, **A survey of ammonia and water vapor emission from ultracompact HII regions**, *A&A Suppl.* 83, 119

Clark, F.O., Laureijs, R.J.: 1986, **IRAS observations of the L1551 bipolar outflow**, *A&A* 154, L26

Clark, F.O., Laureijs, R.J., Chlewicki, G., Zhang, C.Y., van Oosterom, W., Kestor, D.: 1986, **The extended infrared radiation from the L1551 bipolar flow, $L_o > 19\ L_\odot$**, *A&A* 168, L1

Claussen, M.J., Wilking, B.A., Benson, P.J., Wootten, A., Myers, P.C., Terebey, S.: 1996, **A monthly survey of water masers associated with low-mass stars**, *ApJ Suppl.* 106, 111

Claussen, M.J., Marvel, K.B., Wootten, A., Wilking, B.A.: 1998, **Distribution and motion of the water masers near IRAS 05413–0104**, *ApJ* 507, L79

Clayton, C.A., Meaburn, J.: 1994, **Volumetric imagery of the Herbig-Haro object M42-HH2**, *MNRAS* 269, 403

Close, L.M., Roddier, F., Northcott, M.J., Roddier, C., Graves, J.E.: 1997a, **Adaptive optics 0.2″ resolution infrared images of HL Tau: direct images of an active accretion disk around a protostar**, *ApJ* 478, 766

Close, L.M., Roddier, F., Hora, J.L., Graves, J.E., Northcott, M., Roddier, C., Hoffmann, W.F., Dayal, A., Fazio, G.G., Deutsch, L.K.: 1997b, **Adaptive optics infrared imaging-polarimetry and optical HST imaging of Hubble's variable nebula (R Mon/NGC 2261): A close look at a very young active Herbig Ae/Be star**, *ApJ* 489, 210

Close, L.M., Dutrey, A., Roddier, F., Guilloteau, S., Roddier, C., Duvert, G., Northcott, M., Ménard, F., Greaves, J.E., Potter, D.: 1998, **Adaptive optics imaging of the circumbinary disk around the T Tauri binary UY Aurigae: Estimates of the binary mass and circumbinary dust grain size distribution**, *ApJ* 499, 883

Codella, C., Felli, M., Natale, V.: 1996, **The occurrence of H_2O masers in the early stages of star formation**, *A&A* 311, 971

Codella, C., Scappini, F.: 1998, **The distribution of C_2S and NH_3 in two Bok globules at different evolutionary stages: CB246 and CB34**, *MNRAS* 298, 1092

Codella, C., Bachiller, R., Reipurth, B.: 1999, **Low and high velocity SiO emission around young stellar objects**, *A&A* 343, 585

Cohen, J.G., Frogel, J.A.: 1977, **Photography at 9400 A of infrared and molecular line sources**, *ApJ* 211, 178

Cohen, M.: 1974a, **Infrared observations of new cometary nebulae**, *PASP* 86, 813

Cohen, M.: 1974b, **Infrared observations of young stars. 5. The faint members of the Ori population**, *MNRAS* 169, 257

Cohen, M.: 1977, **The nature of V645 Cygni = CRL 2789**, *ApJ* 215, 533

Cohen, M.: 1980a, **Red and nebulous objects in dark clouds: a survey**, *AJ* 85, 29

Cohen, M.: 1980b, **Infrared observations of young stars - VIII. Spectra in the ten-micron region**, *MNRAS* 191, 499

Cohen, M.: 1983, **HL Tauri and its circumstellar disk**, *ApJ* 270, L69

Cohen, M.: 1990, **IRAS observations of the exciting stars of Herbig-Haro objects. II. The Reipurth and Graham sample and low-resolution spectra**, *ApJ* 354, 701 (erratum: *ApJ* 362, 758)

Cohen, M., Lewis, R.R.: 1978, **Optical studies of embedded infrared sources**, *MNRAS* 184, 801

Cohen, M., Kuhi, L.V.: 1979, **Observational studies of pre-main-sequence evolution**, *ApJ Supp.* 41, 743

Cohen, M., Fuller, G.A.: 1985, **Optical spectroscopy of known and suspected Herbig-Haro objects**, *ApJ* 296, 620

Cohen, M., Jones, B.F.: 1987, **Observations of jets from low-luminosity stars. II. SVS 12, HH 30, near HL Tauri, and HH 34**, *ApJ* 321, 846

Cohen, M., Schwartz, R.D.: 1980, **A search for the exciting stars of Herbig-Haro objects**, *MNRAS* 191, 165

Cohen, M., Schmidt, G.: 1981, **Spectropolarimetry of Herbig-Haro objects and the exciting star of HH 30**, *AJ* 86, 1228

Cohen, M., Schwartz, R.D.: 1983, **The exciting stars of Herbig-Haro objects**, *ApJ* 265, 877

Cohen, M., Schwartz, R.D.: 1987, **IRAS observations of the exciting stars of Herbig-Haro objects**, *ApJ* 316, 311

Cohen, M., Kuhi, L.V., Harlan, E.A.: 1977, **A remarkable structural change in a faint cometary nebula**, *ApJ* 215, L127

Cohen, M., Kuhi, L.V., Harlan, E.A., Spinrad, H.: 1981, **Continuing changes in the peculiar nebulous object PV Cephei**, *ApJ* 245, 920

Cohen, M., Bieging, J.H., Schwartz, P.R.: 1982, **VLA observations of mass loss from T Tauri stars**, *ApJ* 253, 707

Cohen, M., Aitken, D.K., Roche, P.F., Williams, P.M.: 1983, **The unique cometary nebula Parsamian 13**, *ApJ* 273, 624

Cohen, M., Harvey, P.M., Schwartz, R.D., Wilking, B.A.: 1984a, **Far-infrared studies of Herbig-Haro objects and their exciting stars**, *ApJ* 278, 671

Cohen, M., Schwartz, R.D., Harvey, P.M., Wilking, B.A.: 1984b, **Far-infrared observations of southern Herbig-Haro objects**, *ApJ* 281, 250

Cohen, M., Harvey, P.M., Schwartz, R.D.: 1985, **Far-infrared observations of the exciting stars of Herbig-Haro objects. III. Circumstellar disks**, *ApJ* 296, 633

Cohen, M., Dopita, M.A., Schwartz, R.D.: 1986a, **The exciting star of HH 57**, *ApJ* 302, L55

Cohen, M., Dopita, M.A., Schwartz, R.D.: 1986b, **Optical spectroscopy of HH-exciting stars from scattered light continua**, *ApJ* 307, L21

Cohen, M., Hollenbach, D.J., Haas, M.R., Erickson, E.F.: 1988, **Observations of the 63 micron [OI] line in Herbig-Haro objects**, *ApJ* 329, 863

Cohen, M., Jones, B.F., Hereld, M.: 1991, **HH 5, HH 6 and their exciting stars**, *ApJ* 371, 237

Cohen, R.J., Brebner, G.C.: 1985, **An OH maser outburst in Cepheus A**, *MNRAS* 216, 51P

Cohen, R.J., Rowland, P.R., Blair, M.M.: 1984, **The source of the bipolar outflow in Cepheus A**, *MNRAS* 210, 425

Cohen, R.J., Brebner, G.C., Potter, M.M.: 1990, **Magnetic-field decay in the bipolar outflow source Cepheus A**, *MNRAS* 246, 3P

Colomé, C., Harvey, P.M.: 1995, **The distribution of warm dust in the star-forming region Cepheus A: Infrared constraints**, *ApJ* 449, 656

Colomé, C., Di Francesco, J., Harvey, P.M.: 1996, **An infrared study of the star-forming region IRAS 05380−0728**, *ApJ* 461, 909

Comerón, F., Rieke, G.H., Burrows, A., Rieke, M.J.: 1993, **The stellar population in the ρ Ophiuchi cluster**, *ApJ* 416, 185

Coppin, K.E.K., Davis, C.J., Micono, M.: 1998, **Proper motions and variability of the H_2 knots in the HH 111 and 121 protostellar outflows**, *MNRAS* 301, L10

Corcoran, D., Ray, T.P.: 1995, **Herbig-Haro outflows in the V380 Orionis region**, *A&A* 301, 729

Corcoran, D., Ray, T.P., Mundt, R.: 1993, **Optical evidence for a poorly-collimated wind from Cepheus A**, *A&A* 279, 206

Corcoran, D., Ray, T.P., Bastien, P.: 1995, **Optical outflows in the vicinity of LkHα 198**, *A&A* 293, 550

Corcoran, M., Ray, T.P.: 1997, **Forbidden emission lines in Herbig Ae/Be stars**, *A&A* 321, 189

Corcoran, M., Ray, T.P.: 1998, **Spectroscopic discovery of a bipolar jet from the Herbig Ae/Be star LkHα 233**, *A&A* 336, 535

Corporon, P., Reipurth, B.: 1997, **Herbig-Haro objects in Sa 136**, in *Low Mass Star Formation - from Infall to Outflow*, poster proceedings of IAU Symp. No. 182, eds. F. Malbet & A. Castets, (available at http://www-laog.obs.ujf-grenoble.fr/meetings/iau182), p. 85

Correia, J.C., Griffin, M., Saraceno, P.: 1997, **High resolution observations of molecular outflows in the HH 1-2 region**, *A&A* 322, L25

Covino, E., Terranegra, L., Vittone, A.A., Russo, G.: 1984, **Spectroscopic and photometric observations of the Herbig Be star Z Canis Majoris**, *AJ* 89, 1868

Craine, E.R., Boeshaar, G.O., Byard, P.L.: 1981, **1548C27: an interesting new cometary nebula**, *AJ* 86, 751

Crutcher, R.M., Mouschovias, T., Troland, T.H., Ciolek, G.E.: 1994, **Structure and evolution of magnetically supported molecular clouds: evidence for ambipolar diffusion in the Barnard 1 cloud**, *ApJ* 427, 839

Cruz-Gonzalez, I., McBreen, B., Fazio, G.G.: 1984, **Far-infrared observations of a star-forming region in the Corona Australis dark cloud**, *ApJ* 279, 679

Cudworth, K.M., Stone, R.C.: 1977, **Large proper motions in the Orion Nebula**, *PASP* 89, 627

Cudworth, K.M., Herbig, G.H.: 1979, **Two large-proper-motion Herbig-Haro objects**, *AJ* 84, 548

Curiel, S., Cantó, J., Rodríguez, L.F.: 1987, **A model for the thermal radio continuum emission produced by a shock wave and its application to the Herbig-Haro objects 1 and 2**, *Rev. Mex. Astron. Astrofis.* 14, 595

Curiel, S., Rodríguez, L.F., Cantó, J., Torrelles, J.M.: 1989a, **A search for radio sources near double Herbig-Haro objects**, *Rev. Mex. Astron.Astrof.* 17, 137

Curiel, S., Rodríguez, L.F., Cantó, J., Bohigas, J., Roth, M., Torrelles, J.M.: 1989b, **Extended radio continuum emission associated with V645 Cygni and MWC 1080**, *Astro. Lett. and Communications* 27, 299

Curiel, S., Raymond, J.C., Rodríguez, L.F., Cantó, J., Moran, J.M.: 1990, **The exciting source of the bipolar outflow in L1448**, *ApJ* 365, L85

Curiel, S., Rodríguez, L.F., Moran, J.M., Cantó, J.: 1993, **The triple radio continuum source in Serpens: The birth of a Herbig-Haro system?**, *ApJ* 415, 191

Curiel, S., Raymond, J.C., Wolfire, M., Hartigan, P., Morse, J., Schwartz, R.D., Nisenson, P.: 1995, **Molecular H_2 emission in HH 47A: Hubble Space Telescope GHRS and FOC observations**, *ApJ* 453, 322

Curiel, S., Raga, A.C., Raymond, J., Noriega-Crespo, A., Cantó, J.: 1997, **HST images of the high-excitation Herbig-Haro object HH 32**, *AJ* 114, 2736

Davidson, J.A.: 1987, **Low-luminosity embedded sources and their environs**, *ApJ* 315, 602

Davidson, J.A., Jaffe, D.T.: 1984, **Far-infrared and submillimeter observations of the low-luminosity protostars L1455 FIR and L1551 IRS5: The confinement of bipolar outflows**, *ApJ* 277, L13

Davis, C.J., Dent, W.R.F.: 1993, **Molecular observations of HH 34: does NH_3 accurately trace dense molecular gas near young stars?**, *MNRAS* 261, 371

Davis, C.J., Smith, M.D.: 1995, **Distinction of parallel outflows in L1448 through H_2 excitation**, *ApJ* 443, L41

Davis, C.J., Eislöffel, J.: 1995, **Near-infrared imaging in H_2 of molecular (CO) outflows from young stars**, *A&A* 300, 851 (erratum *A&A* 305, 694)

Davis, C.J., Smith, M.D.: 1996, **Echelle spectroscopy of shocked H_2 in the L1448 outflow**, *A&A* 309, 929

Davis, C.J., Dent, W.R.F., Bell Burnell, S.J.: 1990, **HCO^+ observations of the Herbig-Haro objects 1 and 2**, *MNRAS* 244, 173

Davis, C.J., Dent, W.R.F., Matthews, H.E., Aspin, C., Lightfoot, J.F.: 1994, **Submillimetre and near-infrared observations of L1448: a curving H_2 jet with multiple bow shocks**, *MNRAS* 266, 933

Davis, C.J., Eislöffel, J., Ray, T.P.: 1994, **Near-infrared imaging of HH 1/2 in shocked molecular hydrogen and [FeII]**, *ApJ* 426, L93

Davis, C.J., Mundt, R., Eislöffel, J.: 1994, **Near-infrared imaging of the jets and flows associated with Herbig-Haro objects 91, 110 and 111**, *ApJ* 437, L55

Davis, C.J., Mundt, R., Eislöffel, J., Ray, T.P.: 1995, **Near-infrared and optical imaging of the L1551-IRS 5 region - The importance of poorly collimated outflows from young stars**, *AJ* 110, 766

Davis, C.J., Eislöffel, J., Smith, M.D.: 1996, **Near-infrared and optical observations of an obliquely viewed bow shock: AS 353A/HH 32**, *ApJ* 463, 246

Davis, C.J., Ray, T.P., Eislöffel, J., Corcoran, D.: 1997a, **Near-IR imaging of the molecular outflows in HH 24-26, L1634 (HH 240-241), L1660 (HH 72) and RNO 15 FIR**, *A&A* 324, 263

Davis, C.J., Eislöffel, J., Ray, T.P., Jenness, T.: 1997b, **Prompt entrainment in the variable molecular jet from RNO 15-FIR**, *A&A* 324, 1013

Davis, C.J., Moriarty-Schieven, G., Eislöffel, J., Hoare, M.G., Ray, T.P.: 1998, **Observations of shocked H_2 and entrained CO in outflows from luminous young stars**, *AJ* 115, 1118

Davis, C.J., Matthews, H.E., Ray, T.P., Dent, W.R.F., Richer, J.S.: 1999, **A burst of outflows from the Serpens cloud core: wide-field submm continuum, CO J=2-1 and optical observations**, *MNRAS* in press

Dent, W.R.F., Aspin, C.: 1992, **Molecular and infrared observations of the conical reflection nebula 1548C27**, *MNRAS* 259, 401

Dent, W.R.F., Cunningham, C., Hayward, R., Davies, S.R., Wade, D., Avery, L.W., Mayer, C.J., Masuda, N.T.: 1993, **HCO^+ in the HH 7-11 region: the slowest component of the outflow?**, *MNRAS* 262, L13

Dent, W.R.F., Matthews, H.E., Walther, D.M.: 1995, **CO and shocked H_2 in the highly collimated outflow from VLA1623**, *MNRAS* 277, 193

Dent, W.R.F., Matthews, H.E., Ward-Thompson, D.: 1998, **The submillimetre colour of young stellar objects**, *MNRAS* 301, 1049

Devaney, M.N., Thiébaut, E., Foy, R., Blazit, A., Bonneau, D., Bouvier, J., de Batz, B., Thom, Ch.: 1995, **The Hα environment of T Tauri resolved by speckle interferometry**, *A&A* 300, 181

de Vegt, C.: 1982, **On the discrepancy between the optical and radio position of T Tauri**, *A&A* 109, L15

de Lara, E., Chavarria-K., C., López-Molina, G.: 1991, **Distance to the Serpens cloud. II**, *A&A* 243, 139

Devine, D., Reipurth, B., Bally, J.: 1997, **New Herbig-Haro objects**, in *Low Mass Star Formation - from Infall to Outflow*, poster proceedings of IAU Symp. No. 182, eds. F. Malbet & A. Castets, (available at http://www-laog.obs.ujf-grenoble.fr/meetings/iau182), p. 91

Devine, D., Bally, J., Reipurth, B., Heathcote, S.: 1997, **Kinematics and evolution of the giant HH 34 complex**, *AJ* 114, 2095

Devine, D., Reipurth, B., Bally, J.: 1999, **L1551-NE or L1551-IRS5: Which source drives HH 28/29?**, *AJ* in press

Devine, D., Reipurth, B., Bally, J., Balonek, T.: 1999a, **A giant Herbig-Haro flow from Haro 6-10**, *AJ* in press

Devine, D., Bally, J., Reipurth, B., Shepherd, D., Watson, A.: 1999b, **A giant Herbig-Haro flow from a massive young star in G192.16-3.82**, *AJ* in press

de Vries, C.P., Brand, J., Israel, F.P., de Graauw, Th., Wouterloot, J.G.A., van de Stadt, H., Habing, H.J.: 1984, **A ^{12}CO (J=2-1) survey of southern hemisphere dark clouds, reflection nebulae and Herbig-Haro type objects**, *A&A Suppl* 56, 333

Dickinson, D., Kojoian, G., Strom, S.E.: 1974, **A strong water maser associated with a Herbig-Haro object**, *ApJ* 194, L93

Di Francesco, J., Evans II, N.J., Harvey, P.M., Mundy, L.G., Butner, H.M.: 1998, **High-resolution far-infrared studies of intermediate-mass pre-main-sequence objects**, *ApJ* 509, 324

Dopita, M.A.: 1978a, **Optical emission from shocks. IV. The Herbig-Haro objects**, *ApJS* 37, 117

Dopita, M.A.: 1978b, **The Herbig-Haro objects in the Gum Nebula**, *A&A* 63, 237

Dopita, M.A., Binette, L., Schwartz, R.D.: 1982, **The two-photon continuum in Herbig-Haro objects**, *ApJ* 261, 183

Dopita, M.A., Schwartz, R.D., Evans, I.: 1982, **Herbig-Haro objects 46 and 47: Evidence for bipolar ejection from a young star**, *ApJ* 263, L73

Doyon, R., Nadeau, D.: 1988, **The molecular hydrogen emission from the Cepheus A star-formation region**, *ApJ* 334, 883

Draper, P.W., Warren-Smith, R.F., Scarrott, S.M.: 1985a, **A polarization study of the cometary nebula Parsamyan 21**, *MNRAS* 212, 1P

Draper, P.W., Warren-Smith, R.F., Scarrott, S.M.: 1985b, **Illumination of reflection nebulosity in the L1551 dark cloud by the infrared sources IRS5 and L1551NE**, *MNRAS* 216, 7P

Duncan, R.A., Forster, J.R., Gardner, F.F., Whiteoak, J.B.: 1987, **VLA observations of the 4.8-GHz H_2CO transition in L1551**, *MNRAS* 224, 721

Dutrey, A., Duvert, G., Castets, A., Langer, W.D., Bally, J., Wilson, R.W.: 1993, **A multi-transition study of carbon monoxide in the Orion A molecular cloud. II. $C^{18}O$**, *A&A* 270, 468

Dutrey, A., Guilloteau, S., Bachiller, R.: 1997, **Successive SiO shocks along the L1448 jet axis**, *A&A* 325, 758

Duvert, G., Dutrey, A., Guilloteau, S., Ménard, F., Schuster, K., Prato, L., Simon, M.: **Disks in the UY Aurigae binary**, *A&A* 332, 867

Dyck, H.M., Simon, T., Zuckerman, B.: 1982, **Discovery of an infrared companion to T Tauri**, *ApJ* 255, L103

Eaton, N., Scarrott, S.M.: 1989, **The visible reflection nebulosity in the vicinity of Cepheus-A**, *MNRAS* 241, 691

Edwards, S., Snell, R.L.: 1982, **A search for high-velocity molecular gas around T Tauri stars**, *ApJ* 261, 151

Edwards, S., Snell, R.L.: 1983, **A survey of high-velocity molecular gas in the vicinity of Herbig-Haro objects. I.**, *ApJ* 270, 605

Edwards, S., Snell, R.L.: 1984, **A survey of high-velocity molecular gas near Herbig-Haro objects. II.**, *ApJ* 281, 237

Edwards, S., Strom, S.E., Snell, R.L., Jarret, T.H., Beichman, C.A., Strom, K.M.: 1986, **Extended far-infrared emission associated with mass outflows from young stars: L1551 IRS5**, *ApJ* 307, L65

Edwards, S., Cabrit, S., Strom, S.E., Heyer, I., Strom, K.M., Anderson, E.: 1987, **Forbidden line and Hα profiles in T Tauri star spectra: A probe of anisotropic mass outflows and circumstellar disks**, *ApJ* 321, 473

Eiroa, C., Casali, M.M.: 1989, **The Serpens sources SVS 4 and FIRS 1: new results from infrared images**, *A&A* 223, L17

Eiroa, C., Hodapp, K.-W.: 1990, **Near-infrared morphology of young outflow sources**, *A&A* 236, 217

Eiroa, C., Casali, M.M.: 1992, **Near-infrared images of the Serpens cloud core: the stellar cluster**, *A&A* 262, 468

Eiroa, C., Gómez de Castro, A.I., Miranda, L.F.: 1992, **Herbig-Haro objects in the star formation region NGC 7129**, *A&A Supp.* 92, 721

Eiroa, C., Lenzen, R., Miranda, L.F., Torrelles, J.M., Anglada, G., Estalella, R.: 1993, **Optical and near-infrared observations of S140N**, *AJ* 106, 613

Eiroa, C., Miranda, L.F., Anglada, G., Estalella, R., Torrelles, J.M.: 1994a, **Herbig-Haro objects associated with extremely young sources in L1527 and L1448**, *A&A* 283, 973

Eiroa, C., Torrelles, J.M., Miranda, L.F., Anglada, G., Estalella, R.: 1994b, **Optical nebulosities associated with IRAS sources in dense cloud cores**, *A&A Supp.* 108, 73

Eiroa, C., Casali, M.M., Miranda, L.F., Ortiz, E.: 1994c, **S269-IRS2: A massive young stellar object powering Herbig-Haro emission**, *A&A* 290, 599

Eiroa, C., Palacios, J., Casali, M.M.: 1998, **NGC 7129 FIRS 2: an intermediate-mass counterpart of Class 0 objects**, *A&A* 335, 243

Eislöffel, J., Mundt, R.: 1992, **Proper motion measurements in the HH 34 jet and its associated bow shocks**, *A&A* 263, 292

Eislöffel, J., Mundt, R.: 1994, **Proper motion measurements and high resolution imaging of the HH 46/47 outflow**, *A&A* 284, 530

Eislöffel, J., Mundt, R.: 1997, **Parsec-scale jets from young stars**, *AJ* 114, 280

Eislöffel, J., Mundt, R.: 1998, **Imaging and kinematic studies of young stellar object jets in Taurus**, *AJ* 115, 1554

Eislöffel, J., Solf, J., Böhm, K.-H.: 1990, **Emission-line spectrophotometry of the pre-main- sequence star AS353A**, *A&A* 237, 369

Eislöffel, J., Günther, E., Hessman, F.V., Mundt, R., Poetzel, R., Carr, J.S., Beckwith, S., Ray, T.P.: 1991, **An optical/infrared outburst in the exciting source of HH 7-11**, *ApJ* 383, L19

Eislöffel, J., Davis, C.J., Ray, T.P., Mundt, R.: 1994, **Near-infrared observations of the HH 46/47 system**, *ApJ* 422, L91

Eislöffel, J., Mundt, R., Böhm, K.-H.: 1994, **Structure and proper motions in Herbig-Haro objects 1 and 2**, *AJ* 108, 1042

Eislöffel, J., Smith, M.D., Davis, C.J., Ray, T.P.: 1996, **Molecular hydrogen in the outflow from Cep E**, *AJ* 112, 2086

Elias, J.H.: 1978, **A study of the Taurus dark cloud complex**, *ApJ* 224, 857

Elias, J.H.: 1980, **H_2 emission from Herbig-Haro objects**, *ApJ* 241, 728

Ellis, H.B., Lester, D.F., Harvey, P.M., Joy, M., Telesco, C.M., Decher, R., Werner, M.W.: 1990, **High spatial resolution mapping of the Cepheus A region at 20, 50 and 100 microns**, *ApJ* 365, 287

Emerson, J.P., Harris, S., Jennings, R.E., Beichman, C.A., Baud, B., Beintema, D.A., Marsden, P.L., Wesselius, P.R.: 1984, **IRAS observations near young objects with bipolar outflows: L1551 and HH 46/47**, *ApJ* 278, L49

Estalella, R., Mauersberger, R., Torrelles, J.M., Anglada, G., Gómez, J.F., López, R., Muders, D.: 1993, **The molecular cores in the L1287, AFGL 5142, and IRAS 20126+4104 regions**, *ApJ* 419, 698

Evans, N.J., Levreault, R.M., Harvey, P.M.: 1986, **Far-infrared photometry of low-mass pre-main sequence stars with broad CO wings**, *ApJ* 301, 894

Evans, N.J., Balkum, S., Levreault, R.M., Hartmann, L., Kenyon, S.: 1994, **Molecular outflows from FU Orionis stars**, *ApJ* 424, 793

Everett, M.E.: 1997, **Near-infrared spectrophotometry of HH 7-11**, *ApJ* 478, 246

Feibelman, W.A.: 1976, **Emission object in Orion**, *PASP* 88, 677

Feigelson, E.D., DeCampli, W.M.: 1981, **Observations of X-ray emission from T Tauri stars**, *ApJ* 243, L89

Felli, M., Taylor, G.B., Neckel, Th., Staude, H.J.: **The ionized wind of IRAS 08159–3543**, *A&A* 329, 243

Fernandes, A., Brand, P.: 1995, **Shock diagnostics in Herbig-Haro 7: Evidence for H_2 fluorescence**, *MNRAS* 274, 639

Finkenzeller, U., Mundt, R.: 1984, **The Herbig Ae/Be stars associated with nebulosity**, *A&A Supp.* 55, 109

Finkenzeller, U., Basri, G.: 1987, **The atmospheres of T Tauri stars. I. High-resolution calibrated observations of moderately active stars**, *ApJ* 318, 823

Fisher, O., Stecklum, B., Leinert, Ch.: 1998, **2D speckle polarimetry of Z Canis Majoris**, *A&A* 334, 969

Foley, N.B., Gledhill, T.M., Scarrott, S.M., Wolstencroft, R.: 1993, **The illumination of the GGD 30 nebulosity**, *MNRAS* 262, 175

Forrest, W.J., Shure, M.A.: 1986, **Unipolar bubbles in star-forming regions**, *ApJ* 311, L81

Frerking, M.A., Langer, W.D.: 1982, **Detection of pedestal features in dark clouds: evidence for formation of low mass stars**, *ApJ* 256, 523

Frerking, M.A., Langer, W.D., Wilson, R.W.: 1987, **The structure and dynamics of Bok globule B335**, *ApJ* 313, 320

Fridlund, C.V.M., White, G.J.: 1989, **High signal/noise ^{13}CO observations of the bipolar outflow in L1551**, *A&A* 223, L13

Fridlund, C.V.M., Knee, L.B.G.: 1993, **The molecular outflow very near L1551 IRS5**, *A&A* 268, 245

Fridlund, C.V.M., Liseau, R.: 1994, **The velocity field of the L1551 IRS 5 jet**, *A&A* 292, 631

Fridlund, C.V.M., Liseau, R.: 1998, **Two jets from the protostellar system L1551 IRS 5**, *ApJ* 499, L75

Fridlund, C.V.M., Nordh, H.L., Van Duinen, R.J., Aalders, J.W.G., Sargent, A.I.: 1980, **A low-luminosity far infrared source in the L1551 molecular cloud**, *A&A* 91, L1

Fridlund, C.V.M., Sandqvist, Aa., Nordh, H.L., Olofsson, G.: 1984, **Velocity gradients in the bipolar CO gas-flow around L1551 IRS5**, *A&A* 137, L17

Fridlund, C.V.M., Sandqvist, Aa., Nordh, H.L., Olofsson, G.: 1989, **The L1551 IRS5 CO bipolar outflow: acceleration and origin**, *A&A* 213, 310

Fridlund, C.V.M., Liseau, R., Perryman, M.A.C.: 1993, **High-resolution spectrophotometric imaging of the Herbig-Haro object HH 29 in the L1551 outflow**, *A&A* 273, 601

Fridlund, C.V.M., Liseau, R., Gullbring, E.: 1998, **The physical structure of the Herbig-Haro object HH 29**, *A&A* 330, 327

Fuente, A.: 1995, **High-density CN filaments in NGC 2023**, *ApJ* 442, L33

Fuente, A., Martín-Pintado, J., Bachiller, R., Neri, R., Palla, F.: 1998, **Progressive dispersal of the dense gas in the environment of early-type and late-type Herbig Ae-Be stars**, *A&A* 334, 253

Fukui, Y.: 1989, **Molecular outflows: their implication on protostellar evolution**, in ESO workshop on *Low Mass Star Formation and Pre-Main Sequence Objects*, ed. Bo Reipurth, p.95

Fukui, Y., Sugitani, K., Takaba, H., Iwata, T., Mizuno, A., Ogawa, H., Kawabata, K.: 1986, **Discovery of seven bipolar outflows by an unbiased survey**, *ApJ* 311, L85

Fukui, Y., Takaba, H., Iwata, T., Mizuno, A.: 1988, **A bipolar outflow: L1641-North and its ambient dense cloud**, *ApJ* 325, L13

Fuller, G.A., Myers, P.C., Welch, W.J., Goldsmith, P.F., Langer, W.D., Campbell, B.G., Guilloteau, S., Wilson, R.W.: 1991, **Anatomy of the Barnard 5 core**, *ApJ* 376, 135

Fuller, G.A., Ladd, E.F., Padman, R., Myers, P.C., Adams, F.C.: 1995, **The circumstellar molecular core around L1551 IRS 5**, *ApJ* 454, 862

Fuller, G.A., Ladd, E.F., Hodapp, K.-W.: 1996, **Lynds 1527: an embedded protobinary system in Taurus**, *ApJ* 463, L97

Gahm, G.F., Malmort, A.M.: 1980, **A study of stars in southern dust clouds with bright nebulosities**, *A&A* 82, 295

Garay, G., Ramírez, S., Rodríguez, L.F., Curiel, S., Torrelles, J.M.: 1996, **The nature of the radio sources within the Cepheus A star-forming region**, *ApJ* 459, 193

Garay, G., Köhnenkamp, I., Bourke, T.L., Rodríguez, L.F., Lehtinen, K.K.: 1998, **Molecular abundance enhancements in the highly collimated bipolar outflow BHR 71**, *ApJ* 509, 768

Garden, R.P., Russell, A.P.G., Burton, M.G.: 1990, **Images of shock-excited molecular hydrogen in young stellar outflows**, *ApJ* 354, 232

Garnavich, P.M., Noriega-Crespo, A., Green, P.J.: 1992, **Wide field imaging of the star forming region Lynds 1551**, *Rev.Mex.Astron.Astrofis.* 24, 99

Garnavich, P.M., Noriega-Crespo, A., Raga, A.C., Böhm, K.-H.: 1997, **Highly collimated molecular hydrogen jets near IRAS 05487+0255: near-infrared imaging and spectroscopy**, *ApJ* 490, 752

Garrison, L.M., Anderson, C.M.: 1977, **Observational studies of the Herbig Ae/Be stars. I. High-resolution Hα profiles**, *ApJ* 218, 438

Garrison, L.M., Anderson, C.M.: 1978, **Observational studies of the Herbig Ae/Be stars. II. Polarimetry**, *ApJ* 221, 601

Gatley, I., Becklin, E.E., Matthews, K., Neugebauer, G., Penston, M.V., Scoville, N.: 1974, **A new infrared complex and molecular cloud in Orion**, *ApJ* 191, L121

Geballe, T.R., Persson, S.E.: 1987, **Emission from CO band heads in young stellar objects**, *ApJ* 312, 297

Gee, G., Griffin, M.J., Cunningham, C.T., Emerson, J.P., Ade, P.A.R., Caroff, L.J.: 1985, **B335 - a candidate protostar?**, *MNRAS* 215, 15P

Gething, M.R., Warren-Smith, R.F., Scarrott, S.M., Bingham, R.G.: 1982, **Optical polarization of the cometary nebula NGC 2261**, *MNRAS* 198, 881

Gezari, D.Y., Backman, D.E., Werner, M.W.: 1998, **Mid-infrared imaging of Orion BN/KL. II. Luminosity of sources, extinction distribution, and the nature of IRc2**, *ApJ* 509, 283

Ghez, A.M., Neugebauer, G., Gorham, P.W., Haniff, C.A., Kulkarni, S.R., Matthews, K.: 1991, **Diffraction limited infrared images of the binary star T Tauri**, *AJ* 102, 2066

Ghez, A.M., Neugebauer, G., Matthews, K.: 1993, **The multiplicity of T Tauri stars in the star forming regions Taurus-Auriga and Ophiuchus-Scorpius: A 2.2 micron speckle imaging survey**, *AJ* 106, 2005

Ghez, A.M., Weinberger, A.J., Neugebauer, G., Matthews, K., McCarthy, D.W.: 1995, **Speckle imaging measurements of the relative tangential velocities of the components of T Tauri binary stars**, *AJ* 110, 753

Gibb, A.G.: 1999, **A VLA search for embedded young stellar objects and protostellar candidates in L1630**, *MNRAS* 304, 1

Gibb, A.G., Heaton, B.D.: 1993, **The star-forming region around HH 24-26: a revised morphology**, *A&A* 276, 511

Gibb, A.G., Little, L.T.: 1998, **Probing the structure of molecular cloud cores: observations and modelling of CI and $C^{18}O$ in HH24-26**, *MNRAS* 295, 299

Gibb, A.G., Davis, C.J.: 1998, **The outflow from the class 0 protostar HH 25 MMS: methanol enhancement in a well-collimated flow**, *MNRAS* 298, 644

Gibb, A.G., Little, L.T., Heaton, B.D., Lehtinen, K.K.: 1995, **Dense clumps in the L1630 molecular cloud: physical structure and properties**, *MNRAS* 277, 341

Giovanardi, C., Lizano, S., Natta, A., Evans, N.J., Heiles, C.: 1992, **Neutral winds from protostars**, *ApJ* 397, 214

Giovannetti, P., Caux, E., Nadeau, D., Monin, J.-L.: 1998, **Deep optical and near infrared imaging photometry of the Serpens cloud core**, *A&A* 330, 990

Girart, J.M., Rodríguez, L.F., Anglada, G., Estalella, R., Torrelles, J.M., Martí, J., Pẽna, M., Ayala, S., Curiel, S., Noriega-Crespo, A.: 1994, **Ammonia downstream from HH 80 North**, *ApJ* 435, L145

Girart, J.M., Estalella, R., Anglada, G., Torrelles, J.M., Ho, P.T.P., Rodríguez, L.F.: 1997, **The ammonia core in L723: Hot spots at the center of the quadrupolar molecular outflow**, *ApJ* 489, 734

Girart, J.M., Estalella, R., Ho, P.T.P.: 1998, **On the nature of the molecular condensation downstream from HH 80 North**, *ApJ* 495, L59

Glass, I.S., Penston, M.V.: 1975, **Infrared photometry in the R CrA association**, *MNRAS* 172, 227

Gledhill, T.M., Scarrott, S.M.: 1989, **Evidence for circumstellar discs around nebulous stars in the Taurus dark clouds**, *MNRAS* 236, 139

Gledhill, T.M., Warren-Smith, R.F., Scarrott, S.M.: 1986, **Structure of the Haro 6-5 complex**, *MNRAS* 230, 867

Goetz, J.A., Pipher, J.L., Forrest, W.J., Watson, D.M., Raines, S.N., Woodward, C.E., Greenhouse, M.A., Smith, H.A., Hughes, V.A., Fischer, J.: 1998, **Cepheus A East: Unraveling the mysteries**, *ApJ* 504, 359

Goldsmith, P.F., Snell, R.L., Hemeon-Heyer, M., Langer, W.D.: 1984, **Bipolar outflows in dark clouds**, *ApJ* 286, 599

Goldsmith, P.F., Langer, W.D., Wilson, R.W.: 1986, **Molecular outflows, gas density distribution, and the effects of star formation in the dark cloud Barnard 5**, *ApJ* 303, L11

Gómez, J.F., Torrelles, J.M., Ho, P.T.P., Rodríguez, L.F., Cantó, J.: 1993, **Upper limits to the detection of ammonia from protoplanetary disks around HL Tauri and L1551-IRS 5**, *ApJ* 414, 333

Gómez, M., Kenyon, S.J., Whitney, B.A.: 1997, **The bipolar optical outflow associated with PV Cephei**, *AJ* 114, 265

Gómez, M., Whitney, B.A., Kenyon, S.J.: 1997, **A survey of optical and near-infrared jets in Taurus embedded sources**, *AJ* 114, 1138

Gómez, M., Whitney, B.A., Wood, K.: 1998, **A survey of optical jets and Herbig-Haro objects in the ρ Ophiuchi cloud core**, *AJ* 115, 2018

Gómez, Y., Rodríguez, L.F., Marti, J.: 1995, **Thermal jets and H_2O masers: The case of HH 80-81**, *ApJ* 453, 268

Gómez de Castro, A.I.: 1993, **Subarcsecond images of CW Tau. Constraints to disk and jet formation**, *ApJ* 412, L43

Gómez de Castro, A.I., Eiroa, C.: 1991, **An optical and infrared study of the reflection nebulae GGD 30 and GGD 31**, *A&A* 241, 589

Gómez de Castro, A.I., Eiroa, C., Lenzen, R.: 1988, **Observational evidence for the influence of the magnetic field on star formation in the Serpens molecular cloud**, *A&A* 201, 299

Gómez de Castro, A.I., Miranda, L.F., Eiroa, C.: 1993, **A kinematical study of the jet GGD 34**, *A&A* 267, 559

Goodman, A.A., Crutcher, R.M., Heiles, C., Myers, P.C., Troland, T.H.: 1989, **Measurement of magnetic field strength in the dark cloud Barnard 1**, *ApJ* 338, L61

Goodman, A.A., Bastien, P., Myers, P.C., Ménard, F.: 1990, **Optical polarization maps of star-forming regions in Perseus, Taurus, and Ophiuchus**, *ApJ* 359, 363

Goodrich, R.W.: 1986a, **New observations of Herbig-Haro objects and related stars**, *AJ* 92, 885

Goodrich, R.W.: 1986b, **V645 Cygni and the Duck nebula**, *ApJ* 311, 882

Goodrich, R.W.: 1993, **A search for Herbig-Haro objects near Herbig Ae/Be stars**, *ApJ Supp.* 86, 499 (erratum: *ApJ Supp.* 88, 609)

Gordon, M.A.: 1990, **Continuum emission from the star-forming regions Cepheus A and B**, *ApJ* 352, 636

Gorham, P.W., Ghez, A.M., Haniff, C.A., Kulkarni, S.R., Matthews, K., Neugebauer, G.: 1992, **A search for T Tauri's optical companion star**, *AJ* 103, 953

Graham, J.A.: 1983, **Starlike object in Herbig-Haro 57**, *IAU Circular* No. 3785

Graham, J.A.: 1986, **Objects associated with low-mass star formation in the Gum nebula**, *ApJ* 302, 352

Graham, J.A.: 1987, **A recent change in the brightness and form of the HH 46 reflection nebula**, *PASP* 99, 1174

Graham, J.A.: 1991, **A new Herbig-Haro object in the Gum nebula and its associated star**, *PASP* 103, 79

Graham, J.A.: 1993, **Emission-line objects near R Coronae Australis**, *PASP* 105, 561

Graham, J.A.: 1998, **3 micron ice-band absorption in young stellar objects**, *ApJ* 492, 213

Graham, J.A., Elias, J.H.: 1983, **Herbig-Haro objects in the dust globule ESO 210-6A**, *ApJ* 272, 615

Graham, J.A., Frogel, J.A.: 1985, **An FU Orionis star associated with Herbig-Haro object 57**, *ApJ* 289, 331

Graham, J.A., Phillips, A.C.: 1987, **Rapid variability of the R Coronae Australis reflection nebula NGC 6729**, *PASP* 99, 91

Graham, J.A., Hartigan, P.: 1988, **The Herbig-Haro objects in the Chamaeleon II dark cloud**, *AJ* 95, 1197

Graham, J.A., Heyer, M.H.: 1988, **Th 28 (Krautter's star) and its string of Herbig-Haro objects**, *PASP* 100, 1529

Graham, J.A., Heyer, M.H.: 1989, **Young stars of low mass in the Gum Nebula**, *PASP* 101, 573

Graham, J.A., Heyer, M.H.: 1990, **New optical features in L1551 and HH 30**, *PASP* 102, 972

Graham, J.A., Chen, W.P.: 1991, **Changing environments of pre-main sequence stars and their effect on the 3 μm ice feature**, *AJ* 102, 1405

Graham, J.A., Rubin, V.C.: 1992, **Herbig-Haro objects in the receding lobe of the L1551 outflow**, *PASP* 104, 730

Graham, J.A., Chen, W.P.: 1994, **Aging jets from low-mass stars**, *AJ* 108, 2273

Grasdalen, G.L., Strom, S.E., Strom, K.M., Capps, R.W., Thompson, D., Castelaz, M.: 1984, **High spatial resolution ir observations of young stellar objects: a possible disk surrounding HL Tauri**, *ApJ* 283, L57

Grasdalen, G.L., Sloan, G., Stout, N., Strom, S.E., Welty, A.D.: 1989, **Circumstellar gas associated with HL Tauri: evidence for a remnant infalling envelope**, *ApJ* 339, L37

Greaves, J.S., Holland, W.S., Ward-Thompson, D.: 1997, **Submillimeter polarimetry of Class 0 protostars: Constraints on magnetized outflow models**, *ApJ* 480, 255

Gredel, R.: 1994, **Near-infrared spectroscopy and imaging of Herbig-Haro objects**, *A&A* 292, 580

Gredel, R.: 1996, **The excitation of molecular hydrogen in HH 1 and HH 7 to 11**, *A&A* 305, 582

Gredel, R., Reipurth, B.: 1993, **Near-infrared observations of the HH 111 region**, *ApJ* 407, L29

Gredel, R., Reipurth, B.: 1994, **An infrared counterflow in the HH 111 jet complex**. *A&A* 289, L19

Gredel, R., Reipurth, B., Heathcote, S.: 1992, **An optical/infrared/millimetre study of HH 90/91**, *A&A* 266, 439

Greene, T.P., Lada, C.J.: 1996a, **The unusually rich infrared emission-line spectrum of a deeply embedded low-luminosity young stellar object**, *ApJ* 461, 345

Greene, T.P., Lada, C.J.: 1996b, **Near-infrared spectra and the evolutionary status of young stellar objects: results of a 1.1 - 2.4 μm survey**, AJ 112, 2184

Greenstein, J.L., Kazarian, M.A., Magakian, T.Yu., Khachikian, E.Yu.: 1976, **Spectrophotometry of NGC 2261 and R Mon. I.**, *Astrophysics* 12, No.4

Greenstein, J.L., Kazarian, M.A., Magakian, T.Yu., Khachikian, E.Yu.: 1979, **Spectrophotometry of NGC 2261 and R Mon. II.**, *Astrophysics* 15, No.4

Grossman, E.N., Masson, C.R., Sargent, A.I., Scoville, N.Z., Scott, S.L., Woody, D.P.: 1987, **A possible protostar near HH 7-11**, *ApJ* 320, 356

Gueth, F., Guilloteau, S.: 1999, **The jet-driven molecular outflow of HH 211**, *A&A* 343, 571

Gueth, F., Guilloteau, S., Bachiller, R.: 1996, **A precessing jet in the L1157 molecular outflow**, *A&A* 307, 891

Gueth, F., Guilloteau, S., Bachiller, R.: 1998, **SiO shocks in the L1157 molecular outflow**, *A&A* 333, 287

Gueth, F., Guilloteau, S., Dutrey, A., Bachiller, R.: 1997, **Structure and kinematics of a protostar: mm-interferometry of L1157**, *A&A* 323, 943

Guilloteau, S., Bachiller, R., Fuente, A., Lucas, R.: 1992, **First observations of young bipolar outflows with the IRAM interferometer: 2" resolution SiO images of the molecular jet in L1448**, *A&A* 265, L49

Gull, T.R., Goad, L., Chiu, H.-Y., Maran, S.P., Hobbs, R.W.: 1973, **An emission-line object found in the Orion nebula**, *PASP* 85, 526

Gürtler, J., Henning, Th., Krügel, E., Chini, R.: 1991, **Dust continuum radiation from luminous young stellar objects**, *A&A* 252, 801

Güsten, R., Chini, R., Neckel, T.: 1984, **A circumstellar disk in Cep A**, *A&A* 138, 205

Gvaramadze, V.V.: 1997, **A possible mechanism for the formation of the ejection fan in the Orion Nebula**, *Astronomy Letters* 23, 532

Gyulbudaghian, A.L.:1982, **New objects resembling Herbig-Haro objects**, *Pisma Astron. Zh.* 8, 232 (in russian)

Gyulbudaghian, A.L., Magakyan, T.Yu.: 1977a, **New red objects resembling the Herbig-Haro objects**, *C.R. Acad. Sci. Armenian SSR* 64, 104 (in russian)

Gyulbudaghian, A.L., Magakyan, T.Yu.: 1977b, **New cometary nebulae**, *Pisma Astron. Zh.* 3, 113 (in russian)

Gyulbudaghian, A.L., Magakyan, T.Yu.: 1977c, **New interesting nebulous objects**, Astron. Tsirk. No. 953 (in russian)

Gyulbudaghian, A.L., Magakyan, T.Yu., Amirkhanyan, A.S.: 1977, **Conspicuous changes of the shape of two cometary nebulae**, *Pisma Astron. Zh.* 3, 162 (in russian)

Gyulbudaghian, A.L., Glushkov, Yu.I., Denisyuk, E.K.: 1978, **New Herbig-Haro objects**, *ApJ* 224, L137

Haas, M., Leinert, Ch., Zinnecker, H.: 1990, **XZ Tau resolved as double infrared source**, *A&A* 230, L1

Haas, M., Christou, J.C., Zinnecker, H., Ridgway, S.T., Leinert, C.: 1993, **Sub-diffraction-limited infrared speckle observations of Z CMa - a 0.10" variable binary star**, *A&A* 269, 282

Haikala, L.K., Laureijs, R.J.: 1989, **CO and IR in L1228: extended bipolar molecular outflow and strongly self-absorbed ^{12}CO emission**, *A&A* 223, 287

Hamann, F.: 1994, **Emission-line studies of young stars. IV. The optical forbidden lines**, *ApJ Supp.* 93, 485

Hamann, F., Persson, S.E.: 1989, **High-resolution spectra of the luminous young stellar object V645 Cygni**, *ApJ* 339, 1078

Hamann, F., Simon, M., Carr, J.S., Prato, L.: 1994, **[Fe II] 1.53 and 1.64 micron emission from pre-main sequence stars**, *ApJ* 436, 292

Hanner, M.S., Brooke, T.Y., Tokunaga, A.T.: 1998, **8-13 micron spectroscopy of young stars**, *ApJ* 502, 871

Hanson, R.B., Jones, B.F., Lin, D.N.C.: 1988, **The astrometric position of T Tauri and the nature of its companion**, *ApJ* 270, L27

Harju, J., Walmsley, C.M., Wouterloot, J.G.A.: 1993, **Ammonia clumps in the Orion and Cepheus clouds**, *A&A Suppl.* 98, 51

Harju, J., Haikala, L.K., Mattila, K., Mauersberger, R., Booth, R.S., Nordh, H.L.: 1993, **Large scale structure of the R Coronae Australis cloud core**, *A&A* 278, 569

Haro, G.: 1952, **Herbig's nebulous objects near NGC 1999**, *ApJ* 115, 572

Haro, G.: 1953, **Hα emission stars and peculiar objects in the region of the Orion Nebula**, *ApJ* 117, 73

Haro, G., Minkowski, R.: 1960, **The Herbig-Haro objects near NGC 1999**, *AJ* 65, 490

Haro, G., Iriarte, B., Chavira, E.: 1953, **New emission stars in the dark regions of Taurus-Auriga-Orion investigated by Joy**, *Bol. Obs. Tonantzintla y Tacubaya* 8,3

Hartigan, P.: 1989, **The visibility of the Mach disk and the bow shock of a stellar jet**, *ApJ* 339, 987

Hartigan, P., Graham, J.A.: 1987, **Outflows in the star-formation region near R CrA**, *AJ* 93, 913

Hartigan, P., Lada, C.J.: 1985, **CCD images of suspected Herbig-Haro objects**, *ApJS* 59, 383

Hartigan, P., Mundt, R., Stocke, J.: 1986, **A detailed optical study of HH 32 and the highly collimated outflow from the T Tauri star AS353A**, *AJ* 91, 1357

Hartigan, P., Lada., C.J., Stocke, J., Tapia, S.: 1986, **The extraordinary HH objects near the star formation region Cepheus A**, *AJ* 92, 1155

Hartigan, P., Raymond, J., Hartmann, L.: 1987, **Radiative bow shock models of Herbig-Haro objects**, *ApJ* 316, 323

Hartigan, P., Curiel, S., Raymond, J.: 1989, **Molecular hydrogen and optical images of HH 7-11**, *ApJ* 347, L31

Hartigan, P., Raymond, J., Meaburn, J.: 1990, **Observations and shock models of the jet and Herbig-Haro objects HH 46/47**, *ApJ* 362, 624

Hartigan, P., Morse, J.A., Heathcote, S., Cecil, G.: 1993, **Observations of entrainment and time variability in the HH 47 jet**, *ApJ* 414, L121

Hartigan, P., Morse, J., Raymond, J.: 1994, **Mass loss rates, ionization fractions, shock velocities and magnetic fields of stellar jets**, *ApJ* 436, 125

Hartigan, P., Strom, K.M., Strom, S.E.: 1994, **Are wide pre-main sequence binaries coeval?**, *ApJ* 427, 961

Hartigan, P., Carpenter, J.M., Dougados, C., Skrutskie. M.F.: 1996, **Jet bow shocks and clumpy shells of H_2 emission in the young stellar outflow Cepheus A**, *AJ* 111, 1278 (erratum *AJ* 111, 2470)

Hartigan, P., Morse, J.A., Tumlinson, J., Raymond, J., Heathcote, S.: 1999, **Hubble Space Telescope Faint Object Spectrograph optical and ultraviolet spectroscopy of the bow shock HH 47A**, *ApJ* 512, 901

Hartmann, L.: 1982, **Line profiles of T Tauri stars: clues to the nature of the mass flow**, *ApJ Suppl.* 48, 109

Hartmann, L., Raymond, J.C.: 1984, **A high-resolution study of Herbig-Haro objects 1 and 2**, *ApJ* 276, 560

Hartmann, L., Kenyon, S.J., Hewett, R., Edwards, S., Strom, K.M., Strom, S.E., Stauffer, J.R.: 1989, **Pre-main sequence disk accretion in Z Canis Majoris**, *ApJ* 338, 1001

Harvey, P.M., Lada, C.J.: 1980, **Two micron spectroscopy and 2.7 mm CO line observations of V645 Cygni**, *ApJ* 237, 61

Harvey, P.M., Thronson, H., Gatley, I.: 1979, **Far-infrared observations of optical emission-line stars: evidence for extensive cool dust clouds**, *ApJ* 231, 115

Harvey, P.M., Joy, M., Lester, D.F., Wilking, B.A.: 1986, **Infrared studies of the Herbig-Haro object 1-2 region**, *ApJ* 301, 346

Harvey, P.M., Smith, B.J., Di Francesco, J., Colomé, C.: 1998, **Far-infrared constraints on structure and variability of SSV 13 in NGC 1333**, *ApJ* 499, 294

Haschick, A.D., Moran, J.M., Rodríguez, L.F., Burke, B.F., Greenfield, P., Garcia-Barreto, J.A.: 1980, **Observations of a compact HII region and water vapor maser sources in the vicinity of the Herbig-Haro objects 7-11**, *ApJ* 237, 26

Haschick, A.D., Moran, J.M., Rodríguez, L.F., Ho, P.T.P.: 1983, **Water-vapor masers located near Herbig-Haro objects**, *ApJ* 265, 281

Hasegawa, T.I., Rogers, C., Hayashi, S.S.: 1991, **Observations of HCO^+ in B335**, *ApJ* 374, 177

Hasegawa, T.I., Mitchell, G.F.: 1995, **CO J=3-2 and HCO^+ J=4-3 observations of the GL 2591 molecular outflow**, *ApJ* 451, 225

Hayashi, S.S., Hasegawa, T., Kaifu, N.: 1988, **Structure of Cepheus A. I. CO observations**, *ApJ* 332, 354

Hayashi, S.S., Hasegawa, T., Kaifu, N.: 1991, **Molecular observations of the L723 region: Interaction between the clumpy outflow and the gaseous core?**, *ApJ* 377, 492

Hayashi, M., Ohashi, N., Miyama, S.M.: 1993, **A dynamically accreting gas disk around HL Tauri**, *ApJ* 418, L71

Heathcote, S., Reipurth, B.: 1992, **Kinematics and evolution of the HH 34 complex**, *AJ* 104, 2193

Heathcote, S., Morse, J.A., Hartigan, P., Reipurth, B., Schwartz, R.D., Bally, J., Stone, J.M.: 1996, **Hubble Space Telescope observations of the HH 47 jet: narrowband images**, *AJ* 112, 1141

Heathcote, S., Reipurth, B., Raga, A.C.: 1998, **Structure, excitation and kinematics of the luminous Herbig-Haro objects 80/81**, *AJ* 116, 1940

Henkel, C., Haschick, A.D., Güsten, R.: 1986, **H_2O maser emission from HH 6 and other star-forming regions**, *A&A* 165, 197

Henney, W.J., Raga, A.C., Axon, D.J.: 1994, **Polarization profiles of scattered emission lines. II. Upstream dust scattering in the HH 1 jet**, *ApJ* 427, 305

Henning, Th., Burkert, A., Launhardt, R., Leinert, Ch., Stecklum, B.: 1998, **Infrared imaging and millimetre continuum mapping of Herbig Ae/Be and FU Orionis stars**, *A&A* 336, 565

Herbig, G.H.: 1950, **The spectrum of the nebulosity surrounding T Tauri**, *ApJ* **111**, 11

Herbig, G.H.: 1951, **The spectra of two nebulous objects near NGC 1999**, *ApJ* 113, 697

Herbig, G.H.: 1953, **T Tauri and Hind's Nebula**, *ASP Leaflet* No. 293

Herbig, G.H.: 1954a, **Emission-line stars associated with the nebulous cluster NGC 2264**, *ApJ* 119, 483

Herbig, G.H.: 1954b, **Bright-Hα stars in IC 348**, *PASP* 66, 19

Herbig, G.H.: 1957, **On the Nature and Origin of the T Tauri Stars**, in IAU Symp. No.3 *Non-Stable Stars*, ed. G.H.Herbig, Cambridge Univ. Press, p.3

Herbig, G.H.: 1960, **The spectra of Be- and Ae-type stars associated with nebulosity**, *ApJ Suppl.* 4, 337

Herbig, G.H.: 1968, **The structure and spectrum of R Monocerotis**, *ApJ* 152, 439

Herbig, G.H.: 1969, **The light variations of the nuclei in Herbig-Haro object No.2, 1946-1968**, in IAU Coll, *Non-Periodic Phenomena in Variable Stars*, ed. L. Detre, Reidel, Dordrecht, p.75

Herbig, G.H.: 1973, **Brightening of Herbig-Haro object No.1**, *IBVS*, no.832

Herbig, G.H.: 1974, **Draft catalog of Herbig-Haro objects**, *Lick Obs. Bull.* No.658

Herbig, G.H.: 1977, **Radial velocities and spectral types of T Tauri stars**, *ApJ* 214, 747

Herbig, G.H.: 1989, **FU Orionis Eruptions**, in ESO Workshop *Low Mass Star Formation and Pre-Main Sequence Objects*, ed. Bo Reipurth, p.233

Herbig, G.H.: 1991, **The Canis Majoris OB1 association**, in *Low Mass Star Formation in Southern Molecular Clouds*, Ed. Bo Reipurth, ESO Scientific Report No.11, p.59

Herbig, G.H., Kuhi, L.V.: 1963, **Emission-line stars in the region of NGC 2068**, *ApJ* 137, 398

Herbig, G.H., Jones, B.F.: 1981, **Large proper motions of the Herbig-Haro objects HH 1 and HH 2**, *AJ* 86, 1232

Herbig, G.H., Jones, B.F.: 1983, **Proper motions of Herbig-Haro objects. III. HH-7 through -11, HH-12, and HH-32**, *AJ* 88, 1040

Herbig, G.H., Bell, K.R.: 1988, **Third Catalog of Emission-Line Stars of the Orion Population**, *Lick Observatory Bulletin* No. 1111

Herbst, T.M., Koresko, C.D., Leinert, C.: 1995, **Detection of shocked molecular hydrogen in infrared companions to T Tauri stars: evidence for ongoing accretion**, *ApJ* 444, L93

Herbst, T.M., Beckwith, S.V.W., Glindemann, A., Tacconi-Garman, L.E., Kroker, H., Krabbe, A.: 1996, **A near-infrared spectral imaging study of T Tau**, *AJ* 111, 2403

Herbst, T.M., Robberto, M., Beckwith, S.V.W.: 1997, **Wind-disk-ambient cloud interactions in the near environment of T Tauri**, *AJ* 114, 744

Herbst, T.M., Beckwith, S.V.W., Robberto, M.: 1997, **A new molecular hydrogen outflow in Serpens**, *ApJ* 486, L59

Herbst, W.: 1975, **R associations I. UBV photometry and MK spectroscopy of stars in southern reflection nebulae**, *AJ* 80, 212

Herbst, W., Booth, J.F., Chugainov, P.F., Zajtseva, G.V., Barksdale, W., Covino, E., Terranegra, L., Vittone, A., Vrba, F.: 1986, **The rotation period and inclination angle of T Tauri**, *ApJ* 310, L71

Hessman, F.V., Eislöffel, J., Mundt, R., Hartmann, L.W., Herbst, W., Krautter, J.: 1991, **The high state of the FU Orionis variable Z Canis Majoris**, *ApJ* 370, 384

Hessman, F.V., Guenther, E.W.: 1997, **The highly veiled T Tauri stars DG Tau, DR Tau, and DI Cep**, *A&A* 321, 497

Hester, J.J., Gilmozzi, R., O'Dell, C.R., Faber, S.M., Campbell, B., Code, A., Currie, D.G., Danielson, G.E., Ewald, S.P., Groth, E.J., Holtzman, J.A., Kelsall, T., Lauer, T.R., Light, R.M., Lynds, R., O'Neil, E.J., Shaya, E.J., Westphal, J.A.: 1991, **Ionization fronts and shocked flows: the structure of the Orion Nebula at 0.1"**, *ApJ* 369, L75

Hester, J.J., Stapelfeldt, K.R., Scowen, P.A.: 1998, **Hubble Space Telescope wide field planetary camera 2 observations of HH 1-2**, *AJ* 116, 372

Heyer, M.H., Graham, J.A.: 1989, **Newborn stars and stellar winds in Barnard 228**, *PASP* 101, 816

Heyer, M.H., Graham, J.A.: 1990, **HH 55 and its energy source**, *PASP* 102, 117

Heyer, M.H., Strom, S.E., Strom, K.M.: 1987, **The magnetic field geometry in the vicinity of HH7-11/HH12 and HH33/HH40**, *AJ* 94, 1653

Heyer, M.H., Snell, R.L., Goldsmith, P.F., Myers, P.C.: 1987, **A survey of IRAS point sources in Taurus for high-velocity molecular gas**, *ApJ* 321, 370

Heyer, M.H., Ladd, E.F., Myers, P.C., Campbell, B.: 1990, **Infrared and optical images of newborn stars**, *AJ* 99, 1585

Hillenbrand, L.A., Strom, S.E., Vrba, F.J., Keene, J.: 1992, **Herbig Ae/Be stars: intermediate-mass stars surrounded by massive circumstellar accretion disks**, *ApJ* 397, 613

Hillenbrand, L.A., Meyer, M.R., Strom, S.E., Skrutskie, M.F.: 1995, **Isolated star-forming regions containing Herbig Ae/Be stars. I. The young stellar aggregate associated with BD +40°4124**, *AJ* 109, 280

Hirano, N., Kameya, O., Nakayama, M., Takakubo, K.: 1988, **Bipolar outflow in B335**, *ApJ* 327, L69

Hirano, N., Kameya, O., Kasuga, T., Umemoto, T.: 1992, **Bipolar outflow in B335: the small-scale structure**, *ApJ* 390, L85

Hirano, N., Kameya, O., Mikami, H., Saito, S., Umemoto, T., Yamamoto, S.: 1997, **The small-scale structure of the CO outflow in Barnard 1**, *ApJ* 478, 631

Hirano, N., Hayashi, S., Umemoto, T., Ukita, N.: 1998, **The powering source and origin of the quadrupolar molecular outflow in L723**, *ApJ* 504, 334

Hirth, G.A., Mundt, R., Solf, J.: 1994a, **Jet flows and disk winds from T Tauri stars: the case of CW Tau**, *A&A* 285, 929

Hirth, G.A., Mundt, R., Solf, J.: 1994b, **Asymmetries in bipolar jets from young stars**, *ApJ* 427, L99

Hirth, G.A., Mundt, R., Solf, J.: 1997, **Spatial and kinematic properties of the forbidden emission line region of T Tauri stars**, *A&A Supp. Ser.* 126, 437

Ho, P.T.P, Barrett, A.H.: 1980, **Observations of Herbig-Haro objects and their surrounding dark clouds**, *ApJ* 237, 38

Ho, P.T.P., Moran, J.M., Rodríguez, L.F.: 1982, **Mass outflow in star formation regions: Cepheus A**, *ApJ* 262, 619

Hoare, M.V., Garrington, S.T.: 1995, **Further mapping of the radio emission from massive young stellar objects**, *ApJ* 449, 874

Hodapp, K.-W.: 1984, **Infrared polarization of sources with bipolar mass outflow**, *A&A* 141, 255

Hodapp, K.-W.: 1987, **The magnetic field in star-forming large globules**, *ApJ* 319, 842

Hodapp, K.-W.: 1990, **Magnetic field and spatial structure of bipolar outflow sources**, *ApJ* 352, 184

Hodapp, K.-W.: 1994, **A K' imaging survey of molecular outflow sources**, *ApJ Suppl.* 94, 615

Hodapp, K.-W.: 1998, **The protostar in B335: Near-infrared observations of the Class 0 outflow**, *ApJ* 500, L183

Hodapp, K.-W., Deane, J.: 1993, **Star formation in the L1641 North cluster**, *ApJ Suppl.* 88, 119

Hodapp, K.-W., Ladd, E.F.: 1995, **Bipolar jets from extremely young stars observed in molecular hydrogen emission**, *ApJ* 453, 715

Hodapp, K.-W, Capps, R.W., Strom, S.E., Salas, L., Grasdalen, G.L.: 1988, **Near-infrared imaging of Lynds 1551 IRS5**, *ApJ* 335, 814

Hodapp, K.-W., Hora, J.L., Rayner, J.T., Pickles, A.J., Ladd, E.F.: 1996, **An outburst of a deeply embedded star in Serpens**, *ApJ* 468, 861

Hogerheijde, M.R., van Dieshoeck, E.F., Blake, G.A., van Langevelde, H.J.: 1997a, **Tracing the envelopes around embedded low-mass young stellar objects with HCO^+ and millimeter-continuum observations**, *ApJ* 489, 293

Hogerheijde, M.R., van Langevelde, H.J., Mundy, L.G., Blake, G.A., van Dieshoeck, E.F.: 1997b, **Subarcsecond imaging at 267 GHz of a young binary system: detection of a dust disk of radius less than 70 AU around T Tauri N**, *ApJ* 490, L99

Hogerheijde, M.R., van Dishoeck, E.F., Blake, G.A., van Langevelde, H.J.: 1998, **Envelope structure on 700 AU scales and the molecular outflows of low-mass young stellar objects**, *ApJ* 502, 315

Hogerheijde, M.R., van Dishoeck, E.F., Salverda, J.M., Blake, G.A.: 1999, **Envelope structure of deeply embedded young stellar objects in the Serpens molecular cloud**, *ApJ* 513, 350

Holland, W.S., Greaves, J.S., Ward-Thompson, D., Andre, P.: 1996, **The magnetic field structure around protostars. Submillimetre polarimetry of VLA 1623 and S 106-FIR**, *A&A* 309, 267

Hu, X.: 1996, **Kinematic studies of Herbig-Haro objects in the Orion Nebula**, *AJ* 112, 2712

Huard, T.L., Weintraub, D.A., Kastner, J.H.: 1997, **Bipolar outflow sources in the Serpens core: SVS 2 and SVS 20**, *MNRAS* 290, 598

Hubble, E.P.: 1916, **The variable nebula N.G.C. 2261**, *ApJ* 44, 190

Hughes, J.D., Emerson, J.P., Zinnecker, H., Whitelock, P.A.: 1988, **IRAS 12496-7650: An Ae star with outflow?** *MNRAS* 236, 117

Hughes, J.D., Hartigan, P., Graham, J.A., Emerson, J.P., Marang, F.: 1991, **The optical counterpart of IRAS 12496-7650: a highly embedded Herbig Ae star**, *AJ* 101, 1013

Hughes, V.A.: 1985, **Observational evidence on the early development of stars in Cepheus A**, *ApJ* 298, 830

Hughes, V.A.: 1988, **Radio observations of Cepheus A. I. The evolving pre-main sequence stars in Cepheus A East?**, *ApJ* 333, 788

Hughes, V.A.: 1989, **Radio observations of Cepheus A. II. The optical object Cep A West (the HW object)**, *AJ* 97, 1114

Hughes, V.A.: 1991, **Time-dependent radio sources in the star-forming region Cepheus A (East)**, *ApJ* 383, 280

Hughes, V.A.: 1993, **Is Cepheus A East a Herbig-Haro object?**, *AJ* 105, 331

Hughes, V.A.: 1997, **An evolving radio source in the young star-forming region Cepheus A**, *ApJ* 481, 857

Hughes, V.A., Wouterloot, J.G.A.: 1982, **The radio HII regions associated with Cep A**, *A&A* 106, 171

Hughes, V.A., Wouterloot, J.G.A.: 1984, **The star-forming region in Cepheus A**, *ApJ* 276, 204

Hughes, V.A., Moriarty-Schieven, G.: 1990, **A comparison of the radio continuum and optical properties of the HH objects in Cepheus A West (GGD 37)**, *ApJ* 360, 215

Hughes, V.A., MacLeod, G.C.: 1993, **A comparison of the infrared luminosity and ionizing luminosity of selected star forming regions**, *AJ* 105, 1495

Hughes, V.A., Cohen, R.J., Garrington, S.: 1995, **High-resolution observations of Cepheus A**, *MNRAS* 272, 469

Humphreys, R.M., Merrill, K.M., Black, J.H.: 1980, **The perplexing spectrum of AFGL 2789 (V645 Cygni)**, *ApJ* 237, L17

Hunter, T.R., Testi, L., Taylor, G.B., Tofani, G., Felli, M., Phillips, T.G.: 1995, **A multiwavelength picture of the AFGL 5142 star-forming region**, *A&A* 302, 249

Hurka, J.D., Schmid-burgk, J., Hardee, P.E.: 1999 **Deflection of stellar jets by ambient magnetic fields**, *A&A* 343, 558

Hurt, R.L., Barsony, M.: 1996, **A cluster of class 0 protostars in Serpens: An IRAS HIRES study**, *ApJ* 460, L45

Ibragimov, M.A., Melnikov, S.Y., Chernyshov, A.V., Shevschenko, V.S.: 1988, **Remarkable changes of colours of V1318 Cygni = LkHα 225**, *Astrofizika* 29, 633 (in russian)

Il'in, V.B., Khudyakova, T.N., Reshetnikov, V.P.: 1994, **Polarization of star light by dust in the Bok globule B5**, *Astronomy Reports* 38, 214

Indebetouw, R., Noriega-Crespo, A.: 1995, **Theoretical position-velocity diagrams of flux, electron density, and electron temperature in Herbig-Haro objects**, *AJ* 109, 752

Ivanova, N.L.: 1994, **Spectroscopic investigation of peculiar star V1331-Cygni**, *Astrophysics* 36, 366

Iwata, T., Fukui, Y., Ogawa, H.: 1988, **A molecular line study of a bipolar outflow object NGC 2071-North in L1630**, *ApJ* 325, 372

Jennings, R.F., Cameron, D.H.M., Cudlip, W., Hirst, C.J.: 1987, **IRAS observations of NGC 1333**, *MNRAS* 226, 461

Johns-Krull, C.M., Hatzes, A.P.: 1997, **The classical T Tauri star Sz 68: Doppler imaging and evidence for magnetospheric accretion**, *ApJ* 487, 896

Johnson, J.J., Gehrz, R.D., Jones, T.J., Hackwell, J.A., Grasdalen, G.L.: 1990, **An infrared study of Orion Molecular Cloud-2 (OMC-2)**, *AJ* 100, 518

Johnstone, D., Bally, J.: 1999, **JCMT/SCUBA submillimeter wavelength imaging of the integral-shaped filament in Orion**, *ApJ* 510, L49

Jones, B.F., Herbig, G.H.: 1982, **Proper motions of Herbig-Haro objects. II. The relationship of HH-39 to R Monocerotis and NGC 2261**, *AJ* 87, 1223

Jones, B.F., Walker, M.F.: 1985, **Proper motions of Herbig-Haro objects. VI. The M42 HH objects**, *AJ* 90, 1320

Jones, B.F., Cohen, M.: 1986, **Observations of jets from low-luminosity stars: DG Tauri B**, *ApJ* 311, L23

Jones, B.F., Cohen, M., Sirk, M., Jarrett, R.: 1984, **The proper motions of Herbig-Haro objects. IV. RNO 40 and 43**, *AJ* 89, 1404

Jones, B.F., Cohen, M., Wehinger, P.A., Gehren, T.: 1987, **Proper motions of Herbig-Haro objects. VIII. The region of NGC 2068**, *AJ* 94, 1260

Jones, T.J., Mergen, J., Odewahn, S., Gehrz, R.D., Gatley, I., Merrill, K.M., Probst, R., Woodward, C.E.: 1994, **A near-infrared survey of the OMC 2 region**, *AJ* 107, 2120

Joshi, U.C., Kulkarni, P.V., Bhatt, H.C., Kulshrestha, A.K., Deshpande, M.R., 1985, **Polarization measurements of stars in the region of Bok globule B5**, *MNRAS* 215, 275

Joy, A.H.: 1945, **T Tauri variable stars**, *ApJ* 102, 168

Joy, A.H., van Biesbrock, G.: 1944, **Five new double stars among variables of the T Tauri class**, *PASP* 56, 123

Joyce, R.R., Simon, T.: 1986, **Polarimetry of the infrared reflection nebulae in Cepheus A and S140**, *AJ* 91, 113

Juan, J., Bachiller, R., Kompe, C., Martin-Pintado, J.: 1993, **High density structure of the L1455 dark cloud**, *A&A* 270, 432

Kaifu, N., Suzuki, S., Hasegawa, T., Morimoto, M., Inatani, J., Nagane, K., Miyazawa, K., Chikada, Y., Kanzawa, T., Akabane, K.: 1984, **Rotating gas disk around L1551 IRS-5**, *A&A* 134, 7

Keeler, J.E.: 1900, **Photographic Observations of Hind's Variable Nebula in Taurus, made with the Crossley Reflector of the Lick Observatory**, *MNRAS* 60, 424

Keene, J., Masson, C.R.: 1990, **Detection of a 45 AU radius source around L1551-IRS5: a possible accretion disk**, *ApJ* 355, 635

Keene, J., Davidson, J.A., Harper, D.A., Hildebrand, R.H., Jaffe, D.T., Loewenstein, R.F., Low, F.J., Pernic, R.: 1983, **Far-infrared detection of low-luminosity star formation in the Bok globule B335**, *ApJ* 274, L43

Kelly, D.M., Rieke, G.H., Campbell, B.: 1994, **Near-infrared spectroscopy of young stellar objects**, *ApJ* 425, 231

Kelly, M.L., Macdonald, G.H., Millar, T.J.: 1996, **Chemical evolution in the circumstellar structure of B5 IRS1**, *MNRAS* 279, 1210

Kenyon, S.J., Whitney, B.A., Gómez, M., Hartmann, L.: 1993, **The embedded young stars in the Taurus-Auriga molecular cloud. II - Models for scattered light images**, *ApJ* 414, 773

Kenyon, S.J., Gómez, M., Marzke, R.O., Hartmann, L.: 1994, **New pre-main sequence stars in the Taurus-Auriga molecular cloud**, *AJ* 108, 251

Kenyon, S.J., Brown, D.I., Tout, C.A., Berlind, P.: 1998, **Optical spectroscopy of embedded young stars in the Taurus-Auriga molecular cloud**, *AJ* 115, 2491

Kepner, J., Hartigan, P., Yang, C., Strom, S.: 1993, **Hubble Space Telescope images of the subarcsecond jet in DG Tauri**, *ApJ* 415, L119

King, D.J., Scarrott, S.M.: 1981, **HH 103 - an unpolarized Herbig-Haro object**, *Observatory* 101, 197

Kitamura, Y., Kawabe, R., Saito, M.: 1996a, **Aperture synthesis ^{13}CO (J=1-0) observations of the molecular gas around DG Tauri: evidence for a dispersing gas disk**, *ApJ* 457, 277

Kitamura, Y., Kawabe, R., Saito, M.: 1996b, **Imaging of the compact dust disk around DG Tauri with 1″ resolution**, *ApJ* 465, L137

Knapp, G.R., Morris, M.: 1976, **H_2O maser emission associated with T Tauri and other regions of star formation**, *ApJ* 206, 713

Knapp, G.R., Kuiper, T.B.H., Knapp, S.L., Brown, R.L.: 1976, **CO observations of NGC 1579 (S222) and S239**, *ApJ* 206, 443

Knee, L.B.G.: 1992, **Molecular outflows associated with HH 52-54 and IRAS 12496-7650**, *A&A* 259, 283

Knee, L.B.G., Cameron, M., Liseau, R.: 1990, **The low mass protostellar candidate NGC 1333/IRAS-1**, *A&A* 231, 419

Knox-Shaw, H.: 1916, **Note on the Variable Nebula in Corona Australis**, *MNRAS* 76, 646

Kobayashi, N., Nagata, T., Tamura, M., Takeuchi, T., Takami, H., Sato, S.: 1997, **Near-infrared spectropolarimetry of T Tauri**, *ApJ* 481, 936

Koerner, D.W., Sargent, A.I.: 1995, **Imaging the small-scale circumstellar gas around T Tauri stars**, *AJ* 109, 2138

Koerner, D.W., Chandler, C.J., Sargent, A.I.: 1995, **Aperture synthesis imaging of the circumstellar dust disk around DO Tauri**, *ApJ* 452, L69

Kolotilov, E.A.: 1984, **Photoelectric UBV photometry of the peculiar T-Tauri star V1331-Cygni**, *Sov.Astron.Lett.* 9, 289

Kolotilov, E.A.: 1991, **Light curve of Z Canis Majoris - a possible FU Orionis star**, *Sov.Astron.Lett.* 17, 144

Koo, B.-C.: 1990, **Molecular line observations of the extremely high velocity molecular flow near HH 7-11**, *ApJ* 361, 145

Koresko, C.D., Beckwith, S.V.W., Ghez, A.M., Matthews, K., Neugebauer, G.: 1991, **An infrared companion to Z Canis Majoris**, *AJ* 102, 2073

Koresko, C.D., Herbst, T.M., Leinert, Ch.: 1997 **The infrared companions of T Tauri stars**, *ApJ* 480, 741

Koresko, C.D., Harvey, P.M., Christou, J.C., Fugate, R.Q., Li, W.: 1997, **A multiresolution infrared imaging study of LkHα 198**, *ApJ* 485, 213

Krautter, J.: 1986, **Th 28: a new bipolar Herbig-Haro jet**, *A&A* 161, 195

Krautter, J., Reipurth, B., Eichendorf, W.: 1984, **Spectrophotometry of southern Herbig-Haro and related objects**, *A&A* 133, 169

Krist, J.E., Burrows, C.J., Stapelfeldt, K.R., Ballester, G.E., Clarke, J.T., Crisp, D., Evans, R.W., Gallagher III, J.S., Griffiths, R.E., Hester, J.J., Holtzman, J.A., Hoessel, J.G., Mould, J.R., Scowen, P.A., Trauger, J.T., Watson, A.M., Westphal, J.A.: 1997, **Hubble Space Telescope WFPC2 images of emission nebulosity near XZ Tauri**, *ApJ* 481, 447

Krist, J.E., Stapelfeldt, K.R., Burrows, C.J., Ballester, G.E., Clarke, J.T., Crisp, D., Evans, R.W., Gallagher III, J.S., Griffiths, R.E., Hester, J.J., Hoessel, J.G., Holtzman, J.A., Mould, J.R., Scowen, P.A., Trauger, J.T., Watson, A.M., Westphal, J.A.: 1998, **Hubble Space Telescope WFPC2 imaging of FS Tauri and Haro 6-5B**, *ApJ* 501, 841

Krügel, E., Chini, R.: 1994, **Analysis of a cold cloud fragment**, *A&A* 287, 947

Krügel, E., Güsten, R., Schulz, A., Thum, C.: 1987, **NGC 2264: a molecular line study**, *A&A* 185, 283

Kuhi, L.V.: 1964, **Mass loss from T Tauri stars**, *ApJ* 140, 1409

Kuiper, T.B.H., Peters, W.L., Forster, J.R., Gardner, F.F., Whiteoak, J.B.: 1987, **The molecular gas associated with HH 46 and HH 47**, *PASP* 99,107

Kun, M.: 1998, **Star formation in the Cepheus Flare molecular clouds. I. Distance determination and the young stellar object candidates**, *ApJ Suppl.* 115, 59

Kun, M., Prusti, T.: 1993, **Star formation in L1251: distance and members**, *A&A* 272, 235

Lada, C.J., Black, J.H.: 1976, **CO observations of the bright-rimmed cloud B35**, *ApJ* 203, L75

Lada, C.J., Gottlieb, C.A., Litvak, M.M., Lilley, A.E.: 1974, **Molecular studies of two dark nebulae associated with Herbig-Haro objects**, *ApJ* 194, 609

Lada, C.J., Blitz, L., Reid, M.J., Moran, J.M.: 1981, **VLBI observations of the water vapor masers in Cepheus A, S252A, GL2789, GL2139, CO59.79+0.04, W33B, and U Orionis**, *ApJ* 243, 769

Lada, C.J., Thompson, H.A., Smith, H.A., Schwartz, P.R., Glaccum, W.: 1984, **The nature of AFGL 2591 and its associated molecular outflow: infrared and millimeter-wave observations**, *ApJ* 286, 302

Lada, C.J., Alves, J., Lada, E.A.: 1996, **Near-infrared imaging of embedded clusters: NGC 1333**, *AJ* 111, 1964

Lada, E.A., Lada, C.J.: 1995, **Near infrared images of IC 348 and the luminosity function of young embedded clusters**, *AJ* 109, 1682

Lada, E.A., DePoy, D.L., Evans, N.J., Gatley, I.: 1991, **A 2.2 micron survey in the L1630 molecular cloud**, *ApJ* 371, 171

Ladd, E.F., Hodapp, K.-W.: 1997, **A double outflow from a deeply embedded source in Cepheus**, *ApJ* 475, 794

Ladd, E.F., Adams, F.C., Casey, S., Davidson, J.A., Fuller, G.A., Harper, D.A., Myers, P.C., Padman, R.: 1991a, **Far-infrared and submillimeter wavelength observations of star-forming dense cores. I. Spectra** *ApJ* 366, 203

Ladd, E.F., Adams, F.C., Casey, S., Davidson, J.A., Fuller, G.A., Harper, D.A., Myers, P.C., Padman, R.: 1991b, **Far-infrared and submillimeter wavelength observations of star-forming dense cores. II. Images** *ApJ* 382, 555

Ladd, E.F., Fuller, G.A., Padman, R., Myers, P.C., Adams, F.C.: 1995, **Spatially resolved submillimeter continuum emission toward L1551 IRS-5**, *ApJ* 439, 771

Lagage, P.O., Olofsson, G., Cabrit,S., Cesarsky, C.J., Nordh,L., Espinoza, J.M.R.: 1993, **A deeply embedded companion to LkHα 198**, *ApJ* 417, L79

Lampland, C.O.: 1936, **Hind's Variable Nebula**, *PASP* 48, 318

Lamzin, S.A., Teodorani, M., Errico, L., Vittone, A.A., Kolotilov, E.A., Miroshnichenko, A.S., Yudin, R.V.: 1998, **On the source of optical variability and outflow in the Z CMa system**, *Astronomy Reports* 42, 630

Lane, A.P.: 1989, **Near-infrared imaging of H_2 emission from Herbig-Haro objects and bipolar flows**, in ESO workshop on *Low Mass Star Formation and Pre-Main Sequence Objects*, ed. Bo Reipurth, p.331

Lane, A.P., Bally, J.: 1986, **Shocked molecular hydrogen and jets in star-forming clouds.II.**, *ApJ* 310, 820

Langer, W.D., Frerking, M.A., Wilson, R.W.: 1986, **Multiple star formation and the dynamical evolution of B335**, *ApJ* 306, L29

Langer, W.D., Wilson, R.W., Goldsmith, P.F., Beichman, C.A.: 1989, **Dust and gas emission in Barnard 5**, *ApJ* 337, 355

Langer, W.D., Velusamy, T., Xie, T.: 1996, **The IRS 1 circumstellar disk, and the origin of the jet and CO outflow in B5**, *ApJ* 468, L41

Langer, W.D., Castets, A., Lefloch, B.: 1996, **The IRAS 2 and IRAS 4 outflows and star formation in NGC 1333**, *ApJ* 471, L111

Launhardt, R., Henning, Th.: 1997, **Millimetre dust emission from northern Bok globules**, *A&A* 326, 329

Laureijs, R.J., Mattila, K., Schnur, G.: 1987, **IRAS and optical observations of the high-latitude dust cloud Lynds 1642**, *A&A* 184, 269

Lavalley, C., Cabrit, S., Dougados, C., Ferruit, P., Bacon, R.: 1997, **Sub-arcsecond morphology and kinematics of the DG Tau jet in the [OI] λ6300 line**, *A&A* 327, 671

Lay, O.P., Carlstrom, J.E., Hills, R.E., Phillips, T.G.: 1994, **Protostellar accretion disks resolved with the JCMT-CSO interferometer**, *ApJ* 434, L75

Lay, O.P., Carlstrom, J.E., Hills, R.E.: 1995, **NGC 1333 IRAS 4: Further multiplicity revealed with the CSO-JCMT interferometer**, *ApJ* 452, L73

Lay, O.P., Carlstrom, J.E., Hills, R.E.: **Constraints on the HL Tauri protostellar disk from millimeter- and submillimeter-wave interferometry**, *ApJ* 489, 917

Lee, M.G., Böhm, K.-H., Temple, S.D., Raga, A.C., Mateo, M.L., Brugel, E.W., Mundt, R.: 1988, **The spatial distribution of ultraviolet line and continuum emission in Herbig-Haro objects**, *AJ* 96, 1690

Lefloch, B., Eislöffel, J., Lazareff, B.: 1996, **The remarkable Class 0 source Cep E**, *A&A* 313, L17

Lefloch, B., Castets, A., Cernicharo, J., Langer, W.D., Zylka, R.: 1998a, **Cores and cavities in NGC 1333**, *A&A* 334, 269

Lefloch, B., Castets, A., Cernicharo, J., Loinard, L.: 1998b, **Widespread SiO emission in NGC 1333**, *ApJ* 504, L109

Leinert, Ch., Haas, M.: 1989, **Detection of an infrared companion to Haro 6-10**, *ApJ* 342, L39

Leinert, Ch. Haas, M., Lenzen, R.: 1991, **LkHα 198 and V376 Cassiopeiae: Speckle interferometric and polarimetric observations of circumstellar dust**, *A&A* 246, 180

Leinert, Ch., Haas, M., Richichi, A., Zinnecker, H., Mundt, R.: 1991, **Lunar occultation and near-infrared speckle observations of DG Tauri, FV Tauri, FW Tauri and GG Tauri**, *A&A* 250, 407

Leinert, Ch., Haas, M., Weitzel, N.: 1993, **Near-infrared speckle interferometry of LkHα 233**, *A&A* 271, 535

Leinert, Ch., Zinnecker, H., Weitzel, N., Christou, J., Ridgway, S.T., Jameson, R., Haas, M., Lenzen, R.: 1993 **A systematic search for young binaries in Taurus**, *A&A* 278, 129

Leinert, Ch., Richichi, A., Weitzel, N., Haas, M.: 1994, **Near-infrared speckle observations of Herbig Ae/Be stars**, in *Nature and Evolutionary Status of Herbig Ae/Be Stars*, eds. P.S. Thé, M.R. Pérez, E.P.J. van den Heuvel.

Lenzen, R.: 1987, **IR reflection nebulae near molecular outflow sources**, *A&A* 173, 124

Lenzen, R.: 1988, **High velocity Herbig-Haro objects near Cep A**, *A&A* 190, 269

Lenzen, R., Hodapp, K.-W., Solf, J.: 1984, **Optical and infrared observations of Cep-A/GGD37**, *A&A* 137, 202

Levreault, R.M.: 1984, **Interactions between pre-main sequence objects and molecular clouds. II. PV Cephei**, *ApJ* 277, 634

Levreault, R.M.: 1988, **A search for molecular outflows toward pre-main sequence objects**, *ApJ Supp.* 67, 283

Levreault, R.M., Opal, C.B.: 1987, **CCD observations of the counterfan in PV Cephei**, *AJ* 93, 669

Lightfoot, J.F.: 1989, **Shadowplay in Hubble's variable nebula**, *MNRAS* 239, 665

Lightfoot, J.F., Glencross, W.M.: 1986, **Molecular hydrogen mapping of Herbig-Haro 7-11; a filamentary bullet?**, *MNRAS* 221, 993

Liljeström, T.: 1989, **Rotating $H^{13}CO^+$ disk and corotating $H^{12}CO^+$ lobes in the L1551 outflow source**, *A&A* 219, L19

Liljeström, T., Mattila, K.: 1988, **Neutral hydrogen associated with the high latitude cloud L1642**, *A&A* 196, 243

Liljeström, T., Mattila, K., Friberg, P.: 1989, **CO outflow and properties of the molecular gas around the far-infrared point source IRAS 04325-1419 in Lynds 1642**, *A&A* 210, 337

Liljeström, T., Olofsson, G.: 1997, **Evidence for infall toward Z Canis Majoris from radio and near-infrared spectroscopy**, *ApJ* 478, 381

Lin, D.N.C., Hayashi, M., Bell, K.R., Ohashi, N.: 1994, **Is HL Tauri an FU Orionis system in quiescence?**, *ApJ* 435, 821

Lis, D.C., Serabyn, E., Keene, J., Dowell, C.D., Benford, D.J., Phillips, T.G., Hunter, T.R., Wang, N.: 1998, **350 μm continuum imaging of the Orion A molecular cloud with the Submillimeter High Angular Resolution Camera**, *ApJ* 509, 299

Liseau, R., Sandell, G.: 1986, **The geometry of anisotropic CO outflows**, *ApJ* 304, 459

Liseau, R., Sandell, G., Knee, L.B.G.: 1988, **The structure of the molecular outflow near SSV 13 and HH 7-11 in the NGC 1333 region**, *A&A* 192, 153

Liseau, R., Lorenzetti, D., Molinari, S.: 1992, **The infrared variability of SSV 13**, *A&A* 253, 119

Liseau, R., Lorenzetti, D., Nisini, B., Spinoglio, L., Moneti, A.: 1992, **Star formation in the Vela molecular clouds. I. The IRAS-bright class I sources**, *A&A* 265, 577

Liseau, R., Huldtgren, M., Fridlund, C.V.M., Cameron, M.: 1996a, **Time variable shocks in the UV: long term IUE monitoring of HH 29**, *A&A* 306, 255

Liseau, R., Ceccarelli, C., Larsson, B., Nisini, B., White, G.J., Ade, P., Armand, C., Burgdorf, M., Caux, E., Cerulli, R., Church, S., Clegg, P.E., DiGorgio, A., Furniss, I., Giannini, T., Glencross, W., Gry, C., King, K., Lim, T., Lorenzetti, D., Molinari, S., Naylor, D., Orfei, R., Saraceno, P., Sidher, S., Smith, H., Spinoglio, L., Swinyard, B., Texier, D., Tommasi, E., Trams, N., Unger, S.: 1996b, **Thermal H_2O emission from the Herbig-Haro flow HH 54**, *A&A* 315, L181

Little, L.T., Davies, S.R., Vizard, D.R., Ellison, B.N., Riley, P.W., Matthews, N., MacDonald, G.H., Nyman, L.-A.: 1985, **HCO^+ observations of the molecular cloud HH 24-27**, *A&A* 142, 378

Liu, M.C., Graham, J.R., Ghez, A.M., Meixner, M., Skinner, C.J., Keto, E., Ball, R., Arens, J.F., Jernigan, J.G.: 1996, **Mid-infrared imaging of young stellar objects**, *ApJ* 461, 334

Lizano, S., Heiles, C., Rodríguez, L.F., Koo, B.-C., Shu, F.H., Hasegawa, T., Hayashi, S., Mirabel, I.F.: 1988, **Neutral stellar winds that drive bipolar outflows in low-mass protostars**, *ApJ* 328, 763

Lo, K.Y., Morris, M., Moran, J.M., Haschick, A.D.: 1976, **The unusual H_2 maser source near Herbig-Haro object number 11**, *ApJ* 204, L21

Looney, L.W., Mundy, L.G., Welch, W.J.: 1997, **High-resolution $\lambda = 2.7$ millimeter observations of L1551 IRS5: a protobinary system?**, *ApJ* 484, L157

López, R., Raga, A.C., Riera, A., Anglada, G., Estalella, R.: 1995, **The extended structure of the HH 30 jet and other Herbig-Haro objects in the HL Tauri region**, *MNRAS* 274, L19

López, R., Riera, A., Raga, A.C., Anglada, G., López, J.A., Noriega-Crespo, A., Estalella, R.: 1996, **The complex kinematical properties of the HH objects aligned with the HL Tauri and HH 30 outflows**, *MNRAS* 282, 470

López, R., Rosado, M., Riera, A., Noriega-Crespo, A., Raga, A.C., Estalella, R., Anglada, G., Le Coarer, E., Langarica, R., Tinoco, S., Cantó, J.: 1998, **HH 262: The red lobe of the L1551 IRS 5 outflow**, *AJ* 116, 845

Loren, R.B.: 1977, **The star formation process in molecular clouds associated with Herbig Be/Ae stars. I. LkHα 198, BD+40°4124, and NGC 7129**, *ApJ* 218, 716

Loren, R.B.: 1979, **The star formation process in molecular clouds associated with Herbig Be/Ae stars. II. The nonhomologous collapse of the CrA cloud**, *ApJ* 227, 832

Loren, R.B., Evans, N.J., Knapp, G.R.: 1979, **Properties of molecular clouds containing Herbig-Haro objects**, *ApJ* 234, 932

Lorre, J.J.: 1975, **Analysis of the nebulosities near T Tauri using digital computer image processing**, *ApJ* 202, 696

Lucas, P.W., Roche, P.F.: 1996, **Near-infrared observations of L1551-IRS5 with image sharpening**, *MNRAS* 280, 1219

Lucas, P.W., Roche, P.F.: 1997, **Butterfly star in Taurus: structures of young stellar objects**, *MNRAS* 286, 895

Lucas, P.W., Roche, P.F.: 1998a, **Imaging polarimetry of class I young stellar objects**, *MNRAS* 299, 699

Lucas, P.W., Roche, P.F.: 1998b, **Further observations of IRAS 04302+2247**, *MNRAS* 299, 723

Luhman, K.L., Rieke, G.H., Lada, C.J., Lada, E.A.: 1998, **Low-mass star formation and the initial mass function in IC 348**, *ApJ* 508, 347

Mader, S.L., Zealey, W.J., Parker, Q.A., Masheder, M.R.W.: 1999, **New Herbig-Haro objects and giant outflows in Orion**, *MNRAS* in press

Magakyan, T.Yu.: 1983, **Herbig-Haro objects and cometary nebulae in the NGC 7129 star formation region**, *Sov. Astron. Letters* 9, 83

Magakyan, T.Yu.: 1984, **Two new Herbig-Haro objects**, *Sov. Astron. Letters* 10, 276

Magakyan, T.Yu.: 1988, **The nebula GM 1-27: A new case of directed outflow?**, *Astrophysics* 28, 356

Magakyan, T.Yu., Movsesyan, T.A.: 1993, **Detailed spectroscopic investigation of Herbig-Haro object RNO 43N**, *Astrophysics* 36, 1

Magakyan, T.Yu., Movsesyan, T.A.: 1994, **Spectroscopy of RNO 43S**, *Astronomy Letters* 20, 648

Magakyan, T.Yu., Movsesyan, T.A.: 1995, **GM 1-27: a cometary nebula associated with anisotropic outflow**, *A&A* 295, 504

Magakyan, T.Yu., Movsesyan, T.A.: 1997a, **Herbig-Haro objects, cometary nebulae, and PMS stars in the star-forming region NGC 7129**, *Astronomy Reports* 41, 483

Magakyan, T.Yu., Movsesyan, T.A.: 1997b, **LkHα 225: evidence for a collimated outflow in the optical spectrum**, *Astronomy Letters* 23, 666

Magakyan, T.Yu., Movsesyan, T.A., Afanas'ev, V.L., Burenkov, A.N.: 1989, **Spectral investigation of the object 1548C27 with jet**, *Astrophysics* 30, 297

Magakyan, T.Yu., Boulesteix, J., Marcelin, M., Le Coarer, E.,: 1994, **Hα observations of the HH objects in the NGC 7129 field**, *A&A* 291, 928

Magazzù, A., Martín, E.L.: 1994, **A Herbig-Haro flow in HV Tauri**, *A&A* 287, 571

Magnani, L., Blitz, L., Mundy, L.: 1985, **Molecular gas at high galactic latitudes**, *ApJ* 295, 402

Maihara, T., Kataza, H.: 1991, **A study of the spatially-resolved T Tauri system**, *A&A* 249, 392

Malbet, F., Rigaut, F., Bertout, C., Lena, P.: 1993, **Detection of a 400 AU disk-like structure surrounding the young stellar object of Z CMa**, *A&A* 271, L9

Malin, D.F., Ogura, K., Walsh, J.R.: 1987, **Herbig-Haro objects in the vicinity of NGC 2023**, *MNRAS* 227, 361

Manchado, A., García-Lario, P., Sahu, K.C., Pottasch, S.R.: 1990, **Three new young objects from the IRAS Point Source Catalogue**, *A&A Supp.* 84, 517

Mannings, V.: 1994, **Submillimetre observations of Herbig Ae/Be systems**, *MNRAS* 271, 587

Mannings, V., Emerson, J.P.: 1994, **Dust in discs around T Tauri stars: grain growth?**, *MNRAS* 267, 361

Marcaide, J.M., Torrelles, J.M., Güsten, R., Menten, K.M., Ho, P.T.P., Moran, J.M., Rodríguez, L.F.: 1988, **Observational evidence of a possible collimating agent of the HH 1-2 outflow**, *A&A* 197, 235

Mardones, D., Myers, P.C., Tafalla, M., Wilner, D.J.: 1997, **A search for infall motions toward nearby young stellar objects**, *ApJ* 489, 719

Margulis, M., Lada, C.J.: 1986, **An unbiased survey for high-velocity gas in the Monoceros OB1 molecular cloud**, *ApJ* 309, L87

Margulis, M., Lada, C.J., Snell, R.L.: 1988, **Molecular outflows in the Monoceros OB1 molecular cloud**, *ApJ* 333, 316

Margulis, M., Lada, C.J., Young, E.T.: 1989, **Young stellar objects in the Monoceros OB1 molecular cloud**, *ApJ* 345, 906

Martí, J., Rodríguez, L.F., Reipurth, B.: 1993, **HH 80-81: a highly collimated Herbig-Haro complex powered by a massive young star**, *ApJ* 416, 208

Martí, J., Rodríguez, L.F., Reipurth, B.: 1995, **Large proper motions and ejection of new condensations in the HH 80/81 thermal radio jet**, *ApJ* 449, 184

Martí, J., Rodríguez, L.F., Reipurth, B.: 1998, **Proper motions of the inner condensations in the HH 80-81 thermal radio jet**, *ApJ* 502, 337

Masson, C.R., Mundy, L.G., Keene, J.: 1990, **The extremely high velocity CO flow in HH 7-11**, *ApJ* 357, L25

Matsumoto, T., Hanawa, T., Nakamura, F.: 1997, **Gravitational contraction of rotating clouds: formation of self-similarly collapsing disks**, *ApJ* 478, 569

Matsumura, M., Seki, M., Kawabata, K.: 1999, **Simultaneous polarimetry and photometry of the young stellar object R Monocerotis**, *AJ* 117, 429

Matthews, N., Little, L.T.: 1983, **Ammonia observations of the Herbig-Haro objects HH 24-27**, *MNRAS* 205, 123

Mattila, K., Liljeström, T., Toriseva, M.: 1989, **Recent observations with SEST of the starforming cloud ϵ Cha I**, in ESO workshop on *Low Mass Star Formation and Pre-Main Sequence Objects*, ed. Bo Reipurth, p.153

Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L.: 1985, **Rapid outbursts in the water maser Cepheus A**, *A&A* 145, 192

Mattila, K., Toriseva, M., Liljeström, T., Anttila, R., Malkamäki, L.: 1988, **Long-term monitoring of the water maser Cepheus A**, *A&A Suppl.* 73, 209

McCaughrean, M.J.: 1997, in IAU Symposium No. 182 *Herbig-Haro flows and the birth of low mass stars*, eds. B. Reipurth & C. Bertout, Kluwer, p. 597

McCaughrean, M.J., Rayner, J.T., Zinnecker, H.: 1994, **Discovery of a molecular hydrogen jet near IC 348**, *ApJ* 436, L189

McCutcheon, W.H., Sato, T., Purton, C.R., Matthews, H.E., Dewdney, P.E.: 1995, **Millimeter and submillimeter wavelength continuum observations of massive young stellar objects**, *AJ* 110, 1762

McMuldroch, S., Sargent, A., Blake, G.: 1993, **The circumstellar environment of the FU Orionis pre-outburst candidate V1331 Cygni**, *AJ* 106, 2477

McMullin, J.P., Mundy, L.G., Blake, G.A.: 1994, **The circumstellar environment of IRAS 05338–0624**, *ApJ* 437, 305

McMullin, J.P., Mundy, L.G., Wilking, B.A., Hezel, T., Blake, G.A.: 1994, **Structure and chemistry in the northwestern condensation of the Serpens molecular cloud core**, *ApJ* 424, 222

Meaburn, J.: 1982, **The visible and ultraviolet continuum from a Herbig-Haro object in the core of M16 (NGC 6611)**, *A&A* 114, 367

Meaburn, J.: 1986, **An extended, high speed, ionized flow in the vicinity of a Herbig-Haro-like knot (M42-HH2) in the core of the Orion nebula (NGC 1976)**, *A&A* 164, 358

Meaburn, J., White, N.J.: 1982, **A Herbig-Haro object in the core of M16 (NGC6611)**, *MNRAS* 199, 121

Meaburn, J., Walsh, J.R.: 1984, **The continuum from the Herbig-Haro object M16-HH1 from 1200 A to 2.2** μm, *A&A* 138, 36

Meaburn, J., Dyson, J.: 1987, **The dynamics of Herbig-Haro objects HH 46 and 47A and their remarkable connecting filament HH 47B**, *MNRAS* 225, 863

Meaburn, J., Whitehead, M.J.: 1990, **A shock-ionized knot in M16 (M16-HH1), observed with a stepped, echelle multislit**, *A&A* 235, 395

Meehan, L.S.G., Wilking, B.A., Claussen, M.J., Mundy, L.G., Wootten, A.: 1998, **Water masers in the circumstellar environments of young stellar objects**, *AJ* 115, 1599

Mehringer, D.M.: 1996, **The location of extremely high velocity** HCO^+ **in the HH 7-11 outflow**, *ApJ* 462, 355

Mehringer, D.M., Zhou, S., Dickel, H.R.: 1997, **BIMA array observations of the 107 GHz Methanol masers in Cepheus A**, *ApJ* 475, L57

Ménard, F., Bastien, P., Robert, C.: 1988, **Detection of circular polarization in R Monocerotis and NGC 2261: Implications for the polarization mechanism**, *ApJ* 335, 290

Ménard, F., Monin, J.L., Angelucci, F., Rouan, D.: 1993, **Disks around pre-main sequence binary systems: the case of Haro 6-10**, *ApJ* 414, L117

Menten, K.M., Walmsley, C.M.: 1985, **Ammonia observations of L1551**, *A&A* 146, 369

Menten, K.M., Walmsley, C.M., Krügel, E., Ungerechts, H.: 1984, **Ammonia in B335**, *A&A* 137, 108

Menten, K.M., Harju, J., Olano, C.A., Walmsley, C.M.: 1989, **The high density molecular cores near L1551-IRS5 and B335-FIR**, *A&A* 223, 258

Merrill, P.W., Burwell, C.G.: 1950, **Additional stars whose spectra have a bright H**α **line**, *ApJ* 112, 72

Mezger, P.G., Wink, J.E., Zylka, R.: 1990, λ**1.3mm dust emission from the star-forming cloud cores OMC 1 and 2**, *A&A* 228, 95

Micono, M., Davis, C.J., Ray, T.P., Eislöffel, J., Shetrone, M.D.: 1998, **Proper motions and variability of the** H_2 **emission in the HH 46/47 system**, *ApJ* 494, L227

Miesch, M.S., Bally, J.: 1994, **Statistical analysis of turbulence in molecular clouds**, *ApJ* 429, 645

Migenes, V., Cohen, R.J., Brebner, G.C.: 1992, **OH maser proper motions in Cepheus A**, *MNRAS* 254, 501

Mikami, H., Umemoto, T., Yamamoto, S., Saito, S.: 1992, **Detection of SiO emission in the L1157 dark cloud**, *ApJ* 392, L87

Minchin, N.R., Sandell, G., Murray, A.G.: 1995, **Submm polarimetric observations of NGC 1333 IRAS 4A and 4B: tracing the circumstellar magnetic field**, *A&A* 293, L61

Mirabel, I.F., Rodríguez, L.F., Cantó, J., Arnal, E.M.: 1985, **High-velocity OH near young stellar objects: L1551**, *ApJ* 294, L39

Mirabel, I.F., Ruiz, A., Rodríguez, L.F., Cantó, J.: 1987, **OH outflows in star-forming regions**, *ApJ* 318, 729

Miranda, L.F., Eiroa, C., Gómez de Castro, A.I.: 1993, **New Herbig-Haro objects and pre-main sequence stars in the star formation region NGC 7129**, *A&A* 271, 564

Mitchell, G.F., Matthews, H.E.: 1994, **A molecular jet from LkHα 234**, *ApJ* 423, L55

Mitchell, G.F., Maillard, J.P., Hasegawa, T.I.: 1991, **Episodic outflows from high-mass protostars**, *ApJ* 371, 342

Mitchell, G.F., Hasegawa, T.I., Dent, W.R.F., Matthews, H.E.: 1994, **A molecular outflow driven by an optical jet**, *ApJ* 436, L177

Mitchell, G.F., Sargent, A.I., Mannings, V.G.: 1997, **DG Tau B: The interaction of an atomic jet with ambient molecular gas**, *ApJ* 483, L127

Molinari, S., Liseau, R., Lorenzetti, D.: 1993, **The exciting sources of Herbig-Haro objects. I. A catalogue of 1-20 μm observations**, *A&A Supp.* 101, 59

Molinari, S., Brand, J., Cesaroni, R., Palla, F.: 1996, **A search for precursors of ultracompact HII regions in a sample of luminous IRAS sources I. Association with ammonia cores**, *A&A* 308, 573

Momose, M., Ohashi, N., Kawabe, R., Hayashi, M., Nakano, T.: 1996, **The dispersing cloud core around T Tauri**, *ApJ* 470, 1001

Momose, M., Ohashi, N., Kawabe, R., Nakano, T., Hayashi, M.: 1998, **Aperture synthesis $C^{18}O$ J=1-0 observations of L1551 IRS 5: Detailed structure of the infalling envelope**, *ApJ* 504, 314

Moneti, A., Reipurth, B.: 1995, **Infrared imaging of Herbig-Haro energy sources**, *A&A* 301, 721

Moneti, A., Pipher, J.L., Helfer, H.L., McMillan, R.S., Perry, M.L.: 1984, **Magnetic field structure in the Taurus dark cloud**, *ApJ* 282, 508

Moneti, A., Forrest, W.J., Pipher, J.L., Woodward, C.E.: 1988, **High spatial resolution infrared imaging of L1551-IRS5: Direct observations of its circumstellar envelope**, *ApJ* 327, 870

Monin, J.-L., Pudritz, R.E., Rouan, D., Lacombe, F.: 1989, **Infrared images of HL Tauri: scattering from an inclined, flaring disk**, *A&A* 215, L1

Monin, J.-L., Pudritz, R.E., Lazareff, B.: 1996, **Molecular outflows and star formation in the HL Tau stellar group**, *A&A* 305, 572

Moore, T.J.T., Emerson, J.P.: 1992, **Sensitive imaging polarimetry of the faint infrared reflection nebula in B5 IRS1**, *MNRAS* 259, 381

Moore, T.J.T., Emerson, J.P.: 1994, **Continued decline in the 1-5 μm brightness of B5 IRS1: 1990-93**, *MNRAS* 271, 243

Moreira, M.C., Yun, J.L.: 1995, **Discovery of Herbig-Haro objects and molecular hydrogen jets near Bok globule CB 34**, *ApJ* 454, 850

Morgan, J.A., Bally, J.: 1991, **Molecular outflows in the L1641 region of Orion**, *ApJ* 372, 505

Morgan, J.A., Snell, R.L., Strom, K.M.: 1990, **Radio continuum emission from young stellar objects in L1641**, *ApJ* 362, 274

Morgan, J.A., Schloerb, F.P., Snell, R.L., Bally, J.: 1991, **Molecular outflows associated with young stellar objects in the L1641 region of Orion**, *ApJ* 376, 618

Moriarty-Schieven, G.H., Snell, R.L.: 1988, **High resolution images of the L1551 molecular outflow.II. Structure and kinematics**, *ApJ* 332, 364

Moriarty-Schieven, G.H., Snell, R.L.: 1989, **High-resolution observations of the B335 and L723 bipolar molecular outflows**, *ApJ* 338, 952

Moriarty-Schieven, G.H., Wannier, P.G.: 1991, **A second outflow from L1551/IRS 5?**, *ApJ* 373, L23

Moriarty-Schieven, G.H., Snell, R.L., Strom, S.E., Grasdalen, G.L.: 1987a, **CS observations of L1551: no rotating disk**, *ApJ* 317, L95

Moriarty-Schieven, G.H., Snell, R.L., Strom, S.E., Schloerb, F.P., Strom, K.M., Grasdalen, G.L.: 1987b, **High-resolution images of the L1551 bipolar outflow: evidence for an expanding, accelerated shell**, *ApJ* 319, 742

Moriarty-Schieven, G.H., Snell, R.L., Hughes, V.A.: 1991, **Probing the core of Cepheus A: Millimeter and submillimeter observations**, *ApJ* 374, 169

Moriarty-Schieven, G.H., Wannier, P.G., Tamura, M., Keene, J.: 1992, **Circumprotostellar environments. I. Molecular outflows from protostar candidates in Taurus**, *ApJ* 400, 260

Moriarty-Schieven, G.H., Wannier, P.G., Keene, J., Tamura, M.: 1994, **Circumprotostellar environments. II. Envelopes, activity, and evolution**, *ApJ* 436, 800

Moriarty-Schieven, G.H., Butner, H.M., Wannier, P.G.: 1995, **The L1551NE molecular outflow**, *ApJ* 445, L55

Moro-Martin, A., Noriega-Crespo, A., Böhm, K.-H., Raga, A.C.: 1996, **The spatial intensity distribution of the UV light in HH objects revisited**, *Rev. Mex. Astron. Astrofis.* 32, 75

Morris, M., Kazès, I.: 1982, **An unusual OH maser associated with V645 Cygni**, *A&A* 111, 239

Morse, J.A., Hartigan, P., Cecil, G., Raymond, J.C., Heathcote, S.: 1992, **The bow shock and Mach disk of HH 34**, *ApJ* 399, 231

Morse, J.A., Heathcote, S., Cecil, G., Hartigan, P., Raymond, J.C.: 1993a, **The bow shock and Mach disk of HH 111V**, *ApJ* 410, 764

Morse, J.A., Heathcote, S., Hartigan, P., Cecil, G.: 1993b, **Spectrophotometric evidence for velocity variability in the HH 34 and HH 111 stellar jets**, *AJ* 106, 1139

Morse, J.A., Hartigan, P., Heathcote, S., Raymond, J.C., Cecil, G.: 1994, **Fabry-Perot observations and new models of the HH 47A and HH 47D bow shocks**, *ApJ* 425, 738

Movsesyan, T.A.: 1989, **The jet in the dark cloud L723**, *Sov. Astron. Letters* 15, 56

Movsesyan, T.A., Magakyan, T.Yu.: 1990, **CoKu Tau/1: A new object with bipolar optical outflow**, *Astrophysics* 31, 711

Muzerolle, J., Hartmann, L., Calvet, N.: 1998, **A Brγ probe of disk accretion in T Tauri stars and embedded young stellar objects**, *AJ* 116, 2965

Mundt, R.: 1984, **Mass loss in T Tauri stars: observational studies of the cool parts of their stellar winds and expanding shells**, *ApJ* 280, 749

Mundt, R., Fried, J.W.: 1983, **Jets from young stars**, *ApJ* 274, L83

Mundt, R., Eislöffel, J.: 1998, **T Tauri stars associated with Herbig-Haro objects and jets**, *AJ* 116, 860

Mundt, R., Stocke, J., Stockman, S.: 1983, **Jets from pre-main sequence stars: AS353A and its associated Herbig-Haro objects**, *ApJ* 265, L71

Mundt, R., Bührke, T., Fried, J.W., Neckel, T., Sarcander, M., Stocke, J.: 1984, **Jets from young stars. III. The case of Haro 6-5B, HH 33/40, HH 19 and 1548C27**, *A&A* 140, 17

Mundt, R., Stocke, J., Strom, S.E., Strom, K.M., Andersson, E.R.: 1985, **The optical spectrum of L1551 IRS5**, *ApJ* 297, L41

Mundt, R., Brugel, E.W., Bührke, T.: 1987, **Jets from young stars: CCD imaging, long slit spectroscopy and interpretation of existing data**, *ApJ* 319, 275

Mundt, R., Ray, T.P., Bührke, T.: 1988, **A close association of five jet and outflow sources in the HL Tauri region**, *ApJ* 333, L69

Mundt, R., Ray, T.P., Bührke, T., Raga, A.C., Solf, J.: 1990, **Optical jets and outflows in the HL Tau region**, *A&A* 232, 37

Mundt, R., Ray, T.P., Raga, A.C.: 1991, **Collimation of stellar jets - constraints from the observed spatial structure. II. Observational results**, *A&A* 252, 740

Mundy, L.G., McMullin, J.P., Grossman, A.W., Sandell, G.: 1993, **Observations of circumstellar disks at centimeter wavelengths**, *Icarus* 106, 11

Mundy, L.G., Looney, L.W., Erickson, W., Grossman, A., Welch, W.J., Forster, J.R., Wright, M.C.H., Plambeck, R.L., Lugten, J., Thornton, D.D.: 1996, **Imaging the HL Tauri disk at λ=2.7 millimeters with the BIMA array**, *ApJ* 464, L169

Münch, G.: 1977, **Herbig-Haro object in the Orion Nebula**, *ApJ* 212, L77

Münch, G., Taylor, K.: 1974, **On the spectrum of neutral oxygen in the Orion Nebula**, *ApJ* 192, L93

Murphy, B.T., Little, L.T., Kelly, M.L.: 1998, **The C/CO ratio in B335 and the decaying dark matter neutrino hypothesis**, *MNRAS* 294, 635

Myers, P.C., Fuller, G.A., Mathieu, R.D., Beichman, C.A., Benson, P.J., Schild, R.E., Emerson, J.P.: 1987, **Near-infrared and optical observations of IRAS sources in and near dense cores**, *ApJ* 319, 340

Myers, P.C., Heyer, M., Snell, R., Goldsmith, P.: 1988, **Dense cores in dark clouds. V. CO outflow**, *ApJ* 324, 907

Myers, P.C., Bachiller, R., Caselli, P., Fuller, G.A., Mardones, D., Tafalla, M., Wilner, D.J.: 1995, **Gravitational infall in the dense cores L1527 and L483**, *ApJ* 449, L65

Nagar, N.M., Vogel, S.N., Stone, J.M., Ostriker, E.C.: 1997, **Kinematics of the molecular sheath of the HH 111 optical jet**, *ApJ* 482, L195

Nagata, T., Sato, S., Kobayashi, Y.: 1983, **Detection of large infrared polarization from L1551 IRS5**, *A&A* 119, L1

Najita, J., Carr, J.S., Tokunaga, A.T.: 1996, **High-resolution spectroscopy of Brγ emission in young stellar objects**, *ApJ* 456, 292

Najita, J., Carr, J.S., Glassgold, A.E., Shu, F.H., Tokunaga, A.T.: 1996, **Kinematic diagnostics of disks around young stars: CO overtone emission from WL 16 and 1548C27**, *ApJ* 462, 919

Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K.: 1986, **A near-infrared survey of the L1641 dark cloud**, *MNRAS* 221, 483

Nakajima, T., Golimowski, D.A.: 1995, **Coronographic imaging of pre-main sequence stars: remnant envelopes of star formation seen in reflection**, *AJ* 109, 1181

Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K.: 1986, **A near-infrared survey of the L1641 dark cloud**, *MNRAS* 221, 483

Nakano, M., Kogure, T., Yoshida, S., Tatematsu, K.: 1990, **Structure of the bipolar flow and molecular cloud associated with the Herbig Ae/Be star LkHα 198**, *PAS Japan* 42, 567

Nakano, M., Sugitani, K., Sato, F., Ogura, K.: 1994, **Circumstellar gas around the exciting source of the HH 83 jet**, *ApJ* 423, L147

Narayanan, G., Walker, C.K.: 1996, **Evidence for multiple outbursts from the Cepheus A molecular outflow**, *ApJ* 466, 844

Natta, A., Palla, F., Butner, H.M., Evans, N.J., Harvey, P.M.: 1992, **Infrared studies of pre-main sequence intermediate-mass stars: LkHα 198**, *ApJ* 391, 805

Natta, A., Palla, F., Butner, H.M., Evans, N.J., Harvey, P.M.: 1993, **Infrared studies of circumstellar matter around Herbig Ae/Be and related stars**, *ApJ* 406, 674

Neckel, T., Staude, H.J.: 1984, **A survey of bipolar and cometary nebulae. Photographic and photometric observations.** *A&A* 131, 200

Neckel, T., Staude, H.J.: 1987a, **A new cometary nebula in Cygnus**, *ApJ* 320, L145

Neckel, T., Staude, H.J.: 1987b, **Temporal changes of the IRS 5 jet in L1551**, *ApJ* 322, L27

Neckel, T., Staude, H.J.: 1992, **Optical traces of two IRAS sources driving bipolar outflows in the S287 molecular cloud**, *A&A* 254, 339

Neckel, T., Staude, H.J.: 1995, **IRAS 08159−3543 - Optical detection of the dusty, neutral, bipolar wind of a luminous young stellar object**, *ApJ* 448, 832

Neckel, T., Staude, H.J., Sarcander, M., Birkle, K.: 1987, **Herbig-Haro emission in two bipolar reflection nebulae**, *A&A* 175, 231

Neufeld, D.A., Melnick, G.J., Harwit, M.: 1998, **Infrared Space Observatory observations of molecular hydrogen in HH 54: measurement of a nonequilibrium ratio of ortho- to-para-H_2**, *ApJ* 506, L75

Nielsen, A.S., Olberg, M., Knude, J., Booth, R.S.: 1998, **The cometary globules CG 30/31/38 in the Gum Nebula. A radio line spectroscopic investigation**, *A&A* 336, 329

Nisenson, P., Stachnik, R.V., Karovska, M., Noyes, R.: 1985, **A new optical source associated with T Tauri**, *ApJ* 297, L17

Nisini, B., Milillo, A., Saraceno, P., Vitali, F.: 1995, **Mass loss rates from HI infrared lines in Herbig Ae/Be stars**, *A&A* 302, 169

Nisini, B., Lorenzetti, D., Cohen, M., Ceccarelli, C., Giannini, T., Liseau, R., Molinari, S., Radicchi, A., Saraceno, P., Spinoglio, L., Tommasi, E., Clegg, P.E., Ade, P.A.R., Armand, C., Barlow, M.J., Burgdorf, M., Caux, E., Cerulli, P., Church, S.E., Di Giorgio, A., Fischer, J., Furniss, I., Glencross, W.M., Griffin, M.J., Gry, C., King, K.J., Lim, T., Naylor, D.A., Texier, D., Orfei, R., Nguyen-Q-Rieu, Sidher, S., Smith, H.A., Swinyard, B.M., Trams, N., Unger, S.J., White, G.J.: 1996, **LWS-spectroscopy of Herbig-Haro objects and molecular outflows in the Cha II dark cloud**, *A&A* 315, L321

Nisini, B., Benedettini, M., Giannini, T., Clegg, P.E., Di Giorgio, A.M., Leeks, S.J., Liseau, R., Lorenzetti, D., Molinari, S., Saraceno, P., Spinoglio, L., Tommasi, E., White, G.J., Smith, H.A.: 1999, **An investigation of the B335 region through far infrared spectroscopy with ISO**, *A&A* 343, 266

Nordh, H.L., van Duinen, R.J., Sargent, A.I., Fridlund, C.V.M., Aalders, J.W.G., Beintema, D.: 1982, **Far infrared observations of a star forming region in Serpens**, *A&A* 115, 308

Noriega-Crespo, A., Garnavich, P.M.: 1994a, **Molecular hydrogen and excitation in the HH 1-2 system**, *AJ* 108, 1432

Noriega-Crespo, A., Garnavich, P.M.: 1994b, **Molecular shocks in Herbig-Haro 1**, *Rev. Mex. Astron. Astrof.* 28, 173

Noriega-Crespo, A., Böhm, K.-H., Raga, A.C.: 1989, **The spatial intensity distribution of selected emission lines for Herbig-Haro 1. Comparison between theory and observations**, *AJ* 98, 1388

Noriega-Crespo, A., Böhm, K.-H., Raga, A.C.: 1990, **The electron density and temperature distributions predicted by bow shock models of Herbig-Haro objects**, *AJ* 99, 1918

Noriega-Crespo, A., Calvet, N., Böhm, K.-H.: 1991, **Models for light scattering by dust around Herbig-Haro objects**, *ApJ* 379, 676

Noriega-Crespo, A., Garnavich, P.M., Raga, A.C.: 1993, **Evidence of high excitation in the Herbig-Haro 111 jet**, *AJ* 106, 1133

Noriega-Crespo, A., Garnavich, P.M., Raga, A.C., Cantó, J., Böhm, K.-H.: 1996, **HH 110 jet near-infrared imaging: the outflow mixing layer**, *ApJ* 462, 804

Noriega-Crespo, A., Garnavich, P.M., Curiel, S., Raga, A.C., Ayala, S.: 1997, **The proper motions of the warm molecular hydrogen gas in Herbig-Haro 1**, *ApJ* 486, L55

Noriega-Crespo, A., Garnavich, P.M., Molinari, S.: 1998, **ISOCAM molecular hydrogen images of the Cep E outflow**, *AJ* 116, 1388

O'Dell, C.R., Wen, Z.: 1994, **Post-refurbishment mission Hubble Space Telescope images of the core of the Orion Nebula: Proplyds, Herbig-Haro objects, and measurements of a circumstellar disk**, *ApJ* 436, 194

O'Dell, C.R., Wong, S.K.: 1996, **Hubble Space Telescope mapping of the Orion Nebula. I. A survey of stars and compact objects**, *AJ* 111, 846

O'Dell, C.R., Wen, Z., Hester, J.J.: 1991, **Hubble Space Telescope images and follow-up spectroscopy of the Orion Nebula**, *PASP* 103, 824

O'Dell, C.R., Wen, Z., Hu, X.: 1993, **Discovery of new objects in the Orion Nebula on HST images: Shocks, compact sources, and protoplanetary disks**, *ApJ* 410, 696

O'Dell, C.R., Hartigan, P., Lane, W.M., Wong, S.K., Burton, M.G., Raymond, J., Axon, D.J.: 1997a, **Herbig-Haro objects in the Orion Nebula**, *AJ* 114, 730

O'Dell, C.R., Hartigan, P., Bally, J., Morse, J.A.: 1997b, **High velocity features in the Orion Nebula**, *AJ* 114, 2016

Ogura, K.: 1990, **Two Herbig-Haro objects discovered by narrow-band CCD imaging**, *PASP* 102, 1366

Ogura, K.: 1991, **A peculiar Herbig-Haro object located far outside Lynds 1641**, *AJ* 101, 1803

Ogura, K.: 1993, **Discovery of two Herbig-Haro objects in the small dark cloud D291.4-0.2 in Carina**, *MNRAS* 262, 735

Ogura, K.: 1995, **Giant bow shock pairs associated with Herbig-Haro jets**, *ApJ* 450, L23

Ogura, K., Sato, F.: 1990, **Hα emission stars in the region of Lynds 1228**, *PAS Japan* 42, 583

Ogura, K., Walsh, J.R.: 1991, **Five new Herbig-Haro objects in the Orion region**, *AJ* 101, 185

Ogura, K., Walsh, J.R.: 1992, **Spectacular Herbig-Haro objects in the Carina region**, *ApJ* 400, 248

Ogura, K., Noumaru, J.: 1994, **Discovery of an extremely high excitation Herbig-Haro object in southeastern Vela**, *AJ* 108, 1427

Ogura, K., Nakano, M., Sugitani, K., Liljeström, T.: 1998, **Carbon monoxide observations of the HH 135/136 complex**, *A&A* 338, 576

Ohashi, N., Kawabe, R., Hayashi, M., Ishiguro, M.: 1991, **Observations of 11 protostellar sources in Taurus with Nobeyama Millimeter Array: Growth of circumstellar disks**, *AJ* 102, 2054

Ohashi, N., Hayashi, M., Ho, P.T.P., Momose, M., Hirano, N.: 1996, **Possible infall in the gas disk around L1551-IRS 5**, *ApJ* 466, 957

Ohashi, N., Hayashi, M., Ho, P.T.P., Momose, M.: 1997a, **Interferometric imaging of IRAS 04368+2557 in the L1527 molecular cloud core: a dynamically infalling envelope with rotation**, *ApJ* 475, 211

Ohashi, N., Hayashi, M., Ho, P.T.P., Momose, M., Tamura, M., Hirano, N., Sargent, A.I.: 1997b, **Rotation in the protostellar envelopes around IRAS 04169+2702 and IRAS 04365+2535: the size scale for dynamical collapse**, *ApJ* 488, 317

Olberg, M., Reipurth, B., Booth, R.: 1989, **First results from observations of southern star forming regions with the Swedish ESO Submillimetre Telescope**, in *The Physics and Chemistry of Interstellar Molecular Clouds*, eds. G.Winnewisser, J.T.Armstrong, Springer-Verlag, p.120

Olberg, M., Reipurth, B., Booth, R.: 1992, **A molecular outflow associated with Herbig-Haro jet HH 46/47**, *A&A* 259, 252

Onishi, T., Mizuno, A., Kawamura, A., Ogawa, H., Fukui, Y.: 1998, **A $C^{18}O$ survey of dense cloud cores in Taurus: Star formation**, *ApJ* 502, 296

Ortolani, S., D'Odorico, S.: 1980, **A discussion on the nature of the Herbig-Haro object no.1 from its far UV spectrum**, *A&A* 83, L8

Osterbrock, D.E.: 1958, **Two dense nebulae**, *PASP* 70, 399

Padgett, D.L., Brandner, W., Stapelfeldt, K.R., Strom, S.E., Terebey, S., Koerner, D.: 1999, **Hubble Space Telescope/NICMOS imaging of disks and envelopes around veru young stars**, *AJ* 117, 1490

Palacios, J., Eiroa, C.: 1999, **H_2 bipolar emission associated with the quadrupolar molecular outflow in L723**, *A&A* in press

Palla, F., Testi, L., Hunter, T.R., Taylor, G.B., Prusti, T., Felli, M., Natta, A., Stanga, R.M.: 1995, **The active source in the region of the Herbig star BD $+40°4124$**, *A&A* 293, 521

Parker, N.D., Padman, R., Scott, P.F.: 1991, **Outflows in dark clouds: their role in protostellar evolution**, *MNRAS* 252, 442

Parker, N.D., White, G.J., Hayashi, S.S., Williams, P.G.: 1991, **High resolution CO J=3-2 observations of L1551: fragmentary structure in the outflowing shell**, *A&A* 250, 134

Parsamian, E.S.: 1965, **A list of cometary nebulae found on the Palomar charts**, *Izvestiya AN Arm. SSR, fiz-mat. ser.* XVIII, p. 146 (in russian)

Parsamian, E.S., Petrosian, V.M.: 1979, **Catalogue of cometary nebulae and related objects (-42^o $< \delta <$ $+66^o$**, *Soobshcheniya Byurakanskoy Obs.* vol. 51, p.3 (in russian)

Parsamian, E.S., Gasparian, K.G., Ohanian, G.B.: 1996, **Spectroscopic observations of Parsamian 21**, *Astrophysics* 39, 121

Pastor, J., Estalella, R., Lopez, R., Anglada, G., Planesas, P., Buj, J.: 1991, **A CS study of star-forming regions previously mapped in ammonia**, *A&A* 252, 320

Pendleton, Y., Werner, M.W., Capps, R., Lester, D.: 1986, **Infrared reflection nebulae in Orion Molecular Cloud 2**, *ApJ* 311, 360

Perrin, J.-M., Sivan, J.-P.: 1993, **VHE 65a: an extremely red reflection nebula**, *A&A* 268, 276

Persi, P., Palagi, F., Felli, M.: 1994, **H_2O masers from low and intermediate luminosity young stellar objects: H_2O masers and YSOs**, *A&A* 291, 577

Persi, P., Ferrari-Toniolo, M., Busso, M., Robberto, M., Scaltriti, F., Silvestro, G.: 1988 **IRAS sources associated with nebulosities resembling Herbig-Haro objects**, *AJ* 95, 1167

Persi, P., Ferrari-Toniolo, M., Marenzi, A.R., Anglada, G., Chini, R., Krügel, E., Sepulveda, I.: 1994, **Infrared images, 1.3 mm continuum and ammonia line observations of IRAS08076-3556**, *A&A* 282, 233

Persson, S.E., Campbell, B.: 1988, **Identification of new young stellar objects associated with IRAS point sources. II. The southern galactic plane - List 2**, *AJ* 96, 1019

Persson, S.E., Geballe, T.R., McGregor, P.J., Edwards, S.: 1984, **Brackett-alpha line profiles of young stellar objects**, *ApJ* 286, 289

Petrosian, V.M.: 1984, **Investigation of the cometary nebula Parsamyan 21**, *Astrophysics* 21, 643

Pettersson, B.: 1984, **A study of the Herbig-Haro object HH 120 and the associated cometary globule CG 30**, *A&A* 139, 135

Pettersson, B.: 1987, **T Tauri stars and dust clouds in a region of the Gum nebula**, *A&A* 171, 101

Phillips, J.P., Mampaso, A.: 1991, **CO mapping of bipolar outflows**, *A&A Suppl.* 88, 189

Phillips, J.P., Mampaso, A.: 1996, **CO J=1-0 mapping of the cometary nebula 1548C27**, *A&A* 316, 182

Phillips, J.P., White, G.J., Ade, P.A.R., Cunningham, C.T., Richardson, K.J., Robson, E.I., Watt, G.D.: 1982, **CO J=3-2 and submillimetre continuum observations of two molecular outflow sources**, *A&A* 116, 130

Phillips, J.P., White, G.J., Rainey, R., Avery, L.W., Richardson, K.J., Griffin, M.J., Cronin, N.J., Monteiro, T., Hilton, J.: 1988, **CO J=3-2 and J=2-1 spectroscopy and mapping of ten high velocity molecular outflow sources**, *A&A* 190, 289

Phillips, R.B., Lonsdale, C.J., Feigelson, E.D.: 1993, **Magnetic nonthermal activity in the T Tauri system**, *ApJ* 403, L43

Piché, F., Howard, E.M., Pipher, J.L.: 1995, **Near-infrared imaging of the Herbig-Haro object HH 124**, *MNRAS* 275, 711

Plambeck, R.L., Snell, R.L.: 1995, **Observations of the clumpy shell of the L1551 bipolar outflow**, *ApJ* 446, 234

Poetzel, R., Mundt, R., Ray, T.P.: 1989, **Z CMa: a large-scale high velocity bipolar outflow traced by Herbig-Haro objects and a jet**, *A&A* 224, L13

Poetzel, R., Mundt, R., Ray, T.P.: 1992, **Herbig-Haro outflows associated with high-luminosity young stellar objects - AFGL 2591 and MWC 1080**, *A&A* 262, 229

Pound, M.W., Bally, J.: 1991, **Two new molecular outflows in L1551?**, *ApJ* 383, 705

Prato, L., Simon, M.: 1997, **Are both stars in a classic T Tauri binary classic T Tauri stars?**, *ApJ* 474, 455

Pravdo, S.H., Marshall, F.E.: 1981, **An X-ray active region in Orion: X-rays from a Herbig-Haro object?**, *ApJ* 248, 591

Pravdo, S.H., Chester, T.: 1987, **Observation of the HH 1 and 2 region with IRAS**, *ApJ* 314, 308

Pravdo, S.H., Angelini, L.: 1993, **X-rays from emission-line stars in the Herbig-Haro 1 region**, *ApJ* 407, 232

Pravdo, S.H., Rodríguez, L.F., Curiel, S., Cantó, J., Torrelles, J.M., Becker, R.H., Sellgren, K.M.: 1985, **Detection of radio continuum emission from Herbig-Haro objects 1 and 2 and from their central exciting source**, *ApJ* 293, L35

Preibisch, T., Zinnecker, H., Herbig, G.H.: 1997, **ROSAT X-ray observations of the young cluster IC 348**, *A&A* 310, 456

Prusti, T., Clark, F.O., Whittet, D.C.B., Laureijs, R.J., Zhang, C.Y.: 1991, **A study of the Chamaeleon I dark cloud and T-association - IV. Infrared objects near Cederblad 110**, *MNRAS* 251, 303

Prusti, T., Bontekoe, Tj.R., Chiar, J.E., Kester, D.J.M., Whittet, D.C.B.: 1993, **Infrared photometry of the young stellar objects V346 Normae and Re 13**, *A&A* 279, 163

Pudritz, R.E., Wilson, C.D., Carlstrom, J.E., Lay, O.P., Hills, R.E., Ward-Thompson, D.: 1996, **Accretion disks around Class 0 protostars: The case of VLA 1623**, *ApJ* 470, L123

Quirrenbach, A., Zinnecker, H.: 1997, **Molecular hydrogen towards T Tauri observed with adaptive optics**, *The ESO Messenger* 87, 36

Raga, A.C., Mateo, M.: 1987, **Narrowband imaging of the Herbig-Haro object HH 46/47**, *AJ* 94, 684

Raga, A.C., Mateo, M.: 1988a, **High resolution images of Herbig-Haro objects**, *Rev. Mex. Astron. Astrofis.* 16, 13

Raga, A.C., Mateo, M.: 1988b, **The spatial structure of the HH 34 jet**, *AJ* 95, 543

Raga, A.C., Noriega-Crespo, A.: 1998, **A three-mode, variable velocity jet model for HH 34**, *AJ* 116, 2943

Raga, A.C., Böhm, K.-H., Solf, J.: 1986, **A new test of bow shock models of Herbig-Haro objects**, *AJ* 92, 119

Raga, A.C., Mateo, M., Böhm, K.-H., Solf, J.: 1988, **An interpretation of observations of HH 1 in terms of a time-dependent bow shock model**, *AJ* 95, 1783

Raga, A.C., Barnes, P.J., Mateo, M.: 1990, **New positions and intensities of Herbig-Haro objects HH 1 and 2**, *AJ* 99, 1912

Raga, A.C., Cantó, J., Binette, L., Calvet, N.: 1990, **Stellar jets with intrinsically variable sources**, *ApJ* 364, 601

Raga, A.C., Mundt, R., Ray, T.P.: 1991, **Collimation of stellar jets - constraints from the observed spatial structure. I. Data analysis methods**, *A&A* 252, 733

Raga, A.C., López, R., Riera, A., Estalella, R., Anglada, G.: 1997, **A long-slit, high resolution spectrum of the HH 30 jet**, *Rev. Mexicana. Astron. Astrofis.* 33, 127

Rainey, R., White, G.J., Richardson, K.J., Griffin, M.J., Gronin, N.J., Monkiro, T.S., Hilton, J.: 1987, **Millimetre and submillimetre molecular line observations of the southwest lobe of L1551: evidence of a shell structure**, *A&A* 179, 237

Ray, T.P.: 1987, **CCD observations of jets from young stars**, *A&A* 171, 145

Ray, T.P., Eislöffel, J.: 1994, **Optical outflows in the vicinity of the southern Herbig Ae/Be star vdBH 65b**, *A&A* 290, 605

Ray, T.P., Poetzel, R., Solf, J., Mundt, R.: 1990, **Optical jets from the high-luminosity young stars LkHα 234 and AFGL 4029**, *ApJ* 357, L45

Ray, T.P., Mundt, R., Dyson, J.E., Falle, S.A.E.G., Raga, A.C.: 1996, **Hubble Space Telescope observations of jets from young stars**, *ApJ* 468, L103

Ray, T.P., Muxlow, T.W.B., Axon, D.J., Brown, A., Corcoran, D., Dyson, J.E., Mundt, R.: 1997, **Large-scale magnetic fields in the outflow from the young stellar object T Tauri S**, *Nature* 385, 415

Raymond, J.C., Morse, J.A., Hartigan, P., Curiel, S., Heathcote, S.: 1994, **Entrainment by the jet in HH47**, *ApJ* 434, 232

Raymond, J.C., Blair, W.P., Long, K.S.: 1997, **Hopkins Ultraviolet Telescope observations of H_2 emission from HH 2**, *ApJ* 489, 314

Rayner, J., McLean, I., McCaughrean, M., Aspin, C.: 1989, **Near-IR imaging and imaging polarimetry of OMC 2**, *MNRAS* 241, 469

Reipurth, B.: 1981, **Small nebulae and Herbig-Haro objects. I. A survey of southern dark clouds**, *A&A Suppl.* 44, 379

Reipurth, B.: 1983, **Star formation in Bok globules and low-mass clouds. I. The cometary globules in the Gum Nebula**, *A&A* 117, 183

Reipurth, B.: 1985a, **Small nebulae and Herbig-Haro objects. II. The Orion region**, *A&A Suppl.* 61, 319

Reipurth, B.: 1985b, **Optical/infrared observations of low-mass star formation regions**, in ESO – IRAM – Onsala Workshop on *(Sub)–Millimeter Astronomy*, eds. P. Shaver, K. Kjär, p.459

Reipurth, B.: 1985c, **Herbig-Haro objects and FU Orionis eruptions. The case of HH 57**, *A&A* 143, 435

Reipurth, B.: 1989a, **The HH 111 jet and multiple outflow episodes from young stars**, *Nature* 340, 42

Reipurth, B.: 1989b, **Herbig-Haro objects in flows from young stars in Orion**, *A&A* 220, 249

Reipurth, B.: 1991, **Herbig-Haro objects**, in *The Physics of Star Formation and Early Stellar Evolution*, eds. C. Lada & N.D. Kylafis, NATO ASI Series, Kluwer, p.497

Reipurth, B., Wamsteker, W.: 1983, **A two-micron survey of southern Herbig-Haro objects**, *A&A* 119, 14

Reipurth, B., Sandell, G.: 1985, **The shock region around the T Tauri star V571 Orionis**, *A&A* 150, 307

Reipurth, B., Bally, J.: 1986, **First light from a young star?** *Nature* 320, 336

Reipurth, B., Graham, J.A.: 1988, **New Herbig-Haro objects in star-forming regions**, *A&A* 202, 219

Reipurth, B., Madsen, C.: 1989, **Sign posts of low mass star formation in molecular clouds**, *ESO Messenger* 55, 32

Reipurth, B., Heathcote, S.: 1990, **HH 123: a Herbig-Haro object in the high-latitude cloud L1642**, *A&A* 229, 527

Reipurth, B., Heathcote, S.: 1991, **The jet and energy source of HH 46/47**, *A&A* 246, 511

Reipurth, B., Olberg, M.: 1991, **Herbig-Haro jets and molecular outflows in L1617**, *A&A* 246, 535

Reipurth, B., Heathcote, S.: 1992, **Multiple bow shocks in the HH 34 system**, *A&A* 257, 693

Reipurth, B., Eiroa, C.: 1992, **Discovery of four Herbig-Haro objects in Serpens**, *A&A* 256, L1

Reipurth, B., Zinnecker, H.: 1993, **Visual binaries among pre-main sequence stars**, *A&A* 278, 81

Reipurth, B., Cernicharo, J.: 1995, **Herbig-Haro jets at optical, infrared and millimeter wavelengths**, *Rev. Mex. Astron. Astrofis. Serie de Conferencias* 1, 43

Reipurth, B., Aspin, C.: 1997, **Infrared spectroscopy of Herbig-Haro energy sources**, *AJ* 114, 2700

Reipurth, B., Bally, J., Graham, J.A., Lane, A.P., Zealey, W.J.: 1986, **The jet and energy source of HH 34**, *A&A* 164, 51

Reipurth, B., Raga, A.C., Heathcote, S.: 1992, **Structure and kinematics of the HH 111 jet**, *ApJ* 392, 145

Reipurth, B., Heathcote, S., Vrba, F.J.: 1992, **Star formation in Bok globules and low-mass clouds. IV. Herbig-Haro objects in B 335**, *A&A* 256, 225

Reipurth, B., Chini, R., Krügel, E., Kreysa, E., Sievers, A.: 1993a, **Cold dust around Herbig-Haro energy sources: a 1300 μm survey**, *A&A* 273, 221

Reipurth, B., Heathcote, S., Roth, M., Noriega-Crespo, A., Raga, A.C.: 1993b, **A new Herbig-Haro flow in the HH 1-2 complex**, *ApJ* 408, L49

Reipurth, B., Raga, A.C., Heathcote, S.: 1996, **HH 110: The grazing collision of a Herbig-Haro flow with a molecular cloud core**, *A&A* 311, 989

Reipurth, B., Nyman, L.-Å; Chini, R.: 1996, **Protostellar candidates in southern molecular clouds**, *A&A* 314, 258

Reipurth, B., Olberg, M., Gredel, R., Booth, R.S.: 1997a, **Herbig-Haro flows and molecular outflows in the HH 56/57 region**, *A&A* 327, 1164

Reipurth, B., Hartigan, P., Heathcote, S., Morse, J.A., Bally, J.: 1997b, **Hubble Space Telescope images of the HH 111 jet**, *AJ* 114, 757

Reipurth, B., Bally, J., Devine, D.: 1997, **Giant Herbig-Haro jets**, *AJ* 114, 2708

Reipurth, B., Devine, D., Bally, J.: 1998, **Herbig-Haro objects from the L1641-N embedded infrared cluster**, *AJ* 116, 1396

Reipurth, B., Bally, J., Fesen, R.A., Devine, D.: 1998, **Protostellar jets irradiated by massive stars**, *Nature* 396, 343

Reipurth, B., Rodríguez, L.F., Chini, R.: 1999, **VLA detection of protostars in OMC 2/3**, *AJ* in press

Reipurth, B., Bally, J., Heathcote, S.: 1999, in preparation

Richardson, K.J., White, G.J., Avery, L.W., Woodsworth, A.W.: 1987, **Submillimetre CO observations of the Cepheus A outflow**, *A&A* 174, 197

Robberto, M., Clampin, M., Ligori, S., Paresce, F., Sacca, V., Staude, H.J.: 1995, **Coronographic imaging of T Tauri: discovery of an optical jet in Burnham nebula**, *A&A* 296, 431

Rodríguez, L.F., Reipurth, B.: 1989, **Detection of radio continuum emission from the Herbig-Haro objects 80 and 81 and their suspected energy source**, *Rev. Mex. Astron. Astrofis.* 17, 59

Rodríguez, L.F., Reipurth, B.: 1994, **The exciting source of the Herbig-Haro 111 jet complex: VLA detection of a one-sided radio jet**, *A&A* 281, 882

Rodríguez, L.F., Reipurth, B.: 1996, **VLA detection of the exciting sources of HH 34, HH 114, and HH 199**, *Rev. Mex. Astron. Astrofis.* 32, 27

Rodríguez, L.F., Reipurth, B.: 1998, **VLA detection of the exciting sources of HH 83, HH 117, HH 124, HH 192, HH 300, HH 366 and HH 375**, *Rev. Mex. Astron. Astrofis.* 34, 13

Rodríguez, L.F., Moran, J.M., Ho, P.T.P., Gottlieb, E.W.: 1980, **Radio observations of water vapor, hydroxyl, silicon monoxide, ammonia, carbon monoxide, and compact HII regions in the vicinities of suspected Herbig-Haro objects**, *ApJ* 235, 845

Rodríguez, L.F., Torrelles, J.M., Moran, J.M.: 1981, **Radio continuum and carbon monoxide observations of V645 Cygni (GL 2789)**, *AJ* 86, 1245

Rodríguez, L.F., Roth, M., Tapia, M.: 1985, **Herbig-Haro objects 1 and 2: another infrared candidate for their energy source**, *MNRAS* 214, 9p

Rodríguez, L.F., Cantó, J., Torrelles, J.M., Ho, P.T.P.: 1986, **The double radio source associated with L1551 IRS5: binary system or ionized circumstellar torus?**, *ApJ* 301, L25

Rodríguez, L.F., Cantó, J., Moreno, M.A., Lopez, J.A.: 1989a, **New nebular objects in the L1551 region**, *Rev. Mex. Astr. Astrof.* 17, 111

Rodríguez, L.F., Cantó, J., Mirabel, I.F., Ruiz, A.: 1989c: **VLA observations of the high-velocity bipolar OH absorption in L1551**, *ApJ* 337, 712

Rodríguez, L.F., Curiel, S., Moran, J.M., Mirabel, I.F., Roth, M., Garay, G.: 1989d, **Large proper motions in the remarkable triple radio source in Serpens**, *ApJ* 346, L85

Rodríguez, L.F., Lizano, S., Cantó, J., Escalante, V., Mirabel, I.F.: 1990a, **VLA observations of high-velocity HI associated with the Herbig-Haro objects 7-11**, *ApJ* 365, 261

Rodríguez, L.F., Ho, P.T.P., Torrelles, J.M., Curiel, S., Cantó, J.: 1990b, **VLA observations of the Herbig-Haro 1-2 system**, *ApJ* 352, 645

Rodríguez, L.F., Cantó, J., Torrelles, J.M., Gomez, J.F., Ho, P.T.P.: 1992, **VLA imaging of a possible circumstellar disk around HL Tauri**, *ApJ* 393, L29

Rodríguez, ,L.F., Cantó, J., Torrelles, J.M., Gomez, J.F., Anglada, G., Ho, P.T.P.: 1994a, **Subarcsecond VLA maps of the disk and the jet in HL Tau**, *ApJ* 427, L103

Rodríguez, L.F., Garay, G., Curiel, S., Ramírez, S., Torrelles, J.M., Gómez, Y., Velázquez, A.: 1994b, **Cepheus A HW2: A powerful thermal radio jet**, *ApJ* 430, L65

Rodríguez, L.F., Anglada, G., Raga, A.C.: 1995, **Radio continuum detection of the exciting sources of the DG Tauri B and L1551NE outflows**, *ApJ* 454, L149

Rodríguez, L.F., Anglada, G., Curiel, S.: 1997, **Is SVS 13 the exciting source of the HH 7-11 flow?**, *ApJ* 480, L125

Rodríguez, L.F., Reipurth, B., Raga, A.C., Cantó, J.: 1998a, **VLA detection of the exciting source of the "deflected" HH 270/110 system**, *Rev. Mex. Astron. Astrofis.* 34, 69

Rodríguez, L.F., D'Alessio, P., Wilner, D.J., Ho, P.T.P., Torrelles, J.M., Curiel, S., Gómez, Y., Lizano, S., Pedlar, A., Cantó, J., Raga, A.C.: 1998b, **Compact protoplanetary disks around the stars of a young binary system**, *Nature* 395, 355

Rolph, C.D., Scarrott, S.M., Wolstencroft, R.D.: 1990, **Optical polarization studies of Herbig-Haro objects-VI. The HH83/Re17 complex in Orion**, *MNRAS* 242, 109

Rosado, M., Raga, A.C., Arias, L.: 1999, **The kinematic properties of HH 311**, *AJ* 117, 462

Rosvick, J.M., Davidge, T.J.: 1995, **An infrared embedded source in the L1251 molecular cloud**, *PASP* 107, 49

Roth, M., Tapia, M., Rubio, M., Rodríguez, L.F.: 1989, **Near-infrared images of young objects in the HH 1-2 and HH 3 regions**, *A&A* 222, 211

Rudolph, A.: 1992, **High-velocity HCO^+ emission from L1551 IRS5: evidence for wind-cloud interactions**, *ApJ* 397, L111

Rudolph, A., Welch, W.J.: 1988, **Herbig-Haro objects as shocked ambient cloudlets - High resolution radio observations of HH 7-11**, *ApJ* 326, L31

Rudolph, A., Welch, W.J.: 1992, **Evidence for a wind-swept cavity in HH 34?**, *ApJ* 395, 488

Ruiz, A., Alonso, J.L., Mirabel, I.F.: 1992, **Possible detection of a high velocity neutral wind in T Tauri**, *ApJ* 394, L57

Rydgren, A.E., Vrba, F.J.: 1983, **Additional UBVRI and JHKL photometry of T Tauri stars in the Taurus region**, *AJ* 88, 1017

Rydgren, A.E., Strom, S.E., Strom, K.M.: 1976, **The nature of the objects of Joy: A study of the T Tauri phenomenon**, *ApJ Suppl.* 30, 307

Sahu, M., Sahu, K.C., Pottasch, S.R.: 1989, **IRAS observations of the star-forming dark cloud ESO 210-6A and the associated near-infrared source HH 46/47 IRS**, *A&A* 218, 221

Saito, M., Kawabe, R., Kitamura, Y., Sunada, K.: 1996, **Imaging of an infalling disklike envelope around L1551 IRS 5**, *ApJ* 473, 464

Sandell, G., Olofsson, H.: 1981, **H_2O masers associated with bright nebulosities in dark clouds**, *A&A* 99, 80

Sandell, G., Weintraub, D.A.: 1994, **A submillimeter protostar near LkHα 198**, *A&A* 292, L1

Sandell, G., Aspin, C.: 1998, **PP 13S, a young, low-mass FU Orionis-type pre-main sequence star**, *A&A* 333, 1016

Sandell, G., Johansson, L.E.B., Nguyen-Q-Rieu, Mattila, K.: 1981, **The distribution of OH, CH and extinction in L1642**, *A&A* 97, 317

Sandell, G., Reipurth, B., Gahm, G.: 1987, **Low-mass star formation in the high galactic latitude dark cloud L1642**, *A&A* 181, 283

Sandell, G., Zealey, W.J., Williams, P.M., Taylor, K.N.R., Storey, J.V.: 1987, **Molecular hydrogen emission in Herbig-Haro complexes. II. The high latitude nebulosities HH 52/53/54**, *A&A* 182, 237

Sandell, G., Aspin, C., Duncan, W.D., Robson, E.I., Dent, W.R.F.: 1990, **SSV 13 - a disk collimated outflow?**, *A&A* 232, 347

Sandell, G., Aspin, C., Duncan, W.D., Russell, A.P.G., Robson, I.E.: 1991, **NGC 1333 IRAS 4: A very young, low-luminosity binary system**, *ApJ* 376, L17

Sandell, G., Knee, L.B.G., Aspin, C., Robson, I.E., Russell, A.P.G.: 1994, **A molecular jet and bow shock in the low mass protostellar binary NGC 1333-IRAS2**, *A&A* 285, L1

Sanduleak, N., Stephenson, C.B.: 1973, **Low-dispersion spectra and galactic distribution of various interesting strong-emission-line objects in the southern Milky Way**, *ApJ* 185, 899

Sarcander, M., Neckel, T., Elsässer, H.: 1985, **Optical spectroscopy of the outflow source in L1551**, *ApJ* 288, L51

Sargent, A.I., Beckwith, S.V.W.: 1987, **Kinematics of the circumstellar gas of HL Tauri and R Monocerotis**, *ApJ* 323, 294

Sargent, A.I., Beckwith, S.V.W.: 1991, **The molecular structure around HL Tauri**, *ApJ* 382, L31

Sargent, A.I., Beckwith, S., Keene, J., Masson, C.: 1988, **Small-scale structure of the circumstellar gas around L1551 IRS5**, *ApJ* 333, 936

Sato, F., Fukui, Y.: 1989, **Two molecular outflows in L1251**, *ApJ* 343, 773

Sato, F., Mizuno, A., Nagahama, T., Onishi, T., Yonekura, Y., Fukui, Y.: 1994, **A new look at the dark cloud L1251: Sensitive observations of the molecular emission**, *ApJ* 435, 279

Sato, S., Okita, K., Yamashita, T., Mizutuni, K., Shiba, H., Kobayashi, Y., Takami, H.: 1992, **Near-infrared spectrophotometry of FU Orionis variables**, *ApJ* 398, 273

Scalise, E., Gahm, G.F., Sandell, G.: 1981, **H_2O masers in the direction of southern nebular objects**, *A&A* 104, 166

Scarrott, S.M.: 1988a, **An optical polarization study of the L1551-IRS5 jet**, *MNRAS* 231, 39P

Scarrott, S.M.: 1988b, **Optical polarization studies of Herbig-Haro objects-IV. The HH 34 complex**, *MNRAS* 231, 1055

Scarrott, S.M., Warren-Smith, R.F.: 1988, **Optical polarization studies of Herbig-Haro objects-V. The HH 46/47 complex**, *MNRAS* 232, 725

Scarrott, S.M., Wolstencroft, R.D.: 1988, **An optical polarization study of the Reipurth 50 nebulosity**, *MNRAS* 231, 1019

Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F.: 1987a, **Optical polarization studies of Herbig-Haro objects-I. The HH 57 region**, *MNRAS* 227, 701

Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F.: 1987b, **Optical polarization studies of Herbig-Haro objects-II. The HH 24 and SSCV 140 nebulosities**, *MNRAS* 227, 1065

Scarrott, S.M., Gledhill, T.M., Warren-Smith, R.F., Wolstencroft, R.D.: 1987, **Optical polarization studies of Herbig-Haro objects-III. HH 100 in Corona Australis**, *MNRAS* 228, 533

Scarrott, S.M., Draper, P.W., Warren-Smith, R.F.: 1989, **The origin of the 'polarization disc' in NGC2261/ R Mon**, *MNRAS* 237, 621

Scarrott, S.M., Gledhill, T.M., Rolph, C.D., Wolstencroft, R.D.: 1990, **Optical polarization studies of Herbig-Haro objects-VII. HH 120 in the cometary globule CG 30**, *MNRAS* 242, 419

Scarrott, S.M., Rolph, C.D., Tadhunter, C.N.: 1991a, **The illumination of the cometary nebula 1548C27**, *MNRAS* 249, 310

Scarrott, S.M., Rolph, C.D., Tadhunter, C.N.: 1991b, **The nature of the GN20.18.3 nebulosity**, *MNRAS* 250, 111

Scarrott, S.M., Draper, P.W., Rolph, C.D., Wolstencroft, R.D.: 1992, **Star formation in dark globules in the Gum Nebula**, *MNRAS* 257, 485

Scarrott, S.M., Stockdale, D.P., Draper, P.W.: 1994, **VHE 65a: an extremely red reflection nebula or a typical cometary nebula?**, *MNRAS* 268, L60

Schmidt, G.D., Vrba, F.J.: 1975, **The nature of Herbig-Haro objects 1 and 2: compact emission nebulae**, *ApJ* 201, L33

Schmidt, G.D., Miller, J.S.: 1979, **The emission/reflection nature of Herbig-Haro object 24**, *ApJ* 234, L191

Schulz, A., Black, J.H., Lada, C.J., Ulich, B.L., Martin, R.N., Snell, R.L., Erickson, N.J.: 1989, **The bipolar molecular outflow of V645 Cyg**, *ApJ* 341, 288

Schultz, A.S.B., Colgan, S.W.J., Erickson, E.F., Kaufman, M.J., Hollenbach, D.J., O'Dell, C.R., Young, E.T., Chen, H.: 1999, **NICMOS narrowband images of OMC-1**, *ApJ* 511, 282

Schuster, K.F., Harris, A.I., Anderson, N., Russell, A.P.G.: 1993, **Submillimeter CO observations of warm gas around T Tauri stars**, *ApJ* 412, L67

Schuster, K.-F., Harris, A.L., Russell, A.P.G.: 1997, **The molecular envelope around T Tauri and the nature of NGC 1555**, *A&A* 321, 568

Schwartz, P.R.: 1989, **Jets and bullets in S140**, *ApJ* 338, L25

Schwartz, P.R., Buhl, D.: 1975, **Microwave H_2O emission from young stars**, *ApJ* 201, L27

Schwartz, P.R., Simon, T., Zuckerman, B., Howell, R.R.: 1984, **The T Tauri radio source**, *ApJ* 280, L23

Schwartz, P.R., Simon, T., Campbell, R.: 1986, **The T Tauri radio source. II. The winds of T Tauri**, *ApJ* 303, 233

Schwartz, P.R., Gee, G., Huang, Y.-L.: 1988, **CO pedestal features from IRAS sources in dark clouds**, *ApJ* 327, 350

Schwartz, R.D.: 1974, **The T Tauri emission nebula**, *ApJ* 191, 419

Schwartz, R.D.: 1975, **T Tauri nebulae and Herbig-Haro nebulae: evidence for excitation by a strong stellar wind**, *ApJ* 195, 631

Schwartz, R.D.: 1976, **Emission-line variations in the structure of Herbig-Haro object No.1**, *PASP* 88, 159

Schwartz, R.D.: 1977a, **A survey of southern dark clouds for Herbig-Haro objects and H-alpha emission stars**, *ApJS* 35, 161

Schwartz, R.D.: 1977b, **Evidence of star formation triggered by expansion of the Gum Nebula**, *ApJ* 212, L25

Schwartz, R.D.: 1978, **A shocked cloudlet model for Herbig-Haro objects**, *ApJ* 223, 884

Schwartz, R.D.: 1981, **High dispersion spectra of Herbig-Haro objects: evidence for shock wave dynamics**, *ApJ* 243, 197

Schwartz, R.D.: 1983, **Ultraviolet continuum and H_2 fluorescent emission in Herbig-Haro objects 43 and 47**, *ApJ* 268, L37

Schwartz, R.D.: 1990, **Herbig-Haro phenomena associated with T Tauri: Evidence for a precessing jet?**, in IAU Symp. No. 137 *Flare Stars in Star Clusters, Associations and the Solar Vicinity*, eds. L.V. Mirzoyan et al., Kluwer, p. 221

Schwartz, R.D., Dopita, M.A.: 1980, **Dynamical consequences of a stellar wind in Herbig-Haro objects**, *ApJ* 236, 543

Schwartz, R.D., Schultz, A.S.B.: 1992, **The structure of Herbig-Haro object 39**, *AJ* 104, 220

Schwartz, R.D., Greene, T.P. 1999, **Kinematics of the HH 43 flow: Evidence for a precessing jet?**, *AJ* 117, 456

Schwartz, R.D., Jones, B.F., Sirk, M.: 1984, **Proper motions of Herbig-Haro objects. V. Southern HH objects**, *AJ* 89, 1735

Schwartz, R.D., Dopita, M.A., Cohen, M.: 1985, **The structure of Herbig-Haro object 43 and Orion dark cloud extinction**, *AJ* 90, 1820

Schwartz, R.D., Cohen, M., Williams, P.M.: 1987, **Near-infrared H_2 emission from Herbig-Haro objects. I. A survey of low-excitation objects**, *ApJ* 322, 403

Schwartz, R.D., Williams, P.M., Cohen, M., Jennings, D.G.: 1988, **High-resolution infrared molecular hydrogen images and optical images of Herbig-Haro object 43**, *ApJ* 334, L99

Schwartz, R.D., Cohen, M., Jones, B.F., Böhm, K.-H., Raymond, J.C., Hartmann, L.W., Mundt, R., Dopita, M.A., Schultz, A.S.B.: 1993, **Hubble Space Telescope imaging of Herbig-Haro object No.2**, *AJ* 106, 740

Schwartz, R.D., Schultz, A.S.B., Cohen, M., Williams, P.M.: 1995, **Infrared spectroscopy of Herbig-Haro objects**, *ApJ* 446, 318

Schwartz, R.D., Burton, M.G., Herrmann, J.: 1997, **Infrared imaging of HH 25/26 and HH 42/128**, *AJ* 114, 272

Shepherd, D.S., Churchwell, E.: 1996, **High-velocity molecular gas from high-mass star formation regions**, *ApJ* 457, 267

Shepherd, D.S., Kurtz, S.E.: 1999, **A 1000 AU rotating disk around the massive young stellar object G192.16−3.82**, *ApJ* in press

Shepherd, D.S., Watson, A.M., Sargent, A.I., Churchwell, E.: 1998, **Outflows and luminous YSOs: A new perspective on the G192.16 massive bipolar outflow**, *ApJ* 507, 861

Shevchenko, V.S.: 1994, **V380 Ori: An Ae/Be Herbig star at an early stage of its envelope formation - Emission lines of metals**, *Astronomy Reports* 38, 505

Shevchenko, V.S., Yakulov, S.D., Ambaryan, V.V., Garibdzhanyan, A.T.: 1991, **A compact star-forming region associated with V1331-Cygni**, *Soviet Astronomy* 35, 135

Siebenmorgen, R., Gredel, R.: 1997, **A dust model for the frosty nebula HH 100 IRS**, *ApJ* 485, 203

Simon, T., Joyce, R.R.: 1983, **Observations of H_2 emission from molecular clouds and Herbig-Haro objects**, *ApJ* 265, 864

Simon, M., Chen, W.P., Howell, R.R., Benson, J.A., Slowik, D.: 1992, **Multiplicity among the young stars in Taurus**, *ApJ* 384, 212

Simon, M., Longmore, A.J., Shure, M.A., Smillie, A.: 1996, **Observation of a lunar occultation of T Tauri**, *ApJ* 456, L41

Simonetti, J.H., Cordes, J.M.: 1986, **Rotation measures of extragalactic radio sources viewed through the molecular clouds Cepheus A and L1551**, *ApJ* 303, 659

Skinner, S.L., Brown, A.: 1994, **The enigmatic T Tauri radio source**, *AJ* 107, 1461

Skinner, S.L., Brown, A., Linsky, J.L.: 1990, **New radio detections of early-type pre-main-sequence stars**, *ApJ* 357, L39

Skinner, S.L., Brown, A., Linsky, J.L: 1993, **A high-sensitivity survey of radio continuum emission from Herbig Ae/Be stars**, *ApJ Suppl.* 87, 217

Smith, M.D.: 1994, **Strong evidence for a molecular jump shock in the HH 90/91 outflow**, *A&A* 289, 256

Smith, R.G.: 1993, **The dust around the cometary nebula Parsamian 13S**, *MNRAS* 264, 587

Snell, R.L.: 1981, **A study of nine interstellar dark clouds**, *ApJ Suppl.* 45, 121

Snell, R.L., Edwards, S.: 1981, **High velocity molecular gas near Herbig-Haro objects in HH 7-11**, *ApJ* 251, 103

Snell, R.L., Edwards, S.: 1982, **Observations of high-velocity molecular gas near Herbig-Haro objects: HH 24-27 and HH 1-2**, *ApJ* 259, 668

Snell, R.L., Schloerb, F.P.: 1985, **Structure and physical properties of the bipolar outflow in L1551**, *ApJ* 295, 490

Snell, R.L., Bally, J.: 1986, **Compact radio sources associated with molecular outflows**, *ApJ* 303, 683

Snell, R.L., Loren, R.B., Plambeck, R.L.: 1980, **Observations of CO in L1551: Evidence for stellar wind driven shocks**, *ApJ* 239, L17

Snell, R.L., Bally, J., Strom, S.E., Strom, K.M.: 1985, **Radio and optical observations of the jet from L1551 IRS5**, *ApJ* 290, 587

Snell, R.L., Huang, Y.L., Dickman, R.L., Claussen, M.J.: 1988, **Molecular outflows associated with bright far-infrared sources**, *ApJ* 325, 853

Snell, R.L., Dickman, R.L., Huang, Y.-L.: 1990, **Molecular outflows associated with a flux-limited sample of bright far-infrared sources**, *ApJ* 352, 139

Solf, J.: 1987, **The kinematic structure of the HH 24 complex derived from high-resolution spectroscopy**, *A&A* 184, 322

Solf, J., Böhm, K.-H.: 1987, **The velocity field and structure of the HH 7-HH 11 complex**, *AJ* 93, 1172

Solf, J., Böhm, K.-H.: 1991, **Spectroscopic study of direct and dust-scattered line emission in the HH 1-HH 2 system**, *ApJ* 375, 618

Solf, J., Böhm, K.-H.: 1993, **High-resolution long slit spectral imaging of the mass outflows in the immediate vicinity of DG Tauri**, *ApJ* 410, L31

Solf, J., Böhm, K.-H., Raga, A.C.: 1986, **Kinematical and hydrodynamical study of the HH 32 complex**, *ApJ* **305**, 795

Solf, J., Böhm, K.-H., Raga, A.C.: 1988, **Spatially resolved spectra of HH 1 and Burnham's nebula in the range 3700 $\leq \lambda \leq$ 10830 Å**, *ApJ* 334, 229

Solf, J., Raga, A.C., Böhm, K.-H., Noriega-Crespo, A.: 1991, **HH 1: Hα and [SII] spectroscopy with two-dimensional spatial resolution**, *AJ* 102, 1147

Stanke, T., McCaughrean, M.J., Zinnecker, H.: 1998, **First results of an unbiased H_2 survey for protostellar jets in Orion A**, *A&A* 332, 307

Stapelfeldt, K., Scoville, N.Z.: 1993, **Circumstellar molecular gas of the HH 34 and HH 111 exciting stars**, *ApJ* 408, 239

Stapelfeldt, K.R., Beichman, C.A., Hester, J.J., Scoville, N.Z., Gautier, T.N.: 1991, **Near-infrared emission line images of three Herbig-Haro objects**, *ApJ* 371, 226

Stapelfeldt, K.R., Burrows, C.J., Krist, J.E., Trauger, J.T., Hester, J.J., Holtzman, J.A., Ballester, G.E., Casertano, S., Clarke, J.T., Crisp, D., Evans, R.W., Gallagher III, J.S., Griffiths, R.E., Hoessel, J.G., Mould, J.R., Scowen, P.A., Watson, A.M., Westphal, J.A.: 1995, **WFPC2 imaging of the circumstellar nebulosity of HL Tauri**, *ApJ* 449, 888

Stapelfeldt, K.R., Burrows, C.J., Krist, J.E., Watson, A.M., Ballester, G.E., Clarke, J.T., Crisp, D., Evans, R.W., Gallagher, J.S., Griffiths, R.E., Hester, J.J., Hoessel, J.G., Holtzman, J.A., Mould, J.M., Scowen, P.A., Trauger, J.T., Westphal, J.A.: 1998, **Hubble Space Telescope imaging of the circumstellar nebulosity of T Tauri**, *ApJ* 508, 736

Stapelfeldt, K.R., Watson, A.M., Krist, J.E., Burrows, C.J., Crisp, D., Ballester, G.E., Clarke, J.T., Evans, R.W., Gallagher, J.S., Griffiths, R.E., Hester, J.J., Hoessel, J.G., Holtzman, J.A., Mould, J.R., Scowen, P.A., Trauger, J.T.: 1999a, **A variable asymmetry in the circumstellar disk of HH 30**, *ApJ* in press

Stapelfeldt, K.R. et al.: 1999b, in preparation

Staude, H.J., Neckel, T.: 1992, **The FU Orionis-type spectrum and bipolar outflow of Parsamyan 21**, *ApJ* 400, 556

Stecklum, B., Feldt, M., Richichi, A., Calamai, G., Lagage, P.O.: 1997, **High-resolution infrared observations of GGD 27**, *ApJ* 479, 339

Stocke, J.T., Hartigan, P.M., Strom, S.E., Strom, K.M., Andersson, E.R., Hartmann, L.W., Kenyon, S.J.: 1988, **A detailed study of the Lynds 1551 star formation region**, *ApJS* 68, 229

Stockton, A., Chesley, D., Chesley, S.: 1975, **Spectroscopy of R Monocerotis and NGC 2261**, *ApJ* 199, 406

Stone, J.M., Xu, J., Mundy, L.G.: 1995, **Formation of bullets by hydrodynamical instabilities in stellar outflow**, *Nature* 377, 315

Strom, K.M., Strom, S.E.: 1993, **The discovery of two FU Orionis objects in L1641**, *ApJ* 412, L63

Strom, K.M., Strom, S.E.: 1994, **A multiwavelength study of star formation in the L1495E cloud in Taurus**, *ApJ* 424, 237

Strom, S.E., Strom, K.M., Yost, J., Carrasco, L., Grasdalen, G.: 1972, **The nature of the Herbig Ae- and Be-type stars associated with nebulosity**, *ApJ* 173, 353

Strom, K.M., Strom, S.E., Grasdalen, G.L.: 1974, **An infrared source associated with a Herbig-Haro object**, *ApJ* 187, 83

Strom, S.E., Grasdalen, G.L., Strom, K.M.: 1974, **Infrared and optical observations of Herbig-Haro objects**, *ApJ* 191, 111

Strom, K.M., Strom, S.E., Kinman, T.D.: 1974, **Optical polarization of selected Herbig-Haro objects**, *ApJ* 191, L93

Strom, S.E., Strom, K.M., Carrasco, L.: 1974, **A study of the young cluster IC 348**, *PASP* 86, 798

Strom, K.M., Strom, S.E., Vrba, F.J.: 1976a, **Infrared surveys of dark-cloud complexes. I. The Lynds 1630 dark cloud**, *AJ* 81, 308

Strom, K.M., Strom, S.E., Vrba, F.J.: 1976b, **Infrared surveys of dark-cloud complexes. IV. The Lynds 1517 and 1551 clouds**, *AJ* 81, 320

Strom, S.E., Vrba, F.J., Strom, K.M.: 1976a, **Infrared surveys of dark cloud complexes. II. The NGC 1333 region**, *AJ* 81, 314

Strom, S.E., Vrba, F.J., Strom, K.M.: 1976b, **Infrared surveys of dark cloud complexes. V. The NGC 7129 region and the Serpens dark cloud**, *AJ* 81, 638

Strom, K.M, Strom, S.E., Stocke, J.: 1983, **Optical study of a possible bipolar flow associated with Herbig-Haro 12**, *ApJ* 271, L23

Strom, S.E., Strom, K.M., Grasdalen, G.L., Sellgren, K., Wolff, S., Morgan, J., Stocke, J., Mundt, R.: 1985a, **An optical and infrared study of the region surrounding Herbig-Haro objects 1 and 2**, *AJ* 90, 2281

Strom, S.E., Strom, K.M., Grasdalen, G.L., Capps, R.W., Thompson, D.: 1985b, **High-spatial-resolution studies of young stellar objects. II. A thick disk surrounding Lynds 1551, IRS 5**, *AJ* 90, 2575

Strom, K.M., Strom, S.E., Wolff, S.C., Morgan, J., Wenz, M.: 1986, **Optical manifestations of mass outflows from young stars: an atlas of CCD images of Herbig-Haro objects**, *ApJ Suppl.* 62, 39

Strom, K.M., Margulis, M., Strom, S.E.: 1989, **A study of the stellar population in the Lynds 1641 dark cloud: A possible dense cluster associated with IRAS 05338–0624**, *ApJ* 346, L33

Strom, K.M., Newton, G., Strom, S.E., Seaman, R.L., Carrasco, L., Cruz-Gonzalez, I., Serrano, A., Grasdalen, G.L.: 1989, **A study of the stellar population in the Lynds 1641 dark cloud. I. The IRAS catalog sources**, *ApJ Suppl.* 71, 183

Strom, K.M., Strom, S.E., Wilkin, F.P., Carrasco, L., Cruz-Gonzalez, I., Recillas, E., Serrano, A., Seaman, R.L., Stauffer, J.R., Dai, D., Sottile, J.: 1990, **A study of the stellar population in the Lynds 1641 dark cloud. IV. The Einstein X-ray sources**, *ApJ* 362, 168

Struve, O., Rudkjøbing, M.: 1949, **Stellar spectra with emission lines in the obscuring clouds of Ophiuchus and Scorpius**, *ApJ* 109, 92

Sugitani, K., Fukui, Y., Mizuno, A., Ohashi, N.: 1989, **Star formation in bright-rimmed globules: evidence for radiation-driven implosion**, *ApJ* 342, L87

Sun, Y.L., Jaschek, M., Andrillat, Y., Jaschek, C.: 1985, **Spectroscopic observations of 33 T Tau stars in the blue**, *A&A Supp.* 62, 309

Tafalla, M., Bachiller, R.: 1995, **Ammonia emission from bow shocks in the L1157 outflow**, *ApJ* 443, L37

Tafalla, M., Myers, P.C.: 1997, **Velocity shifts in L1228: the disruption of a core by an outflow**, *ApJ* 491, 653

Tamura, M., Yamashita, T.: 1992, **Infrared morphology of mass outflow from GL 2591**, *ApJ* 391, 710

Tamura, M., Gatley, I., Waller, W., Werner, M.W.: 1991, **Two micron morphology of candidate protostars**, *ApJ* 374, L25

Tamura, M., Ohashi, N., Hirano, N., Itoh, Y., Moriarty-Schieven, G.H.: 1996, **Interferometric observations of outflows from low-mass protostars in Taurus**, *AJ* 112, 2076

Tamura, M., Hough, J.H., Chrysostomou, A., Itoh, Y., Murakawa, K., Bailey, J.A.: 1997, **Identification of the exciting source of Herbig-Haro objects 135 and 136**, *MNRAS* 287, 894

Tanaka, M., Nagata, T., Sato, S., Yamamoto, T.: 1994, **The nature of CO and H_2O ices in the Corona Australis molecular cloud**, *ApJ* 430, 779

Tapia, M., Roth, M., Carrasco, L., Ruiz, M.T.: 1987, **On the infrared emission of the exciting star of the Herbig-Haro objects 1 and 2**, *MNRAS* 224, 587

Tapia, M., Persi, P., Bohigas, J., Ferrari-Toniolo, M.: 1997, **IRAS sources associated with small nebulae in star forming regions: optical and near-infrared images**, *AJ* 113, 1769

Tatematsu, K., Umemoto, T., Kameya, O., Hirano, N., Hasegawa, T., Hayashi, M., Iwata, T., Kaifu, N., Mikami, H., Murata, Y., Nakano, M., Nakano, T., Ohashi, N., Sunada, K., Takaba, H., Yamamoto, S.: 1993a, **Molecular cloud cores in the Orion A cloud. I. Nobeyama CS (1-0) survey**, *ApJ* 404, 643

Tatematsu, K., Umemoto, T., Murata, Y., Chen, H., Hirano, N., Takaba, H.: 1993b, **Molecular cloud core and CS outflow associated with Haro 4-255 FIR**, *ApJ* 419, 746

Taylor, K., Münch, G.: 1978, **High-velocity features in M42 driven by stellar winds**, *A&A* 70, 359

Taylor, K., Dyson, J.E., Axon, D.J., Hughes, S.: 1986, **The Herbig-Haro like objects in M42**, *MNRAS* 221, 155

Teodorani, M., Errico, L., Vittone, A.A., Giovanelli, F., Rossi, C.: 1997, **Spectroscopic and photometric behaviour of the FU Orionis variable Z Canis Majoris**, *A&A Suppl.* 126, 91

Terebey, S., Vogel, S.N., Myers, P.C.: 1989, **High-resolution CO observations of young low-mass stars**, *ApJ* 340, 472

Terebey, S., Vogel, S.N., Myers, P.C.: 1992, **Probing the circumstellar environments of very young low-mass stars using water masers**, *ApJ* 390, 181

Terquem, C., Eislöffel, J., Papaloizou, J.C.B., Nelson, R.P.: 1999, **Precession of collimated outflows from young stellar objects**, *ApJ* 512, L131

Tessier, E., Bouvier, J., Lacombe, F.: 1994, **Speckle imaging of T Tauri stars in the L and M near-IR bands**, *A&A* 283, 827

Testi, L., Sargent, A.I.: 1998, **Star formation in clusters: A survey of compact millimeter-wave sources in the Serpens core**, *ApJ* 508, L91

Thé, P.S.: 1962, **On faint Hα emission stars in Lupus and Scorpius**, *Contr. Bosscha Obs.* No.15

Thiébaut, E., Bouvier, J., Blazit, A., Bonneau, D., Foy, F.-C., Foy, R.: 1995, **The companion of Z Canis Majoris detected in the visible**, *A&A* 303, 795

Thronson, H.A., Thompson, R.I.: 1982, **Near-infrared spectroscopy of moderate luminosity sources: OMC-2 IRS 3 and IRS 4**, *ApJ* 254, 543

Thronson, H.A., Harper, D.A., Keene, J., Loewenstein, R.F., Moseley, H., Telesco, C.M.: 1978, **Observations of five moderate-luminosity far-infrared sources in Orion and Monoceros**, *AJ* 83, 492

Thum, C., Bertout, C., Downes, D.: 1981, **A search for H_2O emission from Orion population stars**, *A&A* 94, 80

Tofani, G., Felli, M., Taylor, G.B., Hunter, T.R.: 1995, **Exploring the engines of molecular outflows. Radio continuum and H_2O maser observations**, *A&A Suppl.* 112, 299

Torrelles, J.M., Rodríguez, L.F., Cantó, J., Carral, P., Marcaide, J., Moran, J.M., Ho, P.T.P.: 1983a, **Are interstellar toroids the focusing agent of the bipolar molecular outflows?**, *ApJ* 274, 214

Torrelles, J.M., Rodríguez, L.F., Cantó, J., Marcaide, J., Gyulbudaghian, A.L.: 1983b, **A search for molecular outflows associated with peculiar nebulosities and regions of star formation**, *Rev. Mex. Astron. Astrof.* 8, 147

Torrelles, J.M., Ho, P.T.P., Rodríguez, L.F., Cantó, J.: 1985a, **VLA observations of ammonia and continuum in regions with high-velocity gaseous outflows**, *ApJ* 288, 595

Torrelles, J.M., Cantó, J., Rodríguez, L.F., Ho, P.T.P., Moran, J.M.: 1985b, **An ammonia toroid aligned perpendicular to the HH 1 and HH 2 bipolar outflow**, *ApJ* 294, L117

Torrelles, J.M., Ho, P.T.P., Rodríguez, L.F., Cantó, J.: 1986, **The kinetic temperature gradient and the structure of a thin molecular disk in Cepheus A**, *ApJ* 305, 721

Torrelles, J.M., Anglada, G., Rodríguez, L.F., Cantó, J., Barral, J.F.: 1987, **High angular resolution CO mapping of the high velocity gas associated with HL/XZ Tau and V645 Cygni (GL2789)**, *A&A* 177, 171

Torrelles, J.M., Ho, P.T.P., Rodríguez, L.F., Cantó, J.: 1989a, **NH_3 observations of the AFGL 2591 region: a possible cavity in the molecular cloud**, *ApJ* 343, 222

Torrelles, J.M, Ho, P.T.P., Rodríguez, L.F., Cantó, J., Verdes-Montenegro, L.: 1989b, **VLA observations of ammonia and continuum in regions with high-velocity gaseous outflows. II.**, *ApJ* 346, 756

Torrelles, J.M., Eiroa, C., Mauersberger, R., Estalella, R., Miranda, L.F., Anglada, G.: 1992a, **The molecular core in the AFGL 5157 region**, *ApJ* 384, 528

Torrelles, J.M., Rodríguez, L.F., Cantó, J., Anglada, G., Gomez, J.F., Curiel, S., Ho, P.T.P.: 1992b, **On the nature of the excitation of Herbig-Haro object 2**, *ApJ* 396, L95

Torrelles, J.M., Gomez, J.F., Anglada, G., Estalella, R., Mauersberger, R., Eiroa, C.: 1992c, **The powering sources of the molecular outflows in the AFGL 437, AFGL 5142, and AFGL 5157 regions**, *ApJ* 392, 616

Torrelles, J.M., Rodríguez, L.F., Cantó, J., Ho, P.T.P.: 1993a, **A circumstellar molecular gas structure associated with the massive young star Cepheus A-HW2**, *ApJ* 404, L75

Torrelles, J.M., Verdes-Montenegro, L., Ho, P.T.P., Rodríguez, L.F., Cantó, J.: 1993b, **From bipolar to quadrupolar: the collimation processes of the Cepheus A outflow**, *ApJ* 410, 202

Torrelles, J.M., Gomez, J.F., Ho, P.T.P., Anglada, G., Rodríguez, L.F., Cantó, J.: 1993c, **Ammonia emission downstream of the Herbig-Haro object 1**, *ApJ* 417, 655

Torrelles, J.M., Gómez, J.F., Ho, P.T.P., Rodríguez, L.F., Anglada, G., Cantó, J.: 1994, **The puzzling distribution of the high-density molecular gas in HH 1-2: A contracting interstellar toroid?**, *ApJ* 435, 290

Torrelles, J.M., Gómez, J.F., Rodríguez, L.F., Curiel, S., Ho, P.T.P., Garay, G.: 1996, **The thermal radio jet of Cepheus A HW2 and the water maser distribution at 0.08″ scale (60 AU)**, *ApJ* 457, L107

Torrelles, J.M., Gómez, J.F., Garay, G., Rodríguez, L.F., Curiel, S., Cohen, R.J., Ho, P.T.P.: 1998, **Systems with H_2O maser and 1.3 centimeter continuum emission in Cepheus A**, *ApJ* 509, 262

Tóth, L.V., Walmsley, C.M.: 1996, **Star formation in L1251. II. "The next generation" - NH_3 cores**, *A&A* 311, 981

Uchida, Y., Kaifu, N., Shibata, K., Hayashi, S.S., Hasegawa, T.: 1987, **Hollow cylindrical lobes with a helical velocity field of the L1551 bipolar flow**, in IAU Symp. No. 115, *Star Forming Regions*, ed. M.Peimbert, J.Jugaku, Reidel, p.287

Umemoto, T., Hirano, N., Kameya, O., Fukui, Y., Kuno, N., Takakubo, K.: 1991, **U-shaped outflow in the Lynds 1221 dark cloud - An example of interaction of outflows with ambient molecular clouds**, *ApJ* 377, 510

Umemoto, T., Iwata, T., Fukui, Y., Mikami, H., Yamamoto, S., Kameya, O., Hirano, N.: 1992, **The outflow in the L1157 dark cloud: evidence for shock heating of the interacting gas**, *ApJ* 392, L83

Ungerechts, H., Güsten, R.: 1984, **Formation of low-mass stars in the S68/Serpens-object molecular cloud. Observations of NH_3, H_2CO and H_2O and the 24.5 GHz continuum**, *A&A* 131, 177

Ungerechts, H., Thaddeus, P.: 1987, **A CO survey of the dark nebulae in Perseus, Taurus and Auriga**, *ApJ Suppl.* 63, 645

van den Bergh, S., Herbst, W.: 1975, **Catalogue of southern stars embedded in nebulosity**, *AJ* 80, 208

van der Werf, P., Dewdney, P.E., Goss, W.M., Vanden Bout, P.A.: 1989, **High resolution HI observations of dark clouds. II. L1551**, *A&A* 216, 215

van Langevelde, H.J., van Dishoeck, E.F., Blake, G.F.: 1994, **Evidence for HCO^+ infall toward T Tauri?**, *ApJ* 425, L45

van Langevelde, H.J., van Dishoeck, E.F., van der Werf, P.P., Blake, G.A.: 1994, **The spatial distribution of excited H_2 in T Tau: a molecular outflow in a young binary system**, *A&A* 287, L25

Velusamy, T., Langer, W.D.: 1998, **Outflow-infall interactions as a mechanism for terminating accretion in protostars**, *Nature* 392, 685

Velusamy, T., Kuiper, T.B.H., Langer, W.D.: 1995, **CCS observations of the protostellar envelope of B335**, *ApJ* 451, L75

Verdes-Montenegro, L., Ho, P.T.P.: 1996, **The molecular core associated with HH 25-26: Contraction or expansion?**, *ApJ* 473, 929

Verdes-Montenegro, L., Torrelles, J.M., Rodríguez, L.F., Anglada, G., Lopez, R., Estalella, R., Cantó, J., Ho, P.T.P.: 1989, **Further studies of the role of dense molecular clouds around outflow sources**, *ApJ* 346, 193

Verdes-Montenegro, L., Gomez, J.F., Torrelles, J.M., Anglada, G., Estalella, R., Lopez, R.: 1991, **V645 Cygni: a decelerating molecular outflow?**, *A&A* 244, 84

Vilchez, J.M., Mampaso, A., Riera, A., Phillips, J.P.: 1989, **The nature of the cometary nebula 1548C27**, *A&A* 213, 303

Viotti, R.: 1969, **On the stellar nucleus of NGC 7023**, *Mem. Soc. Astron. Ital.* 40, 79

Von Hippel, T., Burnell, S.J., Williams, P.M.: 1988, **A working catalogue of Herbig-Haro objects**, *A&A Suppl.* 74, 431

Vrba, F.J., Strom, S.E., Strom, K.M.: 1975, **Optical polarization of a Herbig-Haro object in Corona Austrina**, *PASP* 87, 337

Vrba, F.J., Schmidt, G.D., Hintzen, P.M.: 1979, **Observations and evaluation of the polarization in Herbig Ae/Be stars**, *ApJ* 227, 185

Vrba, F.J., Rydgren, A.E., Zak, D.S.: 1985, **JHKL photometry of three Herbig-Haro jet sources and a nebulous T Tauri star**, *AJ* 90, 2074

Vrba, F.J., Luginbuhl, C.B., Strom, S.E., Strom, K.M., Heyer, M.H.: 1986, **An optical imaging and polarimetric study of Lynds 723 and Barnard 335 molecular outflow regions**, *AJ* 92, 633

Walker, M.F.: 1987, **Simultaneous spectroscopic and photometric observations of four T Tauri-type variables**, *PASP* 99, 392

Walker, C.K., Adams, F.C., Lada, C.J.: 1990, **1.3 millimeter continuum observations of cold molecular cloud cores**, *ApJ* 349, 515

Walmsley, C.M., Menten, K.M.: 1987, **The molecular counterparts of the submillimeter compact sources in L1551 and B335**, *A&A* 179, 231

Walsh, J.R.: 1982, **Complex ionized structure in the θ^2 Orionis region**, *MNRAS* 201, 561

Walsh, J.R., White, N.J.: 1982, **A cluster of near-infrared sources in the neutral intrusions within M16 (NGC 6611)**, *MNRAS* 199, 9P

Walsh, J.R., Malin, D.F.: 1985, **Faint structures in the NGC 2261-HH 39 region**, *MNRAS* 217, 31

Walsh, J.R., Ogura, K., Reipurth, B.: 1992, **Two remarkable Herbig-Haro objects in the NGC 2264 region**, *MNRAS* 257, 110

Walter, D.K., O'Dell, C.R., Hu, X., Dufour, R.: 1995, **A rapidly moving shell in the Orion Nebula**, *PASP* 107, 686

Wannier, P., Andersson, B-G, Penprase, B.E., Federman, S.R.: 1999, **The Perseus B5 molecular cloud halo: Measurements of pressure, temperature, and composition**, *ApJ* 510, 291

Ward-Thompson, D., Chini, R., Krügel, E., André, P., Bontemps, S.: 1995, **A submillimetre study of the Class 0 protostar HH24MMS**, *MNRAS* 274, 1219

Ward-Thompson, D., Buckley, H.D., Greaves, J.S., Holland, W.S., André, P.: 1996, **Evidence for protostellar infall in NGC 1333-IRAS2**, *MNRAS* 281, L53

Warin, S., Castets, A., Langer, W.D., Wilson, R.W., Pagani, L.: 1996, **The structure and dynamics of NGC 1333 from ^{13}CO and C^{18}O observations**, *A&A* 306, 935

Warren-Smith, R.F., Draper, P.W., Scarrott, S.M.: 1987, **Polarimetry of the NGC 2261/R Monocerotis system and the faint jetlike feature to its southwest**, *ApJ* 315, 500

Weintraub, D.A., Masson, C.R., Zuckerman, B.: 1987, **Structure of a possible circumbinary disk around T Tauri**, *ApJ* 320, 336

Weintraub, D.A., Sandell, G., Duncan, W.D.: 1989, **Submillimeter measurements of T Tauri and FU Orionis stars**, *ApJ* 340, L69

Weintraub, D.A., Sandell, G., Duncan, W.D.: 1991, **Are FU Orionis stars younger than T Tauri stars? Submillimeter constraints on circumstellar disks**, *A&A* 382, 270

Weintraub, D.A., Kastner, J.H., Zuckerman, B., Gatley, I.: 1992, **Near-infrared polarized images of a nebula around T Tauri**, *ApJ* 391, 784

Weintraub, D.A., Kastner, J.H., Mahesh, A.: 1994, **Discovery of a deeply embedded companion to LkHα 234**, *ApJ* 420, L87

Weintraub, D.A., Kastner, J.H., Whitney, B.A.: 1995, **In search of HL Tauri**, *ApJ* 452, L141

Weintraub, D.A., Kastner, J.H., Gatley, I., Merrill, K.M.: 1996, **Diffraction-limited 3.8 micron imaging of protostellar outflow sources**, *ApJ* 468, L45

Weliachew, L., Emerson, D.T., Forveille, T., Bieging, J.H., Wright, M.C.H., Ellder, J.: 1985, **Hydrogen cyanide in the bipolar source Cep A**, *A&A* 153, 139

Welty, A.D., Strom, S.E., Edwards, S., Kenyon,S.J., Hartmann, L.W.: 1992, **Optical spectroscopy of Z Canis Majoris, V1057 Cygni and FU Orionis: Accretion disks and signatures of disk winds**, *ApJ* 397, 260

Westerlund, B.E.: 1963, **An OB association in the region of RS Puppis**, *MNRAS* 127, 71

White, G.J., Casali, M.M., Eiroa, C.: 1995, **High resolution molecular line observations of the Serpens Nebula**, *A&A* 298, 594

Whitney, B.A., Clayton, G.C., Schulte-Ladbeck, R.E., Calvet, N., Hartmann, L., Kenyon, S.J.: 1993, **Spectrum of the "invisible" companion of Z CMa revealed in polarized light**, *ApJ* 417, 687

Whitney, B.A., Kenyon, S.J., Gómez, M.: 1997, **Near-infrared imaging polarimetry of embedded young stars in the Taurus-Auriga molecular cloud**, *ApJ* 485, 703

Whittet, D.C.B., Blades, J.C.: 1980, **Grain growth in interstellar clouds**, *MNRAS* 191, 309

Whittet, D.C.B., Bode, M.F., Longmore, A.J., Adamson, A.J., McFadzean, A.D., Aitken, D.K., Roche, P.F.: 1988, **Infrared spectroscopy of dust in the Taurus dark clouds: ice and silicates**, *MNRAS* 233, 321

Whittet, D.C.B., Smith, R.G., Adamson, A.J., Aitken, D.K., Chiar, J.E., Kerr, T.H., Roche, P.F., Smith, C.H., Wright, C.M.: 1996, **Interstellar dust absorption features in the infrared spectrum of HH 100-IR: Searching for the nitrogen component of the ices**, *ApJ* 458, 363

Whittet, D.C.B., Prusti, T., Franco, G.A.P., Gerakines, P.A., Kilkenny, D., Larson, K.A., Wesselius, P.R.: 1997, **On the distance to the Chamaeleon I and II associations**, *A&A* 327, 1194

Wilking, B.A., Schwartz, R.D., Blackwell, J.H.: 1987, **An Hα emission-line survey of the ρ Ophiuchi dark cloud complex**, *AJ* 94, 106

Wilking, B.A., Lada, C.J., Young, E.T.: 1989, **IRAS observations of the ρ Ophiuchi infrared cluster: spectral energy distributions and luminosity function**, *ApJ* 340, 823

Wilking, B.A., Mundy, L.G., Blackwell, J.H., Howe, J.E.: 1989, **A millimeter-wave spectral-line and continuum survey of cold IRAS sources**, *ApJ* 345, 257

Wilking, B.A., Blackwell, J.H., Mundy, L.G.: 1990, **High-velocity molecular gas associated with cold IRAS sources**, *AJ* 100, 758

Wilking, B.A., Schwartz, R.D., Mundy, L.D., Schultz, A.S.B., 1990, **Shocked molecular hydrogen emission from Herbig-Haro objects and their exciting stars**, *AJ* 99, 344

Wilking, B.A., Schwartz, R.D., Fanetti, T.M., Friel, E.D.: 1997a, **Herbig-Haro objects in the ρ Ophiuchi cloud**, *PASP* 109, 549

Wilking, B.A., McCaughrean, M.J., Burton, M.G., Giblin, T., Rayner, J.T., Zinnecker, H.: 1997b, **Deep infrared imaging of the R Coronae Australis cloud core**, *AJ* 114, 2029

Wilner, D.J., Ho, P.T.P., Rodríguez, L.F.: 1996, **Subarcsecond VLA observations of HL Tauri: imaging the circumstellar disk**, *ApJ* 470, L117

Winkler, P.F., Reipurth, B.: 1992, **G203.2–12.3: A new optical supernova remnant in Orion**, *ApJ* 389, L25

Wiramihardja, S.D., Kogure, T., Yoshida, S., Nakano, M., Ogura, K., Iwata, T.: 1991, **Survey observations of emission-line stars in the Orion region. III - The Kiso areas A-0975 and A-0976**, *PAS Japan* 43, 27

Witt, A.N., Malin, D.F.: 1989, **The extended red emission filaments in NGC 2023**, *ApJ* 347, L25

Witt, A.N., Bohlin, R.C., Stecher, T.P., Graff, S.M.: 1987, **The unusual dust-scattering properties in the reflection nebula Ced 201**, *ApJ* 321, 912

Woitas, J., Leinert, Ch.: 1998, **HV Tauri C - Herbig-Haro flow or stellar companion with strong forbidden emission lines?**, *A&A* 338, 122

Wolf, M.: 1908, **A new "Cave-Nebula" in Cepheus**, *MNRAS* 69, 117

Wolf-Chase, G.A., Barsony, M., Wootten, H.A., Ward-Thompson, D., Lowrance, P.J., Kastner, J.H., McMullin, J.P. 1998, **The protostellar origin of a CS outflow in S68N**, *ApJ* 501, L193 (erratum *ApJ* 509, L145)

Wolf-Chase, G.A., Walker, C.K., Lada, C.J.: 1995, **The relationship of dense gas to star formation in the Monoceros OB1 dark cloud**, *ApJ* 442, 197

Wolstencroft, R.D., Scarrott, S.M., Warren-Smith, R.F., Walker, H.J., Reipurth, B., Savage, A.: 1986, **A bipolar nebula in Orion identified with the IRAS source 05329–0505**, *MNRAS* 218, 1P

Woody, D.P., Scott, S.L., Scoville, N.Z., Mundy, L.G., Sargent, A.I., Padin, S., Tinney, C.G., Wilson, C.D.: 1989, **Interferometric observations of 1.4 millimeter continuum sources**, *ApJ* 337, L41

Wootten, A., Loren, R.B., Snell, R.L.: 1982, **A study of DCO^+ emission regions in interstellar clouds**, *ApJ* 255, 160

Wouterloot, J.G.A., Walmsley, C.M.: 1986, **H_2O masers associated with IRAS sources in regions of star formation**, *A&A* 168, 237

Wouterloot, J.G.A., Habing, H.J., Herman, J.: 1980, **A new main line OH maser with a probable Zeeman pattern**, *A&A* 81, L11

Wouterloot, J.G.A., Walmsley, C.M., Henkel, C.: 1988, **Ammonia towards IRAS sources in the Orion and Cepheus clouds**, *A&A* 203, 367

Wouterloot, J.G.A., Brand, J., Fiegle, K.: 1993, **IRAS sources beyond the solar circle. III. Observations of H_2O, OH, CH_3OH and CO**, *A&A Suppl.* 98, 589

Wright, C.M., Drapatz, S., Timmermann, R., van der Werf, P.P., Katterloher, R., de Graauw, Th.: 1996, **Molecular hydrogen observations of Cepheus A West**, *A&A* 315, L301

Wynn-Williams, C.G., Becklin, E.E., Forster, J.R., Matthews, K., Neugebauer, G., Welch, W,J., Wright, M.C.H.: 1977, **On the relationship between the infrared source CRL 2591 (UOA-27) and its radio and H_2O counterparts**, *ApJ* 211, L89

Xiang, D., Turner, B.E.: 1995, **Newly discovered galactic H_2O masers associated with outflows**, *ApJ Supp.* 99, 121

Yamamoto, S., Mikami, H., Saito, S., Kaifu, N., Ohishi, M., Kawaguchi, K.: 1992, **SiO in Barnard 1**, *PAS Japan* 44, 459

Yamashita, T., Tamura, M.: 1992, **The molecular hydrogen emission around L1551 IRS 5: Shock-heated molecular gas at the base of the molecular outflow**, *ApJ* 387, L93

Yamashita, T., Sato, S., Nagata, T., Suzuki, H., Hough, J.H., McLean, I.S., Garden, R., Gatley, I.: 1987a, **Polarimetric mapping of a new infrared reflection nebula GGD 27 IRS**, *A&A* 177, 258

Yamashita, T., Sato, S., Tamura, M., Suzuki, H., Kaifu, N., Takano, T., Mountain, C.M., Moore, T.J.T., Gatley, I., Hough, J.H.: 1987b, **Geometric configuration around GL 2591: An infrared reflection nebula and a CS molecular disk**, *PAS Japan* 39, 809

Yamashita, T., Suzuki, H., Kaifu, N., Tamura, M., Mountain, C.M., Moore, T.J.T.: 1989a, **A new CO bipolar flow and dense disk system associated with the infrared reflection nebula GGD 27-IRS**, *ApJ* 347, 894

Yamashita, T., Sato, S., Nagata, T., Gatley, I., Hayashi, S.S., Fukui, Y.: 1989b, **Infrared reflection nebulae around GL 490 and R Monocerotis: shell structure and possible large dust grains**, *ApJ* 336, 832

Yamashita, T., Sato, S., Kaifu, N., Hayashi, S.S.: 1990, **The density structure of the protostellar disk: A power-law distribution of the dust around GGD 27 IRS**, *ApJ* 365, 615

Yamashita, T., Murata, Y., Kawabe, R., Kaifu, N., Tamura, M.: 1991, **The dense, inner part of the protostellar disk: protostar candidates in GGD 27 IRS**, *ApJ* 373, 560

Yan, J., Wang, H., Wang, M., Deng, L., Yang, J., Chen, J.: 1998, **Newly discovered Herbig-Haro objects in Barnard 1 and NGC 1333**, *AJ* 116, 2438

Yang, J., Ohashi, N., Yan, J., Liu, C., Kaifu, N., Kimura, H.: 1997, **Detection of infall motion from the circumstellar disk associated with the exciting source of HH 111**, *ApJ* 475, 683

Yu, K.C., Bally, J., Devine, D.: 1997, **Shock-excited H_2 flows in OMC-2 and OMC-3**, *ApJ* 485, L45

Yu, T., Chernin, L.M.: 1997, **BIMA observations of the VLA 1623 molecular outflow**, *ApJ* 479, L63

Yun, J.L., Clemens, D.P.: 1994, **Outflows from young stellar objects in Bok globules: Maps**, *ApJ Suppl.* 92, 145

Yun, J.L., Clemens, D.P., Moreira, M.C., Santos, N.C.: 1997, **H_2 imaging of Sandqvist 136: shocked gas, jets, and knots**, *ApJ* 479, L71

Yusef-Zadeh, F.: 1990, **Structural details of the Orion Nebula: detection of a network of string-like ionized features**, *ApJ* 361, L19

Yusef-Zadeh, F., Cornwell, T.J., Reipurth, B., Roth, M.: 1990, **Detection of synchrotron emission from a unique HH-like object in Orion**, *ApJ* 348, L61

Zaitseva, G.V.: 1989, **Periodicity of T Tau on the basis of photometric data**, *Astrophysics* 31, 704

Zavagno, A., Molinari, S., Tommasi, E., Saraceno, P., Griffin, M.: 1997, **Young stellar objects in Lynds 1641: a submillimetre continuum study**, *A&A* 325, 685

Zealey, W.J., Williams, P.M., Sandell, G.: 1984, **Infrared mapping of the Herbig-Haro complex HH 7-11 in the S(1) emission line of molecular hydrogen**, *A&A* 140, L31

Zealey, W.J., Williams, P.M., Taylor, K.N.R., Storey, J.W.V., Sandell G.: 1986, **Molecular hydrogen emission in HH complexes. I. AS353A/HH 32**, *A&A* 158, L9

Zealey, W.J., Mundt, R., Ray, T.P., Sandell, G., Geballe, T., Taylor, K.N.R., Williams, P.M., Zinnecker, H.: 1989, **Stellar outflows and jets**, *Proc. Astron. Soc. Austr.* 8, 62

Zealey, W.J., Williams, P.M., Sandell, G., Taylor, K.N.R., Ray, T.P.: 1992, **Molecular hydrogen emission in HH complexes. III. Outflows with jets**, *A&A* 262, 570

Zealey, W.J., Suters, M.G., Randall, P.R.: 1993, **Near-infrared mapping of jets and outflow cavities associated with young stellar objects**, *Proc. astron. soc. Australia* 10, 203

Zhang, Q., Ho, P.T.P., Wright, M.C.H., Wilner, D.J.: 1995, **SiO emission in a jetlike molecular outflow toward L1157**, *ApJ* 451, L71

Zhou, S.: 1995, **Line formation in collapsing cloud cores with rotation and applications to B335 and IRAS 16293–2422**, *ApJ* 442, 685

Zhou, S., Butner, H.M., Evans, N.J.: 1988, **CO observations of L1582**, *ApJ* 333, 809

Zhou, S., Evans, N.J., Butner, H.M., Kutner, M.L., Leung, C.M., Mundy, L.G.: 1990, **Testing star formation theories: VLA observations of H_2CO in the Bok globule B335**, *ApJ* 363, 168

Zhou, S., Evans, N.J., Wang, Y.: 1996, **Small-scale structure of candidates for protostellar collapse. I. BIMA observations of L1527 and CB 54**, *ApJ* 466, 296

Zinnecker, H., Preibisch, Th.: 1994, **X-ray emission from Herbig Ae/Be stars: A ROSAT survey**, *A&A* 292, 152

Zinnecker, H., Mundt, R., Geballe, T.R., Zealey, W.J.: 1989, **High spectral resolution observations of the H_2 2.12 micron line in Herbig-Haro objects**, *ApJ* 342, 337

Zinnecker, H., Bastien, P., Arcoragi, J.-P., Yorke, K.W.: 1992, **Submillimeter dust continuum observations of three low luminosity protostellar IRAS sources**, *A&A* 265, 726

Zinnecker, H., McCaughrean, M.J., Rayner, J.T.: 1998, **A symmetrically pulsed jet from an invisible protostar in Orion**, *Nature* 394, 862